271242

10	1466	5.5	CLST, MED.GY, FM-VFM, SILTY, MICA, MASSIVE, SWELLING CLAYS DISP.
11	1457	5.0	SST, MED.GY, FM, F-MD, OCC. CRSE, SUBANG-ANG, MOD.SRTD, ARG.MTX, PR VIS.POR.
12	1404.5	5.0	FINE SST, W CARB.CLST PARTINGS, FR-GD VIS.POR.
13	1381	5.0	SST, BRN, SFT-FM, F-VF, ANG, MOD.SRTD, ARG.MTX, SWELLING CLAYS, PR VIS POR.
14	1379.3	-	SHATTERED BULLET - NO REC.
15	1374	-	LOST BULLET.
16	1358	4	SST, LT.BRN, SFT-FRI, FG, ANG, MOD.SRTD, TR.ARG.MTX, VIS POR GOOD, NO FLUOR, NO CUT FLUOR, TR LT.YELLOW CRUSH CUT FLUOR.
17	1355	4	SST, LT.BRN, FM, FRI, OCC.HD, FN, ANG, MOD.SRTD, OCC. CALC CMT, VIS POR PR-MOD, DULL YELLOW FLUOR, NO CUT FLUOR, V.SLI TR OF LT.YELLOW CRUSH CUT FLUOR.
18	1353.8	4	SST, LT.BRN, SFT-FRI, FN, ANG-SUBANG, MOD.W SRTD, TR ARG.MTX, VIS POR FR, SPECKLED MINOR DULL YELLOW FLUOR, INSTANT BRIGHT LT.YELLOW CUT FLUOR, AND SLOW STREAMING BRIGHT LT.YELLOW CUT FLUOR, NO CRUSH CUT, BRN.FILM, LT.BRN RESIDUAL RING W DULL GOLD FLUOR.
19	1340	4.	LAMINATED SLST, DK.BRN, FM, LAM W LT.BRN SLST-VF SST, SST ARE ANG AND ARG, VIS POR NIL.
20	1325	5	LAMINATED CLST/SST, CLST: DK.BRN. SST, WHT.W ARG.MTX, CALC, VIS POR NIL.
21	1254	4.5	LAMINATED CLST, AS FOR 1325, SLST RATHER THAN SAND.
22	1206.5	5.0	LAMINATED CLST/SST, AS FOR 1325. DULL YELLOW FLUOR IN SST, NO CUT FLUOR, SLI.TR CRUSH CUT FLUOR, VIS POR POOR.
23	1190	-	BULLET LOST.
24	1165	6.0	CLST, DK.BR, FM, MASS-SUB FISS, PYR, SLI.SWELLING, MICA.
25	1145	5.0	CLST, AS FOR 1165.
26	1053.5	4.0	SST, DK.BRN/GRY, SFT-FRI, VF-F, OCC.SILT, ANG, PR SRTD, ARG.MTX, TR.MICA, TR.PYR, TR.CALC.MTX, TR.SWELLING MTX, VIS POR TR-NIL

TELEX MESSAGE TELEX MESSAGE TELEX MESSAGE