

		dispersive and sticky in part, trace calcite veinlets.
1533 - 1536	100	Claystone: As above.
1536 - 1539	90	Claystone: As above.
	10	Siltstone: Very dark brown, very argillaceous, common very fine quartz, soft, sticky, plastic, moderately calcareous, no show.
1539 - 1542	90	Claystone: As above.
	10	Siltstone: As above.
1542 - 1545	80	Claystone: As above.
	10	Siltstone: As above.
	10	Sandstone: Brown to dark brown, very fine to fine grained, subround to round, well sorted, spherical, loose unconsolidated quartz, trace brown clay adhering to grain surfaces, fair inferred porosity, no show.
1545 - 1548	70	Claystone: As above.
	30	Sandstone: As above.
1548 - 1554	30	Claystone: As above.
	70	Sandstone: Light to medium brown, medium to coarse, occasionally very fine, well sorted, subangular to round, moderately spherical, trace light brown clay adhering to grains, trace green glauconite/chlorite?, trace quartz overgrowths/frosting, trace pyrite cement, predominantly loose unconsolidated quartz, good inferred porosity, no show.
1554 - 1560	90	Sandstone: Colourless to brown, very fine to very coarse, very poorly sorted, subangular to round spherical, weak to trace siliceous cement, trace interstitial brown clay, trace pyrite cement in part, trace glauconite, silty matrix in part, friable, poor to fair porosity, no show.
	10	Claystone: As above.
	Tr	Dolomite: Tan, cryptocrystalline, argillaceous, very hard, trace quartz, blocky to splintery.
1560 - 1563	70	Sandstone: As above, becoming predominantly coarse to very coarse and rounded.
	30	Claystone: Brown to light brown, occasionally very dark brown, silty, slightly calcareous in part, soft, dispersive, abundant disseminated and nodular pyrite.
1563 - 1566	60	Sandstone: As above predominantly very coarse to very fine, very poorly sorted.
	40	Claystone: As above.
1566 - 1569	60	Sandstone: As above.
	40	Claystone: As above.
1569 - 1572	80	Sandstone: As above, becoming cleaner, colourless to light brown.