

- 1608 - 1614 20 Coal: As above.
30 Siltstone: As above.
40 Claystone: As above.
10 Sandstone: Colourless, fine to medium grained, well sorted, subspherical, unconsolidated loose quartz, trace of clay adhering to grains, trace pyrite cement in part, predominantly good inferred porosity, no show.
- 1614 - 1617 20 Coal: As above.
10 Sandstone: As above, predominantly very fine to fine, subangular to subround, well sorted, spherical, weak siliceous cement, common interstitial clay and mica, trace to fair porosity, no show.
30 Siltstone: As above.
40 Claystone: As above.
- 1617 - 1620 70 Coal: Black, resinous to subvitreous, firm to hard, irregular fracture, sub-bituminous, splintery.
30 Claystone: Off white to predominantly brown, micromicaceous, non calcareous, silty, disseminated pyrite, soft, dispersive.
- 1620 - 1623 20 Coal: As above.
20 Sandstone: Off white to colourless, very fine to fine, subangular, spherical, well sorted, weak siliceous cement, abundant white clay matrix and mica, friable, trace porosity, no show.
30 Claystone: As above.
30 Siltstone: Off white, non calcareous, micromicaceous, soft, dispersive.
- 1623 - 1626 30 Coal: As above.
10 Sandstone: As above, fine to very coarse.
20 Siltstone: As above, greenish and glauconitic.
40 Claystone: As above.
- 1626 - 1629 10 Coal: As above.
30 Sandstone: As above, predominantly medium grained.
30 Siltstone: As above.
30 Claystone: As above.
- 1629 - 1632 20 Sandstone: As above.
40 Siltstone: As above.
40 Claystone: Dark grey, soft to firm, subfissile to firm, non calcareous, carbonaceous in part, micromicaceous.
- 1632 - 1635 10 Coal: Black, subvitreous, hard to soft, blocky to platy, pyrite, sub-bituminous.
10 Siltstone: As above.
10 Claystone: As above.
70 Sandstone: Colourless to light brown, very fine to coarse, predominantly fine to coarse, well sorted, subround, spherical, loose unconsolidated quartz with trace clay coatings, trace calcite, good inferred porosity, no show.