

- 80 Sandstone: Colourless to light brown, translucent to opaque, fine to coarse, moderately sorted, spherical, angular, moderate dolomitic cement in part, generally siliceous, locally strong pyrite and haematite cement, white argillaceous matrix in part, trace mica, friable to predominantly loose quartz, very hard in part, good inferred porosity, nil in part, no show, no cut.
- 1932 - 1938 100 Sandstone: As above, predominantly medium grained, predominantly loose quartz, trace mica, good inferred porosity, no show, no cut.
- 1938 - 1944 30 Coal: Black, subvitreous, hard, brittle, conchoidal fracture.
50 Sandstone: As above.
20 Claystone: As above.
- 1944 - 1950 50 Coal: As above.
30 Sandstone: As above, predominantly medium to coarse grained, loose, no show.
20 Claystone: As above.
- 1950 - 1956 10 Coal: As above.
20 Sandstone: As above, predominantly fine grained.
70 Claystone: Light brownish grey, micromicaceous, slightly carbonaceous, non calcareous, very soft, dispersive, sticky.
- 1956 - 1962 20 Sandstone: As above.
70 Claystone: Off white to light brown grey, micromicaceous, very silty, slightly to moderately calcareous, sandy in part, grades to argillaceous Siltstone, very soft, dispersive, very sticky.
- 1962 - 1965 90 Claystone: As above.
10 Sandstone: Off white, very fine grained, subangular to subround, well sorted, moderate calcareous cement, white matrix, friable to moderately hard, blocky, no porosity, no show.
Tr Dolomite: Yellow brown, cryptocrystalline, silty, very hard.
- 1965 - 1968 90 Claystone: As above, predominantly pale brownish white.
10 Sandstone: As above, becoming fine to medium grained, hard.
Tr Coal.
- 1968 - 1971 80 Claystone: As above, very light brown.
10 Sandstone: As above, fine to medium grained, hard.
10 Coal: Black, subvitreous, hard, brittle, conchoidal fracture.
- 1971 - 1974 10 Sandstone: As above, very fine grained, friable.
30 Coal: As above.
60 Claystone: As above.
- 1974 - 1977 60 Coal: As above, argillaceous in part grading to carbonaceous shale.
40 Claystone/Shale: Grey to dark brown grey, moderately carbonaceous, trace pyrite, non calcareous, soft to firm, dispersive to fissile, sticky