

1311 - 1314	80	Claystone: As above.
	20	Sandstone: Light brown, coarse, subround to round, occasionally well rounded, subspherical, weak calcareous cement, abundant brown argillaceous matrix, friable in aggregate, predominantly loose grains with argillaceous coatings, trace carbonaceous specks, very poor porosity, no show.
1314 - 1317	90	Claystone: As above.
	10	Sandstone: As above.
1317 - 1320	100	Claystone: Light brown to brown, slightly micromicaceous, non calcareous, very soft, dispersive.
1320 - 1323	100	Claystone: As above.
1323 - 1326	100	Claystone: As above, silty with mica.
1326 - 1329	100	Claystone: As above.
1329 - 1332	100	Claystone: As above, trace coarse subround quartz.
1332 - 1335	100	Claystone: As above, trace colourless coarse subround quartz.
1335 - 1338	100	Claystone: As above, trace colourless subround to round coarse quartz.
1338 - 1341	100	Claystone: As above, trace colourless subround to round coarse quartz.
	Tr	Coal: Black, subvitreous, firm, brittle, platy with a trace amber.
1341 - 1344	100	Claystone: As above.
1344 - 1347	100	Claystone: As above, light brown, non calcareous, micromicaceous, occasional carbonaceous specks, occasionally silty, with scattered clear quartz, soft, dispersive, trace dolomitic concretions.
1347 - 1350	100	Claystone: As above.
1350 - 1353	100	Claystone: As above, trace colourless clear quartz.
1353 - 1356	100	Claystone: Light brown to grey brown, non calcareous, micromicaceous, occasional carbonaceous specks, plastic, soft, dispersive, trace clear quartz grains.
1356 - 1359	100	Claystone: As above, trace pyrite nodules.
1359 - 1362	100	Claystone: As above.
1362 - 1365	100	Claystone: As above.
1365 - 1368	100	Claystone: As above.
1368 - 1371	100	Claystone: As above.
1371 - 1374	100	Claystone: As above.
1374 - 1377	100	Claystone: As above.