

1893 - 1896	10	Coal: As above.
	40	Claystone: As above.
	50	Sandstone: As above, very fine to coarse, predominantly fine to medium, friable to loose, trace to poor porosity, trace FLUORESCENCE as above.
1896 - 1899	70	Coal: Black to grey black, dull, firm to hard, subconchoidal to hackly fracture, platy to occasionally blocky.
	30	Claystone: Grey brown to light grey brown, very carbonaceous and coaly, micromicaceous, non calcareous, soft to firm, dispersive, laminated.
1899 - 1902	50	Coal: As above.
	40	Claystone: As above.
	10	Sandstone: White to off white, very fine to fine, well sorted, subround, spherical, weak siliceous cement, white interstitial clay, trace mica, trace carbonaceous detritus, friable to loose, poor to fair inferred porosity, no show.
1902 -1905	20	Coal: As above.
	40	Claystone: As above.
	40	Sandstone: As above, no show.
1905 - 1908	10	Coal: As above.
	90	Sandstone: As above, white to colourless, very fine to predominantly fine, occasionally medium grains, well sorted, subround to angular, spherical, weak siliceous cement, trace to locally abundant white interstitial clay, trace mica, friable to mostly loose quartz, poor to fair visual porosity, no show.
1908 - 1911	100	Sandstone: As above, no show.
1911 - 1914	100	Sandstone: As above, very fine to coarse, predominantly fine to medium, trace grey quartz, predominantly angular, fair to good porosity, no show.
1914 - 1917	100	Sandstone: As above, clean, fine to very coarse, predominantly fine to medium, moderately to poorly sorted, angular, loose quartz, good to fair porosity, no show.
1917 - 1920	100	Sandstone: As above with brown argillaceous matrix, fine to very coarse, predominantly fine to medium, poor to moderately sorted, angular, brown to white argillaceous matrix, loose quartz, fair inferred porosity, no show.
1920 - 1923	20	Sandstone: As above, predominantly coarse, no show.
	10	Coal: As above, black.
	70	Claystone: Light grey brown to off white, silty, micromicaceous, soft, dispersive.
1923 - 1926	30	Coal: Black, dull, firm, platy.
	20	Sandstone: As above, predominantly fine to medium, no show.
	50	Claystone: As above.
1926 - 1929	50	Coal: As above.
	20	Claystone: As above.
	30	Sandstone: White, colourless, fine grained, subangular, well sorted, spherical, weak siliceous cement, abundant clay matrix, trace mica, friable to predominantly loose quartz, fair porosity, no show.