

## SIDEWALL CORE SUMMARY - YOLLA NO.1

Page 1 of 3

No.	Depth (m)	Rock Type	Grain Size	Matrix/Cement	Porosity(%)	Stain	Fluorescence	Out	Crush Out	Dessic. Ring	Ratings
1	3028	Cly Sst	Vf-f	Wh & brn cly	10-20	Spotty, lt brn	Dull yel-brn	Clr, v transp lt yel	Clr, mod transp lt ylw-wh	Clr, brt gold-yel	Poor
2	3014.5	Sdy Carb Clyst	(vf-f)	-	tr frac por	-	Tr v dull yel-brn	Clr dull lt yel	V lt brn w/bl-wh	Lt brn, v brt gold-yel	Poor
3	3013	Sst	Vf-f	Kaol, tr calc	20-30	V spotty lt brn	V dull yel-brn	Clr, v faint yel	Clr, transp lt yel	Clr, mod brt lt yel	Poor
4	3010	Sst	Vf-f	Kaol, tr calc	10-20	Tr spotty lt brn	Yel-brn	Clr transp dull lt yel	Clr, mod brt lt yel	Clr, mod brt lt gold-yel	Poor
5	3006	Sdy Carb Clyst	(Vf)	-	Tr frac por	Tr spotty lt brn	Spotty dull yel-brn	Clr, brt lt yel bl-wh	Clr, brt transl, lt yel bl-wh	Lt brn, v brt gold-yel	Poor
6	3002.5	Cly Sst	Vf-f	Abnt Kaol (?)	10-20	Tr lt brn	Mod even v dull yel-brn	Clr, faint yel	Clr, mod brt transp, lt yel	Clr, mod brt lt yel	Poor
7	2994	Cly Sst	Vf-f	Kaolin (?)	10-20	Tr lt brn	Tr dull yel-brn	Clr, dull yel	Clr, mod brt transp, lt yel	Clr, mod brt lt yel	Poor
8	2992	N.R.	-	-	-	-	-	-	-	-	-
9	2988	Cly Sst	Vf-f	Mod Clayey	10-20	-	Mod even med yel-brn	Clr, transp lt yel	Clr, v brt transp, med yel	Lt brn, mod dull yel	Poor
10	2985	Sst w/Clyst	Vf	Kaolinitic (?)	10-20	Tr lt brn	Tr dull yel-brn	Clr, v brt transp, lt yel	Clr, v brt transl, lt yel bl-wh	Med brn, brt yel-gold	Poor
11	2974.5	Cly Sst	Vf-f	Abun Kaol (?)	15-25	Tr spotty lt brn	Spotty dull gold yel	Clr, v brt bl-wh	Clr, v brt transp, bl-wh	Clr, mod brt lt yel bl-wh	Excellent
12	2970	Clyst	-	-	-	-	-	Clr, v pl yel	Clr, v brt transp bl-wh	Med brn, v brt yel-gold	Poor
13	2960.5	Sltly Sdy Clyst	(Vf)	-	-	Tr lt brn	Tr dull yel-brn	Clr, pl yel	Clr, mod brt transp yel-bl-wh	Clr, mod brt lt yel	Poor
14	2952.5	Cly Sst	Vf-f	Bent-Kaol (?)	10-25	Patchy lt brn	Even-patchy mod brt lt-yel	V brt, transp yel bl-wh	Lt brn, brt transl lt yel-bl-wh	Lt brn, brt med yel	Excellent
15	2945	Clyst	-	-	-	-	-	Clr, lt yel	Clr, lt bl-wh	Clr, lt yel	Poor
16	2885	Clyst	-	-	Frac Por	-	-	Tr v lt yel	Clr, transp med lt yel	Clr, mod brt lt yel	Poor
17	2879.5	Sst	Vf	Abnt Kaol (?)	10-20	Tr lt brn	Tr dull yel-brn	Clr, v lt yel	Clr, mod brt transp lt yel	Clr, mod brt yel	Poor
18	2874	Sst	Vf	Abnt Kaol (?)	20-30	Tr v lt brn	Pl dull yel-brn	Clr, mod brt v lt yel	Clr, v brt transp yel-bl-wh	Clr, mod brt yel	Excellent

304033