

351065

| | |
|-----------|--|
| 8740-8750 | 90% <u>Shale</u> , light medium grey, massive, medium soft, non calcareous carbonaceous 10% <u>Sandstone</u> , as above |
| 8760-8770 | 60% <u>Sandstone</u> , soft grey, very fine-coarse grain, non porous hard angular-subrounded, calcareous, fair sorting consisting of quartz white-milky, (coarse grains - all unconsolidated in tray) some feldspar, strong trace pyrite and coal, trace chlorite, frequent red - brown chert. 40% <u>carbonaceous shale</u> , as above |
| 8770-8780 | 60% <u>Sandstone</u> , as above 40% <u>Shale</u> ; as above |
| 8780-8790 | 50% <u>Sandstone</u> ; as above 50% <u>Shale</u> ; as above |
| 8790-8800 | 90% <u>Sandstone</u> ; as above 10% <u>Coal</u> ; black vitreous with some amber |
| 8800-8810 | As above, coarse grain size fraction diminishing |
| 8810-8820 | 90% <u>Sandstone</u> , light grey, very fine-medium with occasional coarse grain, non porous, hard, calcareous angular-subrounded, calcareous, fair sorting, components as above 10% <u>Shale</u> , as above |
| 8820-8830 | As above |
| 8830-8840 | As above |
| 8840-8850 | As above |
| 8850-8860 | 80% <u>Sandstone</u> 20% <u>Shale</u> |
| 8860-8870 | As above |
| 8870-8880 | 100% <u>Sandstone</u> . Very fine-fine with occasional medium grain otherwise as above |
| 8880-8890 | As above |
| 8890-8940 | 80% <u>Sandstone</u> as above 20% <u>Shale</u> , medium grey, medium brown, non calcareous, carbonaceous |
| 8940-8950 | 70% <u>Sandstone</u> , as above, very fine-coarse grain, strong trace coal 30% <u>Shale</u> as above |
| 8950-8960 | As above |
| 8960-8970 | 90% <u>Sandstone</u> , as above 10% <u>Shale</u> , as above |
| 8970-8980 | 100% <u>Sandstone</u> |
| 8980-8990 | As above |
| 8990-9000 | 80% <u>Sandstone</u> as above. Trace pyrite chlorite, <u>coal</u> 20% <u>Shale</u> |
| 9000-9010 | 80% <u>Sandstone</u> , as above 20% <u>Shale</u> , as above |
| 9010-9020 | As above, very fine-medium grain. |
| 9020-9030 | 90% <u>Sandstone</u> as above 10% <u>Shale</u> as above |