

DEPTH	ROP	%	
820	120	70/20/10	A/A
830	102	70/20/10	A/A
840	104	80	<u>Lst</u> , skeletal,
		10	<u>Marl</u> ,
		10	<u>Lst</u> , calcarenite.
850	145	80/10/10	A/A
860	71	80/10/10	A/A
870	57	80	<u>Lst</u> , skeletal, bem well emtd.
		20	Marl A/A
880	165	80	Lst A/A
		20	Marl A/A
890	107	40	<u>Skel limestone</u> ; wh-m gy, cons, glauc, grds in pt to m gr calcarenite,
		60	<u>Marl</u> ; m gy, sft, sl slty,
895	84	10	<u>Skel Lst</u> ; A/A
		40	<u>Calcarenite Lst</u> ; F-m gr, firm - mod hard, occ rhomb frags, com glauc.
		50	Marl A/A
900	87	10/40/50	A/A
905	85	60	<u>Calc Lst</u> ; com skel frags
		40	<u>Marl</u> ; A/A
910	89	60/40	A/A
915	64	40	<u>Calcil Lst</u> ; A/A
		60	Marl.
920	40	40/60	A/A, Marl occ gy brn, flecked,