

WELL KONKON NO. 1  
 GEOLOGIST G. SHORT  
 SERVICE CO. SCHLUMBERGER

ESSO AUSTRALIA LTD.  
 SIDEWALL CORE DESCRIPTIONS

PAGE 2 OF 5  
 ATT 60 REC 56  
 DATE 28 May 1973

IES RUN NO 1 SWC RUN NO 1

NO.	DEPTH	REC	ROCK TYPE	MODIFIERS	CAL	COLOR	INDUR DEG	GRAIN SIZE	SRTG	RND	DISS CLAY	STAIN	FLOURESCENCE				CUT FLUOR.		CUT RESIDUE		SHOW	PROB PROD	REMARKS - GAS
													% RK	DISTR 14	INTEN 15	COLOR 16	INTEN 17	COLOR 18	QUAN 19	COLOR 20			
15	4480	1"	Sh	laminated	-	ltgy	firm	clay	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,000 ppmCl
16	4460	1"	Sltst	laminated clayey	Sli	ltgy brown	soft	silt to clay	poor	-	-	-	-	-	-	-	-	-	-	-	-	-	500 ppmCl
17	4445	1 <sup>3</sup> / <sub>8</sub> "	Coal	vitrain common	-	black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100,000 ppmCl, 250 ppm C2 tr C3
18	4355	3 <sup>3</sup> / <sub>4</sub> "	mdst		-	ltbr	firm	clay	-	-	-	-	-	-	-	-	-	-	-	-	-	-	200 ppmCl
19	4310	1 <sup>1</sup> / <sub>8</sub> "	mdst	laminated silty	-	dkbr	firm	clay	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10,000 ppmCl
20	4248	1 <sup>3</sup> / <sub>4</sub> "	Sst	laminated w/ fine carb. bands	-	ltgy	soft	fine	mod sbng sbr.	-	-	-	-	-	-	-	-	-	-	-	-	-	250 ppmCl
21	4210	2 <sup>1</sup> / <sub>4</sub> "	Coal	shaley	-	black	firm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	140M ppmCl
22	4150	1 <sup>1</sup> / <sub>2</sub> "	Sst	quartzose	-	White	friab	med	mod sbng sbr.	-	-	-	-	-	-	-	-	-	-	-	-	-	150 ppmCl
23	4106	1 <sup>3</sup> / <sub>8</sub> "	Sst	quartzose	-	red.br	fria	med	mod sbng sbr	-	-	-	-	-	-	-	-	-	-	-	-	-	350 ppmCl appears same as SWC 23 but mud invasion
24	4070	1 <sup>3</sup> / <sub>4</sub> "	Sst	quartzose	-	red.br	fria	med to crse	mod sbng sbr	5	-	-	-	-	-	-	-	-	-	-	-	-	850 ppmCl, Clay pro mud from invasion
25	3984	1 <sup>1</sup> / <sub>2</sub> "	Sst	quartzose	-	br	friab	fine to med	mod sbng sbr	-	-	-	-	-	-	-	-	-	-	-	-	-	400 ppmCl
26	3950	1 <sup>1</sup> / <sub>2</sub> "	Sh	Shale	S1	dkbr	firm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1100 ppmCl
27	3900	1 <sup>3</sup> / <sub>8</sub> "	Sh	Shale	S1	dkbr	firm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	500 ppmCl
28	3800	1 <sup>5</sup> / <sub>8</sub> "	Sst	quartzose	-	ltbr	soft	fine	mod sbng sbr	-	-	-	-	-	-	-	-	-	-	-	-	-	750 ppmCl

FORM R 257 3/72

382038