

9370 - 80' 10% Sfts. aa (160 units gas
90% Coal drilling break)

9380' - 96' 20% SS white, fine - med gr sa-r
vts, med - well sorted, minor
scattered lithics, ^{v. sl. calc.} minor
disseminated clay - matrix variable
dispersed. Poor ϕ + k.
Some aggregates show a
lt blue fluor. with a slow
weak lt blue cut leaves ^{minig}

50% Sfts.
30% Coal.

9390' - 9400' 30% SS. aa less fluor
50% Sfts aa
20% Coal

9400' - 10' 40% SS. aa
40% Sfts.
20% Coal.

9410 - 20 60% SS. aa. Almost no fluor.
30% Sfts
10% Coal.

9420' - 30' Core # 8: 9426' - 9456'.
Cut 30' Rec 50'

9450' - 60' 50% SS. aa - scattered aggregates \bar{c} fluor
40% Sfts. aa
20% Coal

9460' - 70' 60% SS aa - a few pieces \bar{c} fluor.
30% Sfts aa
10% Coal.