

385-9390

60% Sst - wh - buff, mainly friable and loose grain
minor hard, dolomitic. fine - med, mod
std, s.a - sr. weakly cemented - wh.
arg. mod ϕ . N.S.

35% Sst - lt bn, mid - dk bn and carbonaceous,
5% Coal

390-9395

75% Sst - a.a. mainly medium, common
coarse. Slight mineral fl. only.

20% Sst - a.a. grading to v.f. lentic - net.
5% Coal

395-9400

85% Sst - wh, buff, lt bn (dolomitic) mainly loose
grains and weakly cemented, friable,
mainly med, with common fine & coarse, s.a
common feldspar, mod std. Common biotite
and muscovite flakes, Mineral fl. only.

15% Sst - a.a.
tr Coal

400-9405

85% Sst - friable & loose a.a. v. sl. dolomitic
cement.

10% Sst - mid - dk bn, with increase in carb.
material, soft to firm.

5% Coal - blk shiny and dk bn silty clut.