

450065

PELICAN -5

DATE: 14/2/86

LOGGING SUITE 3

BY: SCHLUMBERGER

GEOLOGIST: R. G. McCULLOUGH

SHOT 60 REC. 48

PAGE 2 OF 3

SHOT NO.	DEPTH (m)	PULL (lbs)	REC'D (cms)	CONDITION	ROCK TYPE	VISUAL POROSITY	ODOR	STAIN	FLUORESCENCE	CUT FLUORESCENCE	CRUSH CUT FLUORESCENCE	CUT RESIDUE	RATING
21	3406.5	-	NO REC		-	-	-	-	-	-	-	-	-
22	3398.5	-	NO REC		-	-	-	-	-	-	-	-	-
23	3388.5	-	1.75	GOOD	SST: MED GY, FN GRN, M TO W SRT, SA-SR, DOLO CMT, COMM SCATTERED ORGANIC MATTER, MOD FIRM TO FIRM.	10 - 15%	-	-	-	-	PATCHY GOLDEN YELL TO WHT	PATCHY DULL YELL	POOR
24	3386.5	-	1.50	GOOD	SST: MED GY, FN GRN, MOD TO W SRT, SA-SR, DOLO CMT. V COMM SCATTERED ORGANIC DEBRIS, FIRM.	10 - 15%	-	-	-	V SLOW PALE ORNG/GRN	PATCHY DULL YELL/WHT	PATCHY DULL YELL	POOR
25	3376.5	-	1.5	GOOD	SST: LT GY/BRN, FN GRN, MOD TO W SRT, SA-SR. PRED CALC CMT WITH COMM DOLO CMT. FINELY LAMINATED WITH ORGANIC MATTER, SOFT TO FRIABLE.	10 - 15%	-	-	ORNG, RANGING FROM SOLID TO SPECKLED	MOD FAST YELL/ORNG	FAST STRMY YELL/WHT COMM ORNG	WEAK CRMY WH TO YELL	FAIR
26	3368.5	-	NO REC		-	-	-	-	-	-	-	-	-
27	3355.5	-	NO REC		-	-	-	-	-	-	-	-	-
28	3349	-	1.75	GOOD	SST: LT GY/BRN, V FN TO FN GRN, M TO W SRT, SR, CALC CMT. TR SCATTERED ORGANIC DEBRIS, MOD FIRM.	8 - 12%	-	-	RARE PIN PT, ORNG	RARE PIN PT YELL/GOLD	SLOW DULL YELL/GOLD	EVEN BRT YELL/WHT	FAIR
29	3343	-	NO REC		-	-	-	-	-	-	-	-	-
30	3339	-	NO REC		-	-	-	-	-	-	-	-	-
31	3335.5	-	BRO-KEN	FAIR	SST: LT GY/TAN BRN, V FN TO FN, M SRT, SA-SR, CALC CMT WITH TR DOLO CMT. TR TO COMM SCATT ORGANIC DEBRIS, SOFT.	10 - 15%	-	-	PATCHY TO PIN PT PALE YELL 20%	V SLOW, EVEN DULL YELL TO WHT	V SLOW EVEN YELL WHT	WEAK EVEN YELL WHT	FAIR
32	3327	-	BRO-KEN	FAIR	SST: LT GY/BRN, FN GRN, M TO W SRT, SA-SR, CALC CMT. V COMM SCATT ORGANIC DEBRIS, SOFT.	10 - 15%	-	-	PIN PT TO PATCHY PALE YELL/GOLD 30%	SLOW PATCHY STRM YELL/WHT	V SLOW DULL WHT	BRT EVEN YELL/WHT	FAIR
33	3320.5	-	NO REC		-	-	-	-	-	-	-	-	-
34	3276	-	NO REC		-	-	-	-	-	-	-	-	-
35	3268	-	BRO-KEN	POOR	SST: DK BRN TO MED GY, FN TO V FN GRN, PRED SILICA CMT WITH TR TO COMM CALC CMT, FIRM TO HARD.	10 - 15%	-	TR TO COMM RD/BRN TO BLK	RARE PIN PT, GOLDEN YELL	-	-	PATCHY GOLDEN YELLOW	POOR
36	3254.5	-	BRO-KEN	POOR	SST: MED BRN/GY, FN GRN, M TO W SRT, SA. PRED DOLO CMT WITH TR TO COMM SILICA CMT, TR TO COMM RK FRAGS. FIRM TO HARD.	10 - 15%	-	-	RARE PIN PT, ORG	-	-	-	POOR
37	3247.5	-	2.5	GOOD	SST: LT TO MED GY, FN GRN, M SRT, SA. PRED DOLO CMT, TR SILICA CMT. RARE TO V RARE RK FRAGS, FIRM.	10 - 15%	-	-	PATCHY TO PIN PT DULL ORG 80%	TR PATCHY V SLOW DULL YELL	V WEAK SLOW PATCHY DULL YELL/GOLD	PATCHY BRT WHT TO YELL	FAIR
38	3231.5	-	NO REC		-	-	-	-	-	-	-	-	-
39	3218	-	1.5	FAIR TO GOOD	SST: LT TO MED GY, V FN GRN, W SRT, SR, CALC CMT. V COMM SCATT ORGANIC MATTER. SLT LAMINATIONS, DK BRN TO BLK, V CARBONACEOUS (COAL?).	8-10%	-	-	V RARE DULL ORNG PIN PT	TR PATCHY V SLOW DULL YELL	V WEAK SLOW PATCHY DULL YELL	PATCHY BRT WHT TO YELL	FAIR
40	3207.5	-	1.0	FAIR TO GOOD	SST: LTGY, FN GRN, M TO W SRT, SA-SR. CALC CMT. V COMM SCATT TO LAMINATED ORGANIC MATTER, MOD FIRM.	10%	-	TR RD/BRN	-	RARE DULL GOLD/YELL 10%	-	-	POOR