

450355



Baroid Australia PTY. LTD./NL INDUSTRIES INC.

# DRILLING FLUID PROPERTY RECAP

COMPANY

AMOCO AUSTRALIA

WELL

PELICAN NO.5

DATE	DEPTH	HOLE SIZE	TEMP	WEIGHT	VIS	PV	YP	GELS	WATER	CAKE	pH	PI	MI	Cl	Ca	SAND	SOLIDS	WATER	OIL	MBC	REMARKS	TREATMENT	FORMATION	
1986 Ft	m		°F	ppg	SEC			10 sec	10 min	A.P.I				mg/l	mg/l	%	%	%	%	ppb				
<u>APRIL</u>																								
2	9490	2892		9.1	43	9	8	2	6	7.9	1	11.9	1.0	1.3	1700	240	Tr	5.6	94.4	-	17			
3	9590	2923	97	9.2	40	9	7	2	5	7.8	1	11.8	1.0	1.3	1900	200	Tr	5.8	94.2	-	16			
4	9567	2916	96	9.3	45	11	9	2	6	8.4	1	12.1	1.8	2.4	2300	280	Tr	6.8	93.2	-	19			
5	9540	2908	89	9.3+	43	10	8	2	5	8.6	1	12.1	1.4	2.0	2300	200	Tr	7.0	93.0	-	19			
6	9540	2908	-	9.3	39	9	7	2	5	8.6	1	12.1	1.3	1.9	2300	200	Tr	6.8	93.2	-	19			
7	9540	2908	-	9.2+	38	8	7	1	5	8.8	1	11.8	0.9	1.7	2700	280	Tr	6.3	93.7	-	19			DST 5A
8	9540	2908	-	9.2+	38	8	7	1	5	8.8	1	11.7	0.8	1.6	2800	280	Tr	6.3	93.7	-	19			" "
9	9540	2908	115	9.2	43	12	9	4	8	7.9	1	11.5	0.7	1.3	3000	180	Tr	6.6	93.4	-	19			" "
10	9342	2847	-	9.2	42	11	9	4	7	8.0	1	11.5	0.6	1.1	3100	180	Tr	6.6	93.4	-	19			
11	9342	2847	-	9.2	41	10	8	3	7	8.1	1	11.6	0.6	1.1	3100	160	Tr	6.6	93.4	-	19			DST 6
12	9342	2847	-	9.8	44	13	9	4	8	7.8	1	11.3	0.5	0.9	3000	140	Tr	7.8	92.2	-	19			END DST - HIGH GAS - RAISE WEIGHT
13	9100	2773.54	99	9.8	44	12	8	4	7	8.0	1	11.5	0.8	1.4	3100	200	Tr	7.8	92.2	-	18			P & A

102