

* DEPTH	RPM	WOB	ROP	MUD-WGT	FLOW	POISS	OVERD	BWCOR	DXCOM	DXEXP	PF	ECD	FRAC	POROS	
* METERS		TONS	MM/H	KG/L	L/HH	*	*	*			EQUIVALENT	DENSITY	%	*	
* 4364.00	85	25.0	180.0	9.00	502	.53	10.52	2.7121	.59	1.33	0.60	9.21	13.02	63	
* 4367.00	85	20.4	100.0	9.00	592	.53	10.52	2.7221	.76	1.33	0.60	9.22	13.02	49	
* 4370.00	86	21.5	180.0	9.00	502	.53	10.52	2.7320	.57	1.33	0.60	9.21	13.02	65	
* 4373.00	85	29.0	180.0	9.00	502	.53	10.52	2.7417	.62	1.33	0.60	9.21	13.02	61	
* 4376.00	85	27.0	180.0	9.00	507	.53	10.52	2.7512	.60	1.33	0.60	9.22	13.02	62	
* 4379.00	83	26.0	180.0	9.00	502	.53	10.52	2.7605	.59	1.33	0.60	9.21	13.03	63	
* 4382.00	85	26.0	80.00	9.00	592	.53	10.52	2.7697	.80	1.33	0.60	9.22	13.03	47	
* 4385.00	86	26.0	33.00	9.00	502	.53	10.52	2.7707	1.02	1.33	0.60	9.21	13.03	28	
* 4388.00	85	26.0	33.00	9.00	500	.53	10.52	2.7875	1.02	1.33	0.60	9.21	13.03	28	
* 4395.00	85	26.0	37.00	9.00	592	.53	10.52	2.8075	.99	1.33	0.60	9.22	13.03	31	
* 4398.00	88	19.7	20.00	9.00	592	.53	10.52	2.8150	1.07	1.33	0.60	9.22	13.03	24	
* 4401.00	91	20.0	14.00	9.00	591	.53	10.52	2.8240	1.17	1.33	10.02	9.22	14.50	20	
* 4404.00	88	25.2	20.00	9.00	596	.53	10.52	2.8320	1.14	1.33	10.24	9.22	14.61	20	
* 4410.00	85	24.0	25.00	9.00	578	.53	10.53	2.8477	1.06	1.33	PERMEABLE	0.60	9.21	13.05	25
* 4415.00	85	24.0	25.00	9.00	500	.53	10.53	2.8603	1.06	1.33	0.60	9.21	13.05	25	
* 4420.00	87	24.0	20.00	9.00	507	.53	10.53	2.8726	1.12	1.33	0.60	9.21	13.05	20	
* 4425.00	88	24.0	5.00	9.00	582	.53	10.53	2.8845	1.47	1.33	NORMAL	0.60	9.21	13.05	20
* 4439.00	87	23.0	170.0	9.00	577	.53	10.54	2.9162	.57	1.33	PERMEABLE	0.60	9.20	13.07	65
* 4440.00	88	23.0	170.0	9.00	502	.53	10.54	2.9183	.57	1.33	0.60	9.21	13.07	65	
* 4441.00	88	23.0	2.20	9.00	505	.53	10.54	2.9205	1.65	1.33	NORMAL	0.60	9.21	13.07	20
* 4445.00	85	25.0	372.0	9.00	582	.53	10.54	2.9290	.39	1.34	PERMEABLE	0.60	9.21	13.07	78
* 4450.00	85	20.4	42.00	9.00	592	.53	10.54	2.9394	.97	1.34	0.60	9.21	13.07	33	
* 4455.00	86	21.5	43.30	9.00	582	.53	10.54	2.9495	.89	1.34	0.60	9.21	13.07	40	
* 4460.00	85	29.0	40.00	9.00	582	.53	10.54	2.9594	1.00	1.34	0.60	9.21	13.07	31	
* 4465.00	85	27.0	38.01	9.00	587	.53	10.54	2.9690	.98	1.34	0.60	9.21	13.07	33	
* 4475.00	85	26.0	92.00	9.00	592	.53	10.55	2.9874	.74	1.34	0.60	9.21	13.09	52	
* 4480.00	86	26.0	27.00	9.00	582	.53	10.55	2.9963	1.06	1.34	0.60	9.21	13.09	26	
* 4500.00	91	22.0	2.00	9.00	591	.53	10.55	3.0295	1.65	1.34	NORMAL	0.60	9.21	13.90	19
* 4510.00	88	22.0	54.00	9.00	596	.53	10.56	3.0449	.84	1.34	PERMEABLE	0.60	9.22	13.91	44
* 4515.00	85	15.2	50.73	9.00	578	.53	10.56	3.0523	.70	1.34	0.60	9.20	13.91	49	
* 4520.00	85	20.0	50.00	9.00	500	.53	10.56	3.0595	.83	1.34	0.60	9.20	13.91	45	
* 4530.00	88	23.1	15.46	9.00	582	.53	10.56	3.0735	1.16	1.34	UNDER COMPACTED	10.20	9.21	14.66	19
* 4535.00	87	23.7	60.00	9.00	577	.53	10.56	3.0802	.83	1.34	PERMEABLE	0.60	9.20	13.91	45
* 4540.00	87	25.0	45.65	9.00	577	.53	10.56	3.0867	.91	1.35	0.60	9.20	13.92	39	
* 4545.00	88	25.0	45.65	9.00	582	.53	10.56	3.0931	.91	1.35	0.60	9.20	13.92	39	
* 4550.00	88	25.0	50.00	9.00	585	.53	10.56	3.0994	.89	1.35	0.60	9.21	13.92	40	
* 4560.00	89	25.0	50.00	9.00	587	.53	10.56	3.1114	.89	1.35	0.60	9.21	13.92	40	
* 4570.00	85	29.0	15.70	9.00	582	.54	10.57	3.1229	1.22	1.35	UNDER COMPACTED	9.74	9.20	14.47	19
* 4575.00	85	29.0	41.00	9.00	592	.54	10.57	3.1204	.97	1.35	PERMEABLE	0.60	9.21	13.94	34
* 4580.00	86	29.0	60.00	9.00	582	.54	10.57	3.1330	.87	1.35	0.60	9.20	13.94	42	
* 4585.00	85	29.0	16.00	9.00	582	.54	10.57	3.1391	1.21	1.35	UNDER COMPACTED	9.79	9.20	14.49	19
* 4590.00	85	29.0	13.00	9.00	587	.54	10.57	3.1443	1.27	1.35	NORMAL	0.60	9.21	13.94	19
* 4595.00	88	35.0	21.00	9.00	582	.54	10.58	3.1493	1.21	1.35	UNDER COMPACTED	9.81	9.20	14.52	19
* 4605.00	117	21.3	70.00	9.21	532	.54	10.58	1.1943	1.06	1.35	PERMEABLE	0.60	9.20	13.96	27
* 4606.26	123	22.9	72.30	9.24	537	.54	10.58	1.2236	1.00	1.35	0.60	9.30	13.97	26	
* 4608.72	123	22.5	71.50	9.25	528	.54	10.58	1.2706	1.06	1.35	0.60	9.32	13.97	27	
* 4611.92	122	27.6	67.64	9.23	542	.54	10.58	1.3460	1.12	1.35	0.60	9.30	13.97	22	
* 4615.06	121	22.3	69.69	9.23	537	.54	10.59	1.4001	1.04	1.35	0.60	9.30	13.97	28	
* 4618.01	120	20.7	52.32	9.24	520	.54	10.59	1.4632	1.00	1.36	0.60	9.31	13.97	26	
* 4620.87	123	19.9	31.01	9.23	532	.54	10.59	1.5141	1.19	1.36	UNDER COMPACTED	10.05	9.29	14.64	19
* 4623.84	119	26.2	11.51	9.22	532	.54	10.59	1.5643	1.51	1.36	NORMAL	0.60	9.29	13.97	19
* 4627.04	126	31.3	45.98	9.25	538	.54	10.59	1.6159	1.22	1.36	UNDER COMPACTED	9.76	9.32	14.51	19
* 4629.99	119	32.6	53.03	9.21	537	.54	10.59	1.6612	1.10	1.36	0.60	9.20	14.60	19	
* 4636.03	123	27.2	67.00	9.24	542	.54	10.59	1.7401	1.06	1.36	PERMEABLE	0.60	9.30	13.98	27
* 4638.82	120	34.6	74.02	9.27	540	.54	10.59	1.7956	1.09	1.36	0.60	9.34	13.98	25	
* 4641.80	123	32.9	49.47	9.25	551	.54	10.59	1.8244	1.10	1.36	UNDER COMPACTED	10.13	9.32	14.69	19