

FROM	TO	DESCRIPTION
		42.63 Bedded at 81° T.C.A. Jointing at 60° T. C. A. - normal co-planar.
		43.94 1.5 mm veinlet of pyrite-arsenopyrite at 45° T.C.A.
		44.00 Bedding at 75° T.C.A.
		45.88 - 45.93 Blebs and veinlets of pyrrhotite - pyrite at 44° T.C.A. (Sample No 1002)
		47.80 Bedding at 70° T.C.A.
		48.29 3 mm veinlet of arsenopyrite and minor pyrite at 49° T.C.A.
		48.66 Minor local disseminated pyrrhotite
		50.65 2 mm veinlet of arsenopyrite and pyrite at 49° T.C.A.
		51.80 Bedding at 73° T.C.A.
		54.80 Bedding at 75° T.C.A.
		56.00 Jointing at 50° T.C.A. Pyrite at 38° T.C.A. Predommently fine grained black shale.
59.13	59.13	59.48 1 mm veinlet of pyrite quartz and minor cassiterite at 50° T.C.A. Bedding at 70° T.C.A.
		60.35 3 mm veinlet of quartz and minor pyrite at 38° T.C.A.
		60.42- 62.40 Black shale brecciated by fine hairline displacements. Disseminated pyrrhotite approx 5% on fractures.
		62.50 Bedding at 43° T.C.A.
		63.70 Bedding at 32° T.C.A. Jointing at 34° T.C.A. - normals perpendicular
		64.70 - 66.30 Numerous threads and veinlets of pyrite.
		66.30 5 mm veinlet of quartz, arsenopyrite and pyrite at 28° T.C.A.
		67.40 - 68.15 Core broken due to fracturing and acute angle of bedding to core axis.
		68.25 Bedding at 34° T.C.A.
		70.65 Bedding at 15° T.C.A.
		72.60 Several fine ( 1 mm ) pyrite veinlets on jointing at 39° T.C.A. Bedding at 5° T.C.A. - normals of bedding and jointing are perpendicular
		73.40 Bedding at 21° T.C.A.
		73.80 Bedding at 21° T.C.A.