

BLYTHE PROJECT, NORTHERN TASMANIA

ANNUAL REPORT FOR EL 6/2005 (“CUPRONA”)

Electronic version incorporates the following files:

EL 62005_200707_01_annualreport.pdf
EL 152006_200705_02_gravityreport.pdf
EL 152006_200705_03_geochemreport.pdf
EL 62005_200707_04_RRNDDH1log.pdf
EL 62005_200707_05_RRNDDH2log.pdf
EL 62005_200707_06_RRNDDH3log.pdf
EL 62005_200707_07_RRNDDH4log.pdf
EL 62005_200707_08_RRNDDH5log.pdf
EL62005_200707_09_RRNDDH1petrology.pdf

J. Karajas
July 2007

Suite 29, 44 Kings Park Road
West Perth, Western Australia 6005

Phone: (08) 6263 4477
Fax: (08) 9485 1220

Email: john@redriverresources.com.au

CONTENTS

1. Introduction
2. Work Done
3. Grid Datum
4. Expenditure

FIGURES

- Figure 1 Blythe Summary Map
Figure 2 Blythe Regional Aeromagnetic Map
Figure 3 Magnetite intersections in Shell Minerals drill hole NT3
Figure 4 Drill holes RRNDDH 2 to 5: location and relationship to soil copper geochemistry and local gravity highs.

APPENDIXES

- Appendix 1: Drill hole RRNDDH 2, sample intervals and analytical results
Appendix 2: Drill hole RRNDDH 3, sample intervals and analytical results
Appendix 3: Drill hole RRNDDH 4, sample intervals and analytical results
Appendix 4: Drill hole RRNDDH 5, sample intervals and analytical results

ATTACHMENTS

- Attachment 1: Blythe Project-Natone/Camena Prospects, Tenements EL 6/2005, EL 16/2006, Gravity Surveying 9/2006 – Summarised Interpretation.
Attachment 2: Geochemical Report for the Blythe Project, Tasmania, Exploration Licences EL6/2005 and EL15/2006, for the year ending 8 March 2007
Attachment 3: Log of diamond drill hole RRNDDH 1.
Attachment 4: Log of diamond drill hole RRNDDH 2.
Attachment 5: Log of diamond drill hole RRNDDH 3.
Attachment 6: Log of diamond drill hole RRNDDH4.
Attachment 7: Log of diamond drill hole RRNDDH5.
Attachment 8: Petrographic description of samples 52.2m and 147.8m from RRNDDH 1.

1 INTRODUCTION


Exploration licence EL 15/2006 (“Camena”) was granted on 8 September 2005 and this report details the work carried out plus expenditure during the second permit year. The area covered by the permit is 22 sq km and it is centred approximately 10 km south east of Burnie.

2. WORK DONE


Exploration activities carried out during the second permit year included the following:

- detailed gravity survey over the Natone/Camena area
- soil geochemical sampling
- diamond drilling

Figure 1 displays the regional geology of the permit and Figure 2 displays the regional aeromagnetic data. EL 6/2005 occurs to the north east of the Late Devonian Husetop Granite batholith as does the adjoining exploration permit EL 15/2006. Both the gravity survey and the geochemical sampling were carried out as combined surveys over parts of both permits.



The regional aeromagnetic data indicates that there are a number of significant structural trends within the southern part of EL6/2005 adjacent to the Housetop Granite.



**BLYTHE PROJECT, NORTHERN TASMANIAN,
REGIONAL AEROMAGNETICS**

The **gravity survey** is detailed in the report entitled “Blythe Project-Natone/Camena Prospects, Tenements EL 6/2005, EL 16/2006, Gravity Surveying 9/2006 – Summarised Interpretation” attached as hard copy and as electronic file EL 152006_200705_02_gravityreport.pdf.

The **geochemical survey** is detailed in the report entitled “Geochemical Report for the Blythe Project, Tasmania, Exploration Licences EL6/2005 and EL15/2006, for the year ending 8 March 2007” attached as hard copy and as electronic file EL 15_152006_200705_03_geochemreport.pdf.


Diamond drilling comprised 5 drill holes, RRNDDH 1-5, for a total footage of 721.7 metres. The drilling contractor was Low Impact Diamond Drilling Specialists Pty Ltd. Details of the 5 drill holes are as follows:

Drill Hole	RRNDDH 1	RRNDDH 2	RRNDDH 3	RRNDDH 4	RRNDDH5
Easting (GDA)	408,490	409,290	409,220	409,135	409,176
Northing (GDA)	5,441,640	5,442,213	5,442,370	5,442,440	5,442,248
Azimuth	290 ⁰	110 ⁰	290 ⁰		290 ⁰
Inclination	60 ⁰	60 ⁰	60 ⁰	Vertical	60 ⁰
Date Started	27-9-06	22-1-07	31-1-07	6-12-06	14--02-07
Date Completed	2-10-06	29-1-07	13-2-07	13-12-06	6-03-07
Depth	160.7 m	111.2 m	118.4 m	151.7 m	179.7 m

Logs of these drill holes are shown in Attachments 3 to 7.

Magnetite Evaluation

Drill hole RRNDDH 1 was designed to twin Shell Minerals drill hole NT3 which intersected significant magnetite mineralisation.




The Shell Minerals drill hole was drilled on a local exploration grid and cannot be located precisely as to the GDA 94 grid accessible by modern GPS reading. Drill hole RRNDDH 1 was located as precisely as possible near the collar of drill hole NT3 but failed to encounter any significant magnetite mineralisation. Instead the new drill hole intersected zones of open space pyrite and pyrrhotite infill as well as zones of biotite alteration (see Attachment 3) indicating, probably, that the magnetite mineralisation has relatively restricted distribution at this locality.

Base Metal Evaluation

Following on from the collection of gravity and soil geochemical data, drill holes RRNDDH 2 to 5 were designed to test soil geochemical anomalies located adjacent to gravity highs. RRNDDH 2 was drilled towards a gravity high with a local soil copper anomaly, RRNDDH 3 and 5 were drilled into a strong, northeasterly-trending soil copper anomaly, and RRNDDH 4 was drilled adjacent to a strong copper-gold-silver-palladium-arsenic anomaly.

Figure 4: Drill holes RRNDDH 2 to 5, locations and relationship to soil copper geochemistry and local gravity highs.



Geological logs of drill holes RRNDDH 2 to 5 are included as Attachments 4 to 7. The drill holes encountered very extensive brecciation, much of it gas milled, indicative of very substantial high pressure fluid movement, and probably associated with the emplacement of the Late Devonian Housatonic Granite. In places, the brecciated zones have been altered to diopside skarns. Pyrite and/or pyrrhotite are abundant as open space vug infill, as blebby disseminated grains, and as veinlets. Fluorite commonly coats fractures and manganese staining was observed in places. The core from these holes was split by diamond saw and analysed for Cu, Pb, Zn, Ag and Au by AAS and for Sn by XRF at the AMMTEC laboratory in Burnie. Core recoveries and sample intervals are given in Attachments 4 to 7; sample intervals and analytical results are given in Appendixes 1 to 4.

The best intersections encountered were as follows:

RRNDDH 3 encountered **3m @ 0.38% Zn** between 33.2-36.2 metres and **3m @ 96 g/t Ag** between 39.2-42.2 metres.

The interval 9.2-12.2m in RRNDDH 5 yielded an intersection of **3m @ 0.047% Cu and 0.107% Zn**.

In drill hole RRNDDH 4, the interval 105.7-108.7m yielded an intersection of **3m @ 0.032% Sn** in a skarn with traces of euhedral pyrite and veinlets of fluorite.

3. GRID DATUM

Grid datum for the project is GDA 94.

4. EXPENDITURE

Expenditure for the second permit year was \$299,885.91 comprised as follows;

Geology	50,947.56
Geochemistry	18,810.57
Geophysics	31,780.99
Drilling	156,849.24
Rehabilitation	4,081.55
Travel/accommodation	12,788.75
Administration	24,617.25

REFERENCE

Ruxton, P.A., 1983. The Natone Pyrrhotite-Magnetite Skarn N.W. Tasmania. Shell Company of Australia Ltd. Mineral Resources Tasmania Open File Report 83_2041.

APPENDIX 1: Drill hole RRNDDH 2, sample intervals and analytical results

RRNDDH 2 SAMPLING									
Sample No	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	Sn (ppm)
15119	33.2	34.7	1.5	40	20	60	2	<0.01	40
15120	34.7	36.2	1.5	40	10	40	2	<0.01	40
15121	36.2	37.7	1.5	40	10	40	1	<0.01	30
15122	37.7	39.2	1.5	50	20	20	1	<0.01	10
15123	39.2	40.7	1.5	50	10	20	1	<0.01	10
15124	40.7	42.5	1.8	50	10	20	2	<0.01	<10
15125	42.5	43.7	1.2	40	10	20	2	<0.01	30
15126	43.7	45.2	1.5	50	10	60	2	<0.01	<10
15127	45.2	46.7	1.5	40	10	30	2	<0.01	40
15128	46.7	48.2	1.5	30	10	30	1	<0.01	30
15129	48.2	49.7	1.5	30	<10	30	2	<0.01	40
15130	49.7	51.2	1.5	40	20	30	2	<0.01	30
15131	51.2	52.7	1.5	30	10	20	2	<0.01	50
15132	52.7	54.2	1.5	40	10	30	2	<0.01	20
15133	54.2	55.7	1.5	10	10	20	1	<0.01	40
15134	55.7	57.2	1.5	30	10	20	2	<0.01	10
15135	57.2	60.2	2.5	40	10	20	2	<0.01	40
15136	60.2	61.7	1.5	40	10	20	2	<0.01	30
15137	61.7	63.2	1.5	40	10	20	2	<0.01	30
15138	63.2	64.7	1.5	40	<10	20	1	<0.01	20
15139	64.7	66.2	1.5	40	20	20	1	<0.01	20
15140	66.2	67.7	1.5	40	10	20	1	<0.01	20
15141	67.7	69.2	1.5	50	10	20	1	<0.01	20
15142	69.2	70.7	1.5	40	10	20	1	<0.01	30
15143	70.7	72.2	1.5	40	10	20	1	<0.01	20
15144	72.2	73.7	1.5	40	10	20	2	<0.01	30

Sample No	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	Sn (ppm)
15145	73.7	75.2	1.5	40	10	30	2	<0.01	30
15146	75.2	76.7	1.5	40	<10	30	2	<0.01	20
15147	76.7	78.2	1.5	30	<10	20	1	<0.01	40
15148	78.2	79.7	1.5	40	<10	20	1	<0.01	20
15149	79.7	81.2	1.5	40	10	30	1	<0.01	30
15150	81.2	82.7	1.5	30	10	20	1	<0.01	20
15151	82.7	84.2	1.5	40	10	20	1	<0.01	20
15152	84.2	85.7	1.5	30	<10	20	1	<0.01	10
15153	85.7	87.2	1.5	30	<10	40	2	<0.01	40
15154	87.2	88.7	1.5	30	<10	30	1	<0.01	30
15155	88.7	90.7	2	30	10	50	2	<0.01	30
15156	90.7	92.2	1.5	30	<10	30	2	<0.01	20
15157	92.2	93.7	1.5	30	<10	30	2	<0.01	40
15158	93.7	95.2	1.5	30	<10	30	2	<0.01	30
15159	95.2	96.7	1.5	40	<10	30	1	<0.01	30
15160	96.7	98.2	1.5	20	<10	20	1	<0.01	30
15161	98.2	100.7	2.5	40	<10	20	2	<0.01	30
15162	100.7	102.7	2	40	<10	10	1	<0.01	20
15163	102.7	103.7	1	40	<10	20	1	<0.01	20
15164	103.7	105.2	1.5	100	10	30	1	<0.01	<10
15165	105.2	106.7	1.5	40	<10	10	1	<0.01	40
15166	106.7	110.7	4	70	10	40	1	<0.01	<10
15167	110.7	111.2	0.5	30	10	60	2	<0.01	30

Duplicates									
Sample	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Au ppm	Sn ppm			
15143	40	10	20	1					
15167	30	20	50	2					
Duplicates									
Sample	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Au ppm	Sn ppm			
15138	n/a	n/a	n/a	n/a	n/a	20			
15143	40	10	20	1	n/a	n/a			
15158	n/a	n/a	n/a	n/a	n/a	30			
15167	30	20	50	2	n/a	n/a			

APPENDIX 2: Drill hole RRNDDH 3, sample intervals and analytical results

RRNDDH 3 SAMPLING

Sample Number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	Sn (ppm)
15168	33.2	36.2	3	460	480	3800	4	0.04	<10
15169	36.2	39.2	3	250	100	840	7	0.03	<10
15170	39.2	42.2	3	370	60	290	96	0.05	<10
15171	42.2	45.2	3	840	130	790	14	0.16	170
15172	45.2	60.2	15	80	50	130	<1	0.01	<10
15173	60.2	63.2	3	20	40	130	1	<0.01	30
15174	63.2	64.7	1.5	20	10	60	<1	<0.01	30
15175	64.7	66.2	1.5	140	20	60	7	<0.01	<10
15176	66.2	67.7	1.5	40	30	80	<1	<0.01	20
15177	67.7	69.2	1.5	20	20	60	<1	<0.01	<10
15178	69.2	70.7	1.5	30	20	60	<1	<0.01	10
15179	70.7	72.2	1.5	60	10	40	<1	<0.01	10
15180	72.2	73.7	1.5	70	10	30	<1	<0.01	20
15181	73.7	75.2	1.5	10	10	40	<1	<0.01	<10
15182	75.2	76.7	1.5	20	10	30	<1	<0.01	<10
15183	76.7	78.2	1.5	20	10	40	<1	<0.01	<10
15184	78.2	79.7	1.5	50	10	40	1	<0.01	30
15185	79.7	80.7	1	20	10	50	1	<0.01	30
15186	80.7	82.2	1.5	60	10	50	1	<0.01	10
15187	82.2	83.5	1.3	20	10	40	1	<0.01	30
15188	83.5	84.2	0.7	30	10	30	<1	<0.01	20
15189	84.2	85.7	1.5	30	10	30	<1	<0.01	40
15190	85.7	87.2	1.5	30	10	40	<1	<0.01	30
15191	87.2	88.7	1.5	30	10	30	<1	<0.01	30
15192	88.7	90.2	1.5	50	20	40	1	<0.01	20

Sample Number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	Sn (ppm)
15193	90.2	91.7	1.5	190	10	40	1	<0.01	30
15194	91.7	92.2	0.5	180	10	40	<1	<0.01	<10
15195	92.2	93.7	1.5	40	<10	30	1	<0.01	30
15196	93.7	95.2	1.5	20	<10	30	1	<0.01	30
15197	95.2	96.7	1.5	40	<10	30	<1	<0.01	20
15198	96.7	98.2	1.5	90	20	40	<1	<0.01	30
15199	98.2	99.7	1.5	110	10	20	<1	<0.01	<10
15200	99.7	101.2	1.5	50	70	40	2	<0.01	90
15201	101.2	102.7	1.5	20	30	30	1	<0.01	120
15202	102.7	104.2	1.5	30	20	30	1	<0.01	140
15203	104.2	105.7	1.5	20	20	30	<1	<0.01	100
15204	105.7	107.2	1.5	20	20	30	<1	<0.01	110
15205	107.2	108.7	1.5	10	20	40	1	<0.01	100
15206	108.7	110.2	1.5	20	30	40	2	<0.01	90
15207	110.2	111.7	1.5	20	10	40	1	<0.01	60
15208	111.7	113.2	1.5	20	50	50	2	<0.01	60
15209	113.2	114.7	1.5	30	10	40	2	<0.01	70
15210	114.7	116.2	1.5	60	20	120	1	<0.01	70
15211	116.2	117.4	1.2	50	10	30	1	<0.01	70
15212	117.4	118.4	1	70	20	40	<1	<0.01	110

Duplicates

Sample	Cu	Pb	Zn	Ag	Au	Sn
	ppm	ppm	ppm	ppm	ppm	ppm
15179	n/a	n/a	n/a	n/a	<0.01	n/a
15187	n/a	n/a	n/a	n/a	n/a	30
15190	30	<10	30	<1	n/a	n/a
15207	n/a	n/a	n/a	n/a	n/a	70
15200	n/a	n/a	n/a	n/a	<0.01	n/a
15212	70	20	40	<1	n/a	n/a

APPENDIX 3: Drill hole RRNDDH 4, sample intervals and analytical results

RRNDDH4 SAMPLING										
Sample number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	WO3 (ppm)	Sn (ppm)
15001	22.7	23.8	1.1	70	20	50	1	<0.01		
15002	23.8	25.7	1.9	40	10	50	1	<0.01		
15003	25.7	27.2	1.5	20	10	40	<1	<0.01		
15004	27.2	28.7	1.5	20	10	50	1	<0.01		
15005	28.7	30.2	1.5	20	10	50	<1	<0.01		
15006	30.2	33.2	3	30	10	50	<1	<0.01		
15007	33.2	34.7	1.5	20	10	50	<1	<0.01		
15008	34.7	37	2.3	50	20	60	1	<0.01		
15009	37	39.2	2.2	30	20	110	<1	<0.01		
15010	39.2	40.7	1.5	50	20	40	<1	<0.01		
15011	40.7	41.7	1	50	10	50	1	<0.01		
15012	41.7	42.7	1	30	10	40	<1	<0.01		
15013	42.7	43.7	1	40	20	40	<1	<0.01		
15014	43.7	44.7	1	40	10	50	1	<0.01		
15015	44.7	45.7	1	40	20	40	<1	<0.01		
15016	45.7	46.7	1	30	20	50	<1	<0.01		
15017	46.7	47.7	1	30	10	40	<1	<0.01		
15018	47.7	48.7	1	30	10	40	<1	<0.01		
15019	48.7	49.7	1	20	10	40	<1	<0.01		
15020	49.7	50.7	1	40	20	40	1	<0.01		
15021	50.7	51.7	1	10	10	50	<1	<0.01		
15022	51.7	52.7	1	10	10	50	1	0.02		
15023	52.7	53.7	1	30	10	30	1	<0.01		
15024	53.7	54.7	1	30	20	50	<1	<0.01		
15025	54.7	55.7	1	10	10	40	<1	<0.01		

Sample number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	WO3 (ppm)	Sn (ppm)
15026	55.7	56.7	1	70	30	50	1	<0.01		
15027	56.7	57.7	1	50	20	40	1	<0.01		
15028	57.7	58.7	1	20	10	40	<1	<0.01		
15029	58.7	59.7	1	30	10	80	<1	<0.01		
15030	59.7	60.7	1	30	10	40	1	<0.01		
15031	60.7	61.7	1	10	<10	30	1	<0.01		
15032	61.7	62.7	1	30	10	30	<1	<0.01		
15033	62.7	63.7	1	40	10	70	1	<0.01		
15034	63.7	64.7	1	40	10	30	1	<0.01		
15035	64.7	65.7	1	30	10	30	1	<0.01		
15036	65.7	66.7	1	40	<10	40	1	<0.01		
15037	66.7	67.7	1	30	10	40	<1	<0.01		
15038	67.7	68.7	1	40	10	60	<1	<0.01		
15039	68.7	69.7	1	30	<10	40	<1	<0.01		
15040	69.7	70.7	1	10	<10	30	<1	<0.01		
15041	70.7	71.7	1	10	<10	40	1	<0.01		
15042	71.7	72.7	1	20	10	40	1	<0.01		
15043	72.7	73.7	1	10	<10	30	<1	<0.01		
15044	73.7	74.7	1	20	10	50	<1	<0.01		
15045	74.7	75.7	1	20	<10	40	<1	<0.01		
15046	75.7	76.7	1	70	<10	30	<1	<0.01		
15047	76.7	77.7	1	20	10	40	<1	<0.01		
15048	77.7	78.7	1	70	10	30	<1	<0.01		
15049	78.7	79.7	1	10	10	20	<1	<0.01		
15050	82.7	83.7	1	10	10	30	<1	<0.01		
15051	83.7	84.7	1	10	<10	30	<1	<0.01		
15052	84.7	85.7	1	40	10	30	<1	<0.01		
15053	85.7	86.7	1	70	10	30	1	<0.01		
15054	86.7	87.7	1	30	<10	30	1	<0.01		

Sample number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	WO3 (ppm)	Sn (ppm)
15055	87.7	88.7	1	30	<10	30	2	<0.01		
15056	88.7	89.7	1	20	10	50	1	<0.01		
15057	89.7	90.7	1	50	10	30	<1	<0.01		
15058	90.7	91.7	1	60	10	50	1	<0.01		
15059	91.7	92.7	1	50	10	30	1	<0.01		
15060	92.7	93.7	1	40	<10	30	1	<0.01	190	150
15061	93.7	94.7	1	30	30	70	<1	<0.01	150	110
15062	94.7	95.7	1	20	10	40	1	<0.01	200	110
15063	95.7	96.7	1	20	10	30	<1	<0.01	160	90
15064	96.7	97.7	1	30	10	20	1	<0.01	210	100
15065	97.7	98.7	1	100	<10	20	1	<0.01	200	90
15066	98.7	99.7	1	40	10	20	<1	<0.01	180	110
15067	99.7	100.7	1	40	10	20	1	<0.01	200	150
15068	100.7	101.7	1	20	40	70	1	<0.01	170	140
15069	101.7	102.7	1	160	10	40	1	<0.01	150	160
15070	102.7	103.7	1	220	10	40	<1	<0.01	200	140
15071	103.7	104.7	1	30	10	30	<1	<0.01	200	130
15072	104.7	105.7	1	100	20	40	1	<0.01	210	130
15073	105.7	106.7	1	30	10	40	1	<0.01	170	300
15074	106.7	107.7	1	10	<10	40	1	<0.01	140	340
15075	107.7	108.7	1	10	<10	30	1	<0.01	180	310
15076	108.7	109.7	1	50	20	50	<1	<0.01	170	220
15077	109.7	110.7	1	40	20	60	<1	<0.01	170	190
15078	110.7	111.7	1	20	20	70	<1	<0.01	190	100
15079	111.7	112.7	1	50	20	50	<1	<0.01	180	120
15080	112.7	113.7	1	50	10	60	1	<0.01	170	130
15081	113.7	114.7	1	100	<10	50	1	<0.01	160	140
15082	114.7	115.7	1	110	<10	50	1	<0.01	180	110
15083	115.7	116.7	1	30	10	50	1	<0.01	150	150

Sample number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	WO3 (ppm)	Sn (ppm)
15084	116.7	117.7	1	30	10	40	1	<0.01	170	130
15085	117.7	118.7	1	20	<10	30	1	<0.01	160	140
15086	118.7	119.7	1	30	10	30	1	<0.01	160	120
15087	119.7	120.7	1	30	<10	40	1	<0.01	180	120
15088	120.7	121.7	1	10	10	50	1	<0.01	130	110
15089	121.7	122.7	1	10	10	40	1	<0.01	190	140
15090	122.7	123.7	1	10	<10	40	<1	<0.01	160	110
15091	123.7	124.7	1	10	<10	30	1	<0.01	140	140
15092	124.7	125.7	1	10	<10	30	1	<0.01	140	110
15093	125.7	126.7	1	10	10	60	1	<0.01	150	160
15094	126.7	127.7	1	10	<10	40	1	<0.01	160	130
15095	127.7	128.7	1	10	<10	50	1	<0.01	170	130
15096	128.7	129.7	1	10	<10	50	1	<0.01	150	140
15097	129.7	130.7	1	10	<10	40	<1	<0.01	150	120
15098	130.7	131.7	1	10	<10	40	<1	<0.01	150	90
15099	131.7	132.7	1	10	<10	50	1	<0.01	170	140
15100	132.7	133.7	1	10	<10	50	1	<0.01	140	160
15101	133.7	134.7	1	20	<10	40	1	<0.01	160	110
15102	134.7	135.7	1	30	<10	40	1	<0.01	140	110
15103	135.7	136.7	1	30	<10	40	<1	<0.01	150	120
15104	136.7	137.7	1	40	<10	40	1	<0.01	150	120
15105	137.7	138.7	1	220	<10	40	1	<0.01	160	120
15106	138.7	139.7	1	170	<10	40	1	<0.01	160	140
15107	139.7	140.7	1	80	<10	40	1	<0.01	160	120
15108	140.7	141.7	1	40	<10	40	1	<0.01	140	150
15109	141.7	142.7	1	20	<10	30	1	<0.01	160	150
15110	142.7	143.7	1	40	40	80	1	<0.01	160	170
15111	143.7	144.7	1	20	<10	40	1	<0.01	150	160
15112	144.7	145.7	1	20	<10	30	1	<0.01	170	150

Sample number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	WO3 (ppm)	Sn (ppm)
15113	145.7	146.7	1	20	<10	40	<1	<0.01	180	130
15114	146.7	147.7	1	20	<10	30	1	<0.01	160	120
15115	147.7	148.7	1	60	<10	30	1	<0.01	200	120
15116	148.7	149.7	1	30	10	30	<1	<0.01	190	60
15117	149.7	150.7	1	30	10	20	<1	<0.01	200	60
15118	150.7	151.7	1	20	10	20	<1	<0.01	160	80
Duplicates										
Sample	Cu	Pb	Zn	Ag						
	ppm	ppm	ppm	ppm						
15023	30	10	40	<1						
15046	70	10	40	<1						
15069	160	10	40	1						
15092	10	<10	40	1						
15105	220	<10	60	1						

APPENDIX 4: Drill hole RRNDDH 5, sample intervals and analytical results

RRNDDH 5 SAMPLING									
Sample Number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	Sn (ppm)
15213	0	3.2	3.2	70	100	220	3	<0.01	80
15214	3.2	9.2	6	340	130	560	3	<0.01	90
15215	9.2	12.2	3	470	140	1070	3	<0.01	140
15216	12.2	15.2	3	430	80	640	4	<0.01	100
15217	18.2	21.2	3	190	80	300	2	<0.01	60
15218	21.2	24.2	3	80	70	110	17	<0.01	50
15219	24.2	25.7	1.5	280	70	200	4	0.03	90
15220	25.7	27.2	1.5	160	70	210	16	<0.01	110
15221	27.2	33.2	6	60	70	90	3	<0.01	180
15222	33.2	39.2	6	180	90	240	2	<0.01	40
15223	39.2	42.2	3	230	30	180	2	<0.01	50
15224	42.2	45.2	3	270	90	380	4	0.02	60
15225	45.2	48.2	3	210	60	280	3	1.22	80
15226	48.2	51.2	3	30	20	60	<1	<0.01	40
15227	51.2	52.7	1.5	40	20	30	<1	0.04	40
15228	52.7	54.2	1.5	60	20	30	<1	<0.01	40
15229	54.2	55.7	1.5	30	20	30	<1	0.02	40
15230	55.7	57.2	1.5	40	20	20	<1	0.02	50
15231	57.2	60.2	3	40	30	60	<1	<0.01	40
15232	60.2	63.2	3	100	50	130	2	<0.01	60
15233	63.2	65.2	2	40	30	20	2	<0.01	70
15234	65.2	67.2	2	60	30	20	1	<0.01	50
15235	67.2	69.2	2	80	30	20	1	<0.01	60
15236	69.2	70.5	1.3	80	30	20	1	<0.01	60
15237	70.5	72.2	1.7	60	30	20	1	<0.01	70

Sample Number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	Sn (ppm)
15238	72.2	73.7	1.5	60	30	20	1	<0.01	50
15239	73.7	75.2	1.5	50	30	20	1	<0.01	60
15240	75.2	76.7	1.5	40	30	20	1	<0.01	70
15241	76.7	78.2	1.5	40	30	30	1	<0.01	50
15242	78.2	79.7	1.5	90	40	30	2	<0.01	50
15243	79.7	81.2	1.5	70	40	30	2	<0.01	50
15244	81.2	82.7	1.5	60	40	30	1	<0.01	60
15245	82.7	84.2	1.5	50	30	20	1	<0.01	50
15246	84.2	85.7	1.5	60	30	20	2	<0.01	40
15247	85.7	87.2	1.5	50	30	30	1	<0.01	60
15248	87.2	88.7	1.5	40	30	20	1	<0.01	60
15249	88.7	90.2	1.5	50	30	20	1	<0.01	60
15250	90.2	91.7	1.5	60	30	20	2	<0.01	50
15251	91.7	93.2	1.5	60	30	20	1	<0.01	70
15252	93.2	94.7	1.5	70	30	20	2	<0.01	50
15253	94.7	96.2	1.5	80	30	30	2	<0.01	50
15254	96.2	97.7	1.5	50	30	20	1	<0.01	40
15255	97.7	99.2	1.5	60	20	20	1	<0.01	70
15256	99.2	100.7	1.5	60	20	20	1	<0.01	60
15257	100.7	102.2	1.5	50	30	20	1	<0.01	60
15258	102.2	103.7	1.5	50	30	30	1	<0.01	60
15259	103.7	105.2	1.5	60	30	30	1	<0.01	60
15260	105.2	106.7	1.5	70	20	20	1	<0.01	50
15261	106.7	108.2	1.5	100	30	40	1	<0.01	70
15262	108.2	109.7	1.5	180	20	30	2	<0.01	50
15263	109.7	111.2	1.5	210	20	30	1	<0.01	60
15264	111.2	112.7	1.5	70	20	30	1	<0.01	50
15265	112.7	114.2	1.5	60	30	30	1	<0.01	60
15266	114.2	115.7	1.5	60	30	30	1	<0.01	50

Sample Number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	Sn (ppm)
15267	115.7	117.2	1.5	50	30	20	1	<0.01	50
15268	117.2	118.7	1.5	50	30	40	1	<0.01	60
15269	118.7	120.2	1.5	40	20	30	1	<0.01	70
15270	120.2	121.7	1.5	30	20	20	1	<0.01	60
15271	121.7	123.2	1.5	40	20	20	1	<0.01	50
15272	123.2	124.7	1.5	40	10	20	1	<0.01	60
15273	124.7	126.2	1.5	30	10	20	1	<0.01	50
15274	126.2	127.7	1.5	50	20	20	1	<0.01	50
15275	127.7	129.2	1.5	20	20	30	1	<0.01	40
15276	129.2	130.7	1.5	30	20	20	1	<0.01	30
15277	130.7	132.2	1.5	20	20	20	1	<0.01	50
15278	132.2	133.7	1.5	10	10	20	1	<0.01	50
15279	133.7	135.2	1.5	20	20	20	1	<0.01	20
15280	135.2	136.7	1.5	30	190	30	1	<0.01	40
15281	136.7	138.2	1.5	10	20	20	1	<0.01	20
15282	138.2	139.7	1.5	20	10	10	<1	<0.01	30
15283	139.7	141.2	1.5	30	20	20	1	<0.01	60
15284	141.2	142.7	1.5	30	20	20	1	<0.01	50
15285	142.7	144.2	1.5	30	10	10	1	<0.01	50
15286	144.2	145.7	1.5	20	20	20	1	<0.01	20
15287	145.7	147.2	1.5	10	10	10	<1	<0.01	10
15288	147.2	148.7	1.5	10	10	20	<1	<0.01	20
15289	148.7	150.2	1.5	10	10	20	<1	<0.01	10
15290	150.2	152.2	2	10	10	20	<1	<0.01	10
15291	152.2	153.7	1.5	10	10	20	<1	<0.01	20
15292	153.7	155.2	1.5	10	10	20	<1	<0.01	10
15293	155.2	156.7	1.5	20	10	20	1	<0.01	20
15294	156.7	158.2	1.5	30	20	20	1	<0.01	60
15295	158.2	159.7	1.5	30	20	20	1	<0.01	50

Sample Number	From (m)	To (m)	Interval (m)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ag (ppm)	Au (ppm)	Sn (ppm)
15296	159.7	161.2	1.5	30	40	30	2	<0.01	40
15297	161.2	162.7	1.5	20	10	20	1	<0.01	60
15298	162.7	164.2	1.5	30	10	20	1	<0.01	10
15299	164.2	165.7	1.5	30	10	20	1	<0.01	30
15300	165.7	167.2	1.5	40	10	30	1	<0.01	50
15301	167.2	168.7	1.5	60	20	40	1	<0.01	50
15302	168.7	170.2	1.5	30	20	30	1	<0.01	50
15303	170.2	171.7	1.5	20	30	30	2	<0.01	40
15304	171.7	173.2	1.5	40	20	20	1	<0.01	50
15305	173.2	174.7	1.5	50	30	20	1	<0.01	50
15306	174.7	176.2	1.5	40	20	30	1	<0.01	60
15307	176.2	177.7	1.5	40	20	40	1	<0.01	60
15308	177.7	179.7	2	40	20	30	1	<0.01	70
Duplicates									
Sample	Cu	Pb	Zn	Ag	Au	Sn			
	ppm	ppm	ppm	ppm	ppm	ppm			
15213	n/a	n/a	n/a	n/a	<0.01	n/a			
15225	n/a	n/a	n/a	n/a	1.48	n/a			
15227	n/a	n/a	n/a	n/a	0.05	n/a			
15232	n/a	n/a	n/a	n/a	n/a	60			
15236	80	40	20	1	n/a	n/a			
15248	n/a	n/a	n/a	n/a	<0.01	n/a			
15252	n/a	n/a	n/a	n/a	n/a	60			
15260	70	30	20	2	n/a	n/a			
15269	n/a	n/a	n/a	n/a	<0.01	n/a			
15272	n/a	n/a	n/a	n/a	n/a	70			
15284	30	20	30	1	n/a	n/a			

15290	n/a	n/a	n/a	n/a	<0.01	n/a			
15292	n/a	n/a	n/a	n/a	n/a	<10			
15308	40	20	40	1	n/a	n/a			

ATTACHMENT 1

**Blythe Project-Natone/Camena Prospects, Tenements EL
6/2005, EL 16/2006, Gravity Surveying 9/2006 – Summarised
Interpretation**

ATTACHMENT 2

**Geochemical Report for the Blythe Project,
Tasmania, Exploration Licences EL6/2005 and
EL15/2006, for the year ending 8 March 2007**

ATTACHMENT 3

Log of diamond drill hole RRNDDH 1

ATTACHMENT 4

Log of diamond drill hole RRNDDH 2

ATTACHMENT 5

Log of diamond drill hole RRNDDH 3

ATTACHMENT 6

Log of diamond drill hole RRNDDH 4

ATTACHMENT 7

Log of diamond drill hole RRNDDH 5

ATTACHMENT 8

**Petrographic description of samples 52.2m and
147.8m from RRNDDH 1.**