

Q.L. 7/74 "Moina"

Mineral analysis data from bore core samples

Bore No.	Depth Metres		INTEGRAL METRES	Pb ppm	W ppm	Bi ppm	Sn ppm	Mo ppm	Cu ppm	Zn ppm	Ba ppm	CaF ₂ %	Ag ppm	Au ppm	Remarks
	From	To													
SND 5	38.10	39.80		34	-10	16	80	-4	28	170	1	0.45			
5	39.80	40.67	0.87 metres	6	270	380	660	4	200	1740	40	10.5	-1	0.30	<p style="text-align: center;">↑</p> <p>Smp. 5.</p> <p>21 core samples over 22.2 metres</p> <p>To be part of 50Kg. composite sample compound of 308.7 gms per metre of core length.</p> <p style="text-align: center;">↓</p>
5	40.67	42.00	1.33	12	490	580	1350	10	75	95	40	17.0			
5	42.00	43.00	1.0	14	740	700	860	16	210	100	50	16.5			
5	43.00	44.00	1.0	10	1750	320	1400	14	320	70	30	18.0	-1	0.15	
5	44.00	45.00	1.0	12	680	620	1050	34	170	65	30	17.0			
5	45.00	46.60	1.6	24	900	1100	1500	44	70	70	30	14.0			
5	46.60	47.50	0.9	10	170	44	250	-4	22	70	10	4.5			
5	47.50	48.85	1.35	6	480	28	500	-4	12	90	20	4.7	-1	0.05	
5	48.85	50.00	1.15	14	490	80	1100	-4	10	85	80	15.0			
5	50.00	51.30	1.3	65	540	820	1250	16	200	110	30	13.5			
5	51.30	52.80	1.5	20	780	760	940	8	150	200	40	12.5			
5	52.80	53.30	0.5	12	430	65	760		430	50	40	12.5	-1	0.10	
5	53.30	54.50	1.2	18	380	140	720	16	75	60	40	9.8			
5	54.50	55.90	0.4	20	620	160	880	22	22	65	40	11.0			
5	55.90	56.35	0.45	12	760	10	320	22	20	30	20	4.5			
5	56.35	57.45	1.1	44	110	700	540	36	15	40	20	2.5			
5	57.45	57.90	0.45	12	3350	34	740	18	85	150	40	9.9			
5	57.90	58.70	0.8	8	780	180	820	38	140	90	40	10.5			
5	58.70	60.00	1.3	12	700	270	1250	34	60	60	30	15.8			
5	60.00	60.85	0.85	10	560	220	1250	14	190	75	40	14.5			
5	60.85	62.00	1.15	6	1050	8	3800	120	42	48	20	11.0			
5	62.00	72.90		6	470	6	390	30	5	48	20	5.3			
5	72.90			8	170	24	75	4			10	2.4			

DETECTION LIMIT

(4) (10) (4) (4) (4) (1) (1) (0.05)

METHOD OF ANALYSIS

X-RAY FLUORESCENCE SCHEME B1 CODE C1 CODE C2 CODE C3

221497