

LAUNCESTON

GEOLOGICAL LOG REPORT

ATP EL2080

TENEMENT 2080

Launceston

STRA NAME	SEQ NO	SEAM NAME	WOK SEC	SAMPL NUMBR	DEPTH (m)	THICK (m)	% REC	ROCK TYPE	GEOLOGICAL DESCRIPTION OF STRATA
		LBO		C2955	6.74	0.05		INFERIOR LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken, uniform.
		LBO		C2955	6.77	0.03		LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken, uniform.
		LBO		C2955	6.82	0.05		INFERIOR LIGNITE	Clayey, dark brown, firm, low plasticity (organic), good core - unbroken, uniform, sharp irregular base.
		LBO		C2955	6.85	0.03		LIGNEDUS CLAY	Dark brown, firm, low plasticity (organic), good core - unbroken, uniform.
		LBO		C2955	7.27	0.42		LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken, uniform.
		LBO		C2955	7.28	0.01		LIGNEDUS CLAY	Dark brown, firm, high plasticity (organic), good core - unbroken; PEN. RESULT 3.25 KG/CM2
		LBO		C2955	7.74	0.46		LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken.
		LBO		C2956	7.98	0.24		LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken, uniform.
		LBO		C2956	7.99	0.01		LIGNITE	Medium to dark brown, firm, friable, good core - unbroken, uniform.
		LBO		C2956	8.24	0.25		LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken, uniform.
		LBO		C2956	8.26	0.02		LIGNITE	Clayey, medium to dark brown, firm, friable, good core - unbroken, uniform.
		LBO		C2956	8.38	0.12		LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken, uniform.
		LBO		C2956	8.42	0.04		LIGNITE	Clayey, medium to dark brown - yellow, firm, friable, good core - unbroken, uniform, occasional resin aggregates.
		LBO		C2956	8.49	0.07		LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken, uniform, occasional resin aggregates.
		LBO		C2956	8.60	0.11		LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken, uniform.

EL2080 LAUNCESTON CO081

39712

Perth 09/43 1555  
Adf 1081 2974 788  
Melb 10/1 14 1P 49  
SYD 102/53 0771  
Bris 107 16 1 433  
MILB 4M 1 11111

010