

048

LAUNCESTON

GEOLOGICAL LOG REPORT

ATP EL2080

TENEMENT 2080

Launceston

STRA NAME	SEQ NO.	SEAM NAME	WOK SEC	SAMPL NUMBR	DEPTH (m)	THICK (m)	% REC	ROCK TYPE	GEOLOGICAL DESCRIPTION OF STRATA
		LDO		C0337	70.57	0.20		CLAY	Light to medium brown, firm, high plasticity (clay), good core - unbroken, sharp planar base, beds dip at 00 degrees, PEN OFF SCALE FOR ALL CLAY 69.91 TO 70.57
		LDO	M	C0338	70.64	0.07		INFERIOR LIGNITE	Clayey, medium to dark brown, firm, friable, good core - unbroken, uniform, sharp planar base, beds dip at 00 degrees, occasional bioturbation.
		LDO	M	C0338	70.91	0.27		LIGNITE	Clayey, dark brown - red, firm, friable, good core - unbroken, uniform, sharp planar base, beds dip at 00 degrees, occasional bioturbation.
		LDO	M	C0338	70.97	0.06		INFERIOR LIGNITE	Clayey, medium to dark brown - black, firm, low plasticity (organic), good core - unbroken, uniform, occasional bioturbation.
		LDO	M	C0338	71.08	0.11		LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken, uniform.
		LDO	M	C0338	71.10	0.02		INFERIOR LIGNITE	Clayey, dark brown - black, firm, low plasticity (organic), good core - unbroken.
		LDO	M	C0338	71.19	0.09		LIGNITE	Clayey, dark brown, firm, friable, good core - unbroken.
		LDO	M	C0338	71.21	0.02		INFERIOR LIGNITE	Clayey, dark brown - black, firm, low plasticity (organic), good core - unbroken.
		LDO	M	C0338	71.24	0.03		INFERIOR LIGNITE	Dark brown, firm, friable, good core - unbroken.

					BASE OF WORKING SECTION M 71.24 0.67				

		LDO		C0339	71.34	0.10		LIGNEOUS CLAY	Medium to dark brown, firm, high plasticity (organic), good core - unbroken.
		LDO		C0339	71.38	0.04		LIGNEOUS CLAY	Dark brown, firm, low plasticity (organic), good core - unbroken, occasional bioturbation.
		LDO		C0339	71.47	0.09		LIGNEOUS CLAY	Medium to dark brown - grey, firm, slickensides on fracture, high plasticity (organic), sparse, oblique joints, angle of joints 50 degrees, good core - unbroken, occasional bioturbation.

EL2080 LAUNCESTON C0082

1975575

397157

MULTISTREAM LISTING / Bris: (07)283 3433 / CSyd: (02) 53 07 71 / Melb: (03) 54 18 99 / Adel: (08) 29 74 78 / Perth: (09) 43 16 66 / Hob: (09) 44 44 44 / Syd: (02) 53 07 71 / Bris: (07) 283 3433 / CSyd: (02) 53 07 71 / Melb: (03) 54 18 99 / Adel: (08) 29 74 78 / Perth: (09) 43 16 66 / Hob: (09) 44 44 44 / Syd: (02) 53 07 71

