



Note:
Noddy Fault strikes sub-parallel to section.

PIT AREA

SOUTHERN AREA

Legend:

v	Upper metavolcanics	ph/bh	Banded footwall beds	60	Strike and dip
ph/bh	Banded hornfels	bph	Biotite pyroxene hornfels	55	Joint, inclined
ch	Marble	lv	Lower metavolcanics	—	Joint, vertical
bh	Biotite hornfels	q	Quartzite	—	Fault
pgh	Pyroxene garnet hornfels	ap	Aplite	—	Degree of uncertainty in Fault position
gh	Garnet hornfels			—	Direction of bedding with respect to core axis

RQD Rock Quality Designator
J/M Joints per Metre of recovered core

RQD %
>90 Minimum or no support
60-90 Intermediate support; rockbolts and one shotcrete application
<60 Maximum support
(after E. Miller; March, 1972)

D 0205/6: 8-23m	D 0205/11: 2-7m	D 0205/12: 2-9m	D 0205/14: 0-4m
D 0205/13: 0-12m	D 0205/15: 0-2m	D 0205/16: 0-2m	D 0205/17: 0-2m



0374_1001

KING ISLAND SCHEELITE

DATE: July '87 BJC
GEOLOGIST: R. J. J.
DRAWN: [Signature]
CHECKED: [Signature]

KING ISLAND SCHEELITE

SCALE: 1:500

No. KG2-01-002

DOLPHIN MINE
GEOLOGICAL CROSS-SECTION
220 020 E

0374_1001