



Legend:

Upper metavolcanics	Banded footwall beds	Strike and dip
Banded hornfels	Biotite pyroxene hornfels	Joint, inclined
Marble	Lower metavolcanics	Joint, vertical
Biotite hornfels	Quartzite	Fault
Pyroxene garnet hornfels	Apatite	Degree of uncertainty in Fault position
Garnet hornfels		Direction of bedding with respect to core axis

RQD Rock Quality Designator

J/M Joints per Metre of recovered core

RQD %

>90 Minimum or no support

60-90 Intermediate support, rockbolts and one shotcrete application

<60 Maximum support

(after E. Miller, March, 1972)

DDH D340/7:

15-18m	1.88
18-17m	1.41
17-16m	1.74
16-15m	1.61
15-14m	3.32
14-13m	1.56
13-12m	0.24
12-11m	1.56
11-10m	1.40
10-9m	1.56
9-8m	0.74

KING ISLAND SCHEELITE

No. KG2-01-018

SCALE: 1:500

DOLPHIN MINE
GEOLOGICAL CROSS-SECTION
220 340 E

DATE: NOV 1984

GEOLOGIST: [Signature]

DRAWN: [Signature]

CHECKED: [Signature]

5 cm

0374_1147

0374_1147