



- NOTE :
- 1 DRIVE SIZE IS 3.2m x 3.1m.
 - 2 ALL BOLTS SHOWN ARE 1.8 m SPLIT SET BOLTS.
 - 3 FINAL SHOTCRETE THICKNESS 50mm.
 - 4 ORDER OF SUPPORT INSTALLATION
(a) CONSTRUCTION SHOTCRETE SKIN
(b) MESH AND SPLIT SETS
(c) FINAL SHOTCRETE
 - 5 BOLT PATTERN SPACING IS 1.5 m. ORIENTATION IS PERPENDICULAR TO DRIVE ADVANCE.
 - 6 WEEP HOLES 2m LONG WILL BE DRILLED THROUGH THE SHOTCRETE AS SHOWN. HOLES WILL BE DRILLED EVERY 10.0m ALONG DRIVE.
 - 7 FOR SETTING DETAILS, SEE DRAWING 01DM01 - 3004

**SECTION
LOOKING NORTH.**

REF PLAN	GEOLOGY		SCALE 1:25	
	SURVEY			
	PLANNING			
	ROCK MEC.	<i>dlw</i>		
	GRADE CON.			
	DRAFTING	<i>BJ Collins</i> 26-8-80	DOLPHIN MINE LOWER WEDGE OREBODY HANGING WALL SUPPORT DRIVE PROFILE AND SUPPORT PATTERN	
	T.S.S.	<i>agc</i> 27/8/80		
			DRAWING NUMBER	01DM01 - 3003

Best Plans