

0374_3050

5 cm

TRANSVERSE
MONITORING
UNIT

NUMBER 3 [Contd.]

INSTALLATION DETAILS:

PILLAR C 1965
LIFT 2nd
R.L. 140.80
BEARING 13°
DATE 14-11-77.

CALIBRATION

ROD LENGTHS

NUMBER	LENGTH
.....
.....
.....
.....

DIAGRAM

Expansion Eye

READINGS

DATE	ROD 1			ROD 2			ROD 3			ROD
	V	ΔV	Δmm	V	ΔV	Δmm	V	ΔV	Δmm	
14.7.81										no access to -150m RL due to rock fall at junction -150m
21.7.81	0.628	-1.088	-54.72	-			0.594	-1.194	-48.76	
28.7.81	0.629	-1.087	-54.68	-			0.594			
4.8.81	0.626	-1.090	-54.80	-			0.594	-1.194	-48.76	
11.8.81	0.624	-1.092	-54.88	-			0.594			
18.8.81	0.623	-1.093	-54.92	-			0.593	-1.195	-48.80	
25.8.81	0.624	-1.092	-54.88	-			0.594			
1.9.81	0.627	-1.089	-54.76	-			0.594	-1.194	-48.76	
8.9.81	0.627	-1.089	-54.76	-			0.595	-1.193	-48.72	
15.9.81	0.625	-1.091	-54.84	-			0.594	-1.194	-48.76	
22.9.81	-			-			-			
29.9.81	-			-			-			
13.10.81	0.627	-1.089	-54.76	-			0.594	-1.194	-48.76	
20.10.81	0.627			-			0.594			
27.10.81	0.626	-1.090	-54.80	-			0.595	-1.193	-48.72	
3.11.81	0.627	-1.089	-54.76	-			0.592	-1.196	-48.84	
10.11.81	0.627			-			0.594			
16.11.81	0.626	-1.090	-54.80	-			0.591	-1.197	-48.88	
23.11.81	0.621			-			0.587	-1.201	-49.04	
3.12.81	0.623	-1.093	-54.92	-			0.592	-1.196	-48.84	
7.12.81	0.625	-1.091	-54.84	-			0.595	-1.193	-48.72	
15.12.81	0.627	-1.089	-54.76	-			0.596	-1.192	-48.68	
22.12.81	0.627			-			0.594	-1.194	-48.76	
5.1.1982	0.627			-			0.594	-1.194	-48.76	
12.1.82	0.627			-			0.592	-1.196	-48.84	
18.1.82	0.627	-1.089	-54.76	-			0.595	-1.193	-48.72	
26.1.82	0.631	-1.085	-54.60	-			0.598	-1.190	-48.60	
15.2.82	0.629	-1.087	-54.68	-			0.597	-1.191	-48.64	
5.3.82	0.630	-1.086	-54.64	-			0.598	-1.190	-48.60	
12.3.82	0.635	-1.081	-54.44	-			0.597	-1.191	-48.64	
16.3.82	0.633	-1.083	-54.52	-			0.595	-1.193	-48.72	
23.3.82	0.627	-1.089	-54.76	-			0.596	-1.192	-48.68	