

0374_3122

5 cm

PRESSURE CELL

INSTALLATION N° 33 LOCATION LOWER PIT STOP, 2ND LIFT
 DATE 8.6.1980 East
 TYPE small CSIRO North
 UNIT N° 0989 R.L.
 CABLE LENGTH ≈ 30m
 ZERO STRESS READING +2375 $\mu\epsilon$
 SENSITIVITY 90 PSI
 CALIBRATION CONSTANT 21.22 $\mu\epsilon$ /kPa
 ORIENTATION HORIZONTAL

Date	Day	Reading $\mu\epsilon$	Δ Stress kPa	Stress kPa	Remarks Plotted (tick)	Date	Day	Reading $\mu\epsilon$	Δ Stress kPa	Stress kPa	Remarks	
20.10.80	118	15:45	+2420 ⁸	44.8	✓	2.2.81	223	10:00	2415	39.6		
21.10.80	119	16:00	2425	48.3	✓	4.2.81	225	13:00	2415	39.6		
22.10.80	120	15:45	2425	48.3	✓	6.2.81	227	10:00	2410	34.5		
23.10.80	121	15:45	2425	48.3	✓	9.2.81	230	09:30	2415	39.6		
24.10.80	122	15:30	2420	44.8	✓	11.2.81	232		2415	39.6		
27.10.80	125	15:30	2420 ⁹⁰	44.8	✓	13.2.81	234		2415	39.6		
28.10.80	126	09:00	2460	75.8	?	x	18.2.81	239	2450	67.2	?	
29.10.80	127	13:45	2460	<0	?	x	23.2.81	244	13:00	2405	120	31.0
30.10.80	128	13:00	2430	51.7	x	27.2.81	248	13:30	2415	39.6		
31.10.80	129	10:00	2425	48.3	x	7.3.81	256	08:30	2410	34.5		
4.11.80	133	13:05	2435	55.2	x	9.3.81	258	13:00	2405	31.0		
6.11.80	135	10:15	2400 ⁸⁶	25.9	x	11.3.81	260	13:00	2410	34.5		
12.11.80	141	07:45	2460 ⁸⁸	75.8	x	16.3.81	265		2405	31.0		
13.11.80	142	11:00	2465	79.3	x	18.3.81	267	09:00	2390	17.2		
19.11.80	148	10:30	2420	44.8	x	20.3.81	269		2390	17.2		
25.11.80	154	09:00	2430 ⁹⁴	51.7	x	23.3.81	272		2395	20.7		
27.11.80	156	10:15	2430 ⁹²	51.7	x	27.3.81	276		2395	20.7		
27.11.80	156	14:00	2430	51.7	✓	New termination Box	31.3.81	280	10:45	2400	130	25.9
28.11.80	157	14:00	2425	48.3	✓	1.4.81	281	09:00	2390	0.89	17.2	
1.12.80	160	10:15	2430	51.7	✓	2.4.81	282	14:00	2400	25.9		
3.12.80	162	08:45	2430	51.7	✓	3.4.81	283	09:30	2400	25.9		
4.12.80	163	09:00	2430	51.7	✓	7.4.81	287	09:30	2395	20.7		
9.12.80	168	10:00	2430	51.7	✓	9.4.81	289	13:15	2400	25.9		
16.12.80	175	09:30	2430	51.7	✓	10.4.81	290	10:45	2390	17.2		
17.12.80	176	08:15	2430 ¹⁰⁰	51.7	✓	13.4.81	293	13:15	2400	0.97	25.9	
18.12.80	177	08:45	2425 ¹⁰⁰	48.3	✓	14.4.81	294	09:00	2400	25.9		
22.12.80	181	11:00	2420	44.8		15.4.81	295	13:00	2390	17.2		
24.12.80	183	11:00	2380 ?	10.3	?	22.4.81	302		2375	140		
29.12.80	188	10:50	2420	44.8		24.4.81	304		2390			
2.1.81	192	13:30	2420	44.8		27.4.81	307		2400			
6.1.81	196	08:45	2420	44.8		29.4.81	309		2405			
9.1.81	199	08:15	2420	44.8		30.4.81	310		2410			
12.1.81	202	09:15	2420	44.8		1.5.81	311		2410			
14.1.81	204	10:15	2415	39.6	1.01	6.5.81	316		2395	146		
19.1.81	209	13:00	2415	39.6		14.5.81	324		2410	148		
21.1.81	211	09:00	2420 ¹¹⁰	44.8		18.5.81	328		2400			
27.1.81	217	13:30	2415	39.6		26.5.81	336		2305	150		
30.1.81	220	09:45	2415	39.6		28.5.81	338		2305	154		