

0374_968



D140/5: 1-6m
 0:17
 0:40
 1:44
 3:40

D140/7: 0-7m
 0:00
 0:50
 1:54
 3:40

5 cm

- Legend:**
- v Upper metavolcanics
 - ph/gh Banded hornfels
 - ch Marble
 - bh Biotite hornfels
 - pgh Pyroxene garnet hornfels
 - gh Garnet hornfels
 - br/gh Banded footwall beds
 - bph Biotite pyroxene hornfels
 - lv Lower metavolcanics
 - q Quartzite
 - ap Aplite
- Strike and dip
 - Joint, inclined
 - Joint, vertical
 - Fault
 - | Degree of uncertainty in Fault position
 - | Direction of bedding with respect to core axis

RQD Rock Quality Designator
 J/M Joints per Metre of recovered core

RQD %
 >90 Minimum or no support
 60-90 Intermediate support; rockbolts and one shotcrete application
 <60 Maximum support
 (after E. Miller, March, 1972)

DATE: NOV 1986
 GEOLOGIST: S.G.B.
 DRAWN:
 CHECKED:

KING ISLAND SCHEELITE

No. KG2-01-008

SCALE: 1:500

DOLPHIN MINE
 GEOLOGICAL CROSS-SECTION
 220 140 E

0374_968