

UR 1937/126-134.

24  
~~125~~  
126.

APPROXIMATE TIN CONTENT OF GROUND IN VICINITY OF SCOTIA LEAD, GLADSTONE  
AS PROVED BY BORING CAMPAIGN 1935-37

Name of Area	Area sq. yds.	Av. Depth yds.	Cubic yards	Av. Value oz. per cu. yd.	Tin Content Tons
D1	193.6	22	4,259	10.24	1.22
D2	968	21.5	20,820	4.4	2.40
D3	2904	22	63,888	3.08	5.5
A1	3096	33.3	103,096	17.67	50.8
A2	8034	28	224,952	6.3	39.6
A3a	2672	23	61,456	2.25	3.8
A3b	2072	32.3	66,926	3.2	6.0
B1	968	33	31,944	11.7	10.4
B2a	8131	32.3	262,631	5.8	42.5
B2b	4647	35	162,645	6.3	28.6
B3a	1172	21	24,612	2.6	1.8
B3b	9099	34	309,366	3	25.9
C1a	4066	41.0	166,706	18.9	88.5
C2	3291	44.0	144,804	4.5	18.2
C3a	1258	34.0	42,772	3.8	4.5
C3b	774	42.0	32,508	3	2.7
53,306			1,723,085		332

Average value of ground = 7 oz. per cu. yard of 70% Concentrate.

Value (tin oxide £180. per ton) = £42,000

TABULATED LOGS OF BORES AT GLADSTONE (VICINITY OF SCOTIA LEAD)

Tin Values shown in oz. per cubic yard of 70% Concentrates  
 Depths shown to bedrock  
 Sample Sections equal 1 cubic foot. (7'4" of 5" bore)

DEPTH	No.1A Bore	No.2A Bore	No.3A Bore	No.4A Bore	No.5A Bore	No.6A Bore	No.
0' - 7'4"	0.05	0.29		0.22	0.38	0.13	
7'4" - 14'8"	0.25	0.31		0.09	0.09	0.07	
14'8" - 22'	0.31	0.29		0.22	0.24	0.39	
22' - 29'4"	0.068	0.051		0.16	0.15	0.20	
29'4" - 36'8"				0.24	0.32	0.11	
36'8" - 44'	1.56 (36'6"-58')			0.36	3.05	0.83	
44' - 51'4"					18.04	2.28	
51'4" - 58'8"		1.02		3.54	1.06	1.26	
58'8" - 66'	77.6 (58'6"-66'3")	14.6 (58'8"-65'10")		1.69 (58'8"-61')	20. (58'8"-64'6")	66.19	
66' - 73'4"						65.6 (66'-68'9")	
<u>TOTAL DEPTH</u>	66'3"	65'10"	40'	61'	64'6"	68'9"	
<u>AVERAGE VALUE</u>	10.24	1.80	Trace	0.64	4.40	10.24	

DEPTH	No.8A Bore	No.9A Bore	No.10A Bore	No.11A Bore	No.1 Bore	No.2 Bore	No.
0' - 7'4"		0.10					
7'4" - 14'8"	0.05	0.08					
14'8" - 22'	0.14	0.10	0.23				
22' - 29'4"	0.77	0.14	0.29				
29'4" - 36'8"	0.27	0.07	0.06				
36'8" - 44'	0.95	0.37	0.20	0.40	0		
44' - 51'4"	0.82	0.46	3.26	3.61			
51'4" - 58'8"	3.01	4.80	10.07	22.30 (51'4"-54'2")			
58'8" - 66'	35.20 (58'8"-63'3")	5.43	4.45				
66' - 73'4"		46.2 (66'-69'3")	48.45 (66'-67'8")				
73'4" - 80'8"							
80'8" - 88'							
88' - 95'4"							
95'4" - 102'8"							
102'8" - 110'							
<u>TOTAL DEPTH</u>	63'3"	69'3"	67'8"	54'2"	69'6"	58'6"	
<u>AVERAGE VALUE</u>	3.11	3.201	2.952	1.58	Trace	Trace	

TABULATED LOGS OF BORES AT GLADSTONE (VICINITY OF SCOTIA LEAD)

Tin Values shown in oz. per cubic yard of 70% Concentrates  
 Depths shown to bedrock  
 Sample Sections equal 1 cubic foot (7'4" of 5" bore)

No. 9 Bore No. 10 Bore

No. 1A Bore No. 2A Bore No. 3A Bore No. 4A Bore No. 5A Bore No. 6A Bore No. 7A Bore

0.05	0.29		0.22	0.38	0.13	0.144
0.25	0.31		0.09	0.09	0.07	0.21
0.31	0.29		0.22	0.24	0.39	0.26
0.068	0.051		0.16	0.15	0.20	0.21
			0.24	0.32	0.11	0.93
1.56 (36'6"-58')			0.36	3.05	0.83	0.072
				18.04	2.28	0.523
	1.02		3.54	1.06	1.26	3.74
77.6 (58'6"-66'3")	14.6 (58'8"-65'10")		1.69 (58'8"-61')	20. (58'8"-64'6")	66.19	3.35 (58'8"-67')
					65.6 (66'-68'9")	

66'3"	65'10"	40'	61'	64'6"	68'9"	67'
10.24	1.80	Trace	0.64	4.40	10.24	0.928

No. 8A Bore No. 9A Bore No. 10A Bore No. 11A Bore No. 1 Bore No. 2 Bore No. 3 Bore

	0.10					0.10
0.05	0.08					0.77
0.14	0.10	0.23				
0.77	0.14	0.29				
0.27	0.07	0.06				
0.95	0.37	0.20	0.40			
0.82	0.46	3.26	3.61			
3.01	4.80	10.07	22.30 (51'4"-54'2")			
35.20 (58'8"-63'3")	5.43	4.45				
	46.2 (66'-69'3")	48.45 (66'-67'8")				0.36
						7.98 (73'4"-74'3")

63'3"	69'3"	67'8"	54'2"	69'6"	58'6"	74'3"
3.11	3.201	2.952	1.58	Trace	Trace	.203

DEPTH	No. 4 Bore	No. 5 Bore	No. 6 Bore	No. 7 Bore	No. 8 Bore	No. 9 Bore
0' - 7'4"		0.22	0.10	0.19	0.37	0.18
7'4" - 14'8"		0.06	0.12	0.16	0.14	0.10
14'8" - 22'		0.04	0.04	0.15	0.05	0.03
22' - 29'4"		0.08	0.09	0.08	0.05	0.03
29'4" - 36'8"		0.05	0.05	0.06	0.12	0.13
36'8" - 44'		0.01	0.06	0.16	0.03	0.18
44' - 51'4"		0.03	0.07	0.15	0.08	0.07
51'4" - 58'8"		0.02	0.10	0.02	0.13	0.13
58'8" - 66'		0.24	0.04	0.01	0.06	0.18
66' - 73'4"		0.32	3.75	0.01	0.17	0.16
73'4" - 80'8"		25.38	32.44 (73'4"-80'3")	0.05	0.27	0.44
80'8" - 88'		15.74 (95'4"-98'9")	15.74 (95'4"-98'9")	0.36	0.98	2.97 (80'8"-86'6")
88' - 95'4"				3.84	1.70	
95'4" - 102'8"				15.68	8.22	
102'8" - 110'				47.21 (102'8"-105'6")	72.05 (102'8"-106'7")	
<u>TOTAL DEPTH</u>	76'3"	87'3"	80'3"	105'6"	106'7"	86'6"
<u>AVERAGE VALUE</u>	Trace	Trace	3.17	2.60	3.37	0.33

DEPTH	No. 11 Bore	No. 12 Bore	No. 13 Bore	No. 14 Bore	No. 15 Bore	No. 16 Bore
0' - 7'4"	0.05	0.05	0.07	0.03		0.06
7'4" - 14'8"	0.07	0.08	0.08	0.08	0.02	0.05
14'8" - 22'	0.06	0.18	0.05	0.08	0.03	0.03
22' - 29'4"	0.05	0.09	0.12	0.10	0.14	0.03
29'4" - 36'8"	0.07	0.28	0.05	0.08	0.06	0.05
36'8" - 44'	0.09	0.21	0.07	0.05	0.06	0.12
44' - 51'4"	0.07	9.09	0.07	0.08	0.03	0.35
51'4" - 58'8"	0.07	0.09		0.17	0.04	0.19
58'8" - 66'	0.79	0.07		0.42	0.12	0.35
66' - 73'4"	0.35	0.09	0.20	0.17	0.22	0.32
73'4" - 80'8"	0.01	2.05	3.63	1.09	1.08	0.61
80'8" - 88'	0.32	0.53	5.66	1.80	3.51	3.54 (80'8"-85')
88' - 95'4"	1.85	0.89	2.30	1.75	0.91	
95'4" - 102'8"	53.90	1.97	61.41	3.99	1006	
102'8" - 110'	139.86 (102'8"-104'7")	98.01 (102'8"-107'9")	134.22 (102'8"-103'2")	27.88 (102'8"-109'6")	16.09 (102'8"-105')	
<u>TOTAL DEPTH</u>	104'7"	107'9"	103'2"	109'6"	105'	85'
<u>AVERAGE VALUE</u>	6.29	6.98	5.52	2.39	0.83	0.35

No. 4 Bore	No. 5 Bore	No. 6 Bore	No. 7 Bore	No. 8 Bore	No. 9 Bore	No. 10 Bore
	0.22	0.10	0.19	0.07	0.18	0.10
	0.26	0.12	0.16	0.14	0.10	8.86
	0.28	0.04	0.15	0.05	1.29	1.97
	0.31	0.09	0.08	0.05	0.31	0.21
	0.35	0.16	0.14	0.09	0.03	0.10
	0.38	0.05	0.06	0.12	0.13	0.04
	0.41	0.06	0.16	0.03	0.18	0.75
	0.44	0.07	0.15	0.08	0.07	0.21
	0.47	0.10	0.02	0.13	0.13	0.10
	0.50	0.04	0.01	0.06	0.18	2.70
	0.53	3.75	0.01	0.17	0.16	5.07
	0.56	32.44 (73'4"-80'3")	0.05	0.27	0.44	30.99 (80'8"-87')
	0.59		0.36	0.98	2.97 (80'8"-86'6")	
	0.62		3.84	1.70		
	0.65		15.68	8.22		
	0.68		47.21 (102'8"-105'6")	72.05 (102'8"-106'7")		
	0.71					
	0.74					
	0.77					
	0.80					
	0.83					
	0.86					
	0.89					
	0.92					
	0.95					
	0.98					
	1.01					
	1.04					
	1.07					
	1.10					
	1.13					
	1.16					
	1.19					
	1.22					
	1.25					
	1.28					
	1.31					
	1.34					
	1.37					
	1.40					
	1.43					
	1.46					
	1.49					
	1.52					
	1.55					
	1.58					
	1.61					
	1.64					
	1.67					
	1.70					
	1.73					
	1.76					
	1.79					
	1.82					
	1.85					
	1.88					
	1.91					
	1.94					
	1.97					
	2.00					
	2.03					
	2.06					
	2.09					
	2.12					
	2.15					
	2.18					
	2.21					
	2.24					
	2.27					
	2.30					
	2.33					
	2.36					
	2.39					
	2.42					
	2.45					
	2.48					
	2.51					
	2.54					
	2.57					
	2.60					
	2.63					
	2.66					
	2.69					
	2.72					
	2.75					
	2.78					
	2.81					
	2.84					
	2.87					
	2.90					
	2.93					
	2.96					
	2.99					
	3.02					
	3.05					
	3.08					
	3.11					
	3.14					
	3.17					
	3.20					
	3.23					
	3.26					
	3.29					
	3.32					
	3.35					
	3.38					
	3.41					
	3.44					
	3.47					
	3.50					
	3.53					
	3.56					
	3.59					
	3.62					
	3.65					
	3.68					
	3.71					
	3.74					
	3.77					
	3.80					
	3.83					
	3.86					
	3.89					
	3.92					
	3.95					
	3.98					
	4.01					
	4.04					
	4.07					
	4.10					
	4.13					
	4.16					
	4.19					
	4.22					
	4.25					
	4.28					
	4.31					
	4.34					
	4.37					
	4.40					
	4.43					
	4.46					
	4.49					
	4.52					
	4.55					
	4.58					
	4.61					
	4.64					
	4.67					
	4.70					
	4.73					
	4.76					
	4.79					
	4.82					
	4.85					
	4.88					
	4.91					
	4.94					
	4.97					
	5.00					
	5.03					
	5.06					
	5.09					
	5.12					
	5.15					
	5.18					
	5.21					
	5.24					
	5.27					
	5.30					
	5.33					
	5.36					
	5.39					
	5.42					
	5.45					
	5.48					
	5.51					
	5.54					
	5.57					
	5.60					
	5.63					
	5.66					
	5.69					
	5.72					
	5.75					
	5.78					
	5.81					
	5.84					
	5.87					
	5.90					
	5.93					
	5.96					
	5.99					
	6.02					
	6.05					
	6.08					
	6.11					
	6.14					
	6.17					
	6.20					
	6.23					
	6.26					
	6.29					
	6.32					
	6.35					
	6.38					
	6.41					
	6.44					
	6.47					
	6.50					
	6.53					
	6.56					
	6.59					
	6.62					
	6.65					
	6.68					
	6.71					
	6.74					
	6.77					
	6.80					
	6.83					
	6.86					
	6.89					
	6.92					
	6.95					
	6.98					
	7.01					
	7.04					
	7.07					
	7.10					
	7.13					
	7.16					
	7.19					
	7.22					
	7.25					
	7.28					
	7.31					
	7.34					
	7.37					
	7.40					
	7.43					
	7.46					
	7.49					
	7.52					
	7.55					
	7.58					
	7.61					
	7.64					
	7.67					
	7.70					
	7.73					
	7.76					

DEPTH	No. 18 BORE BORE No. 32	No. 19 BORE BORE No. 33	No. 20 BORE BORE No. 34	No. 21 BORE BORE No. 35	No. 22 BORE BORE No. 36	No. 23 BORE BORE No. 37
0' - 7'4"		0.22	0.10	0.19	0.07	0.07
7'4" - 14'8"		0.06	0.12	0.05	0.29	0.06
14'8" - 22'		0.24	0.12	0.09	0.08	1.29
22' - 29'4"		0.61	0.28	0.04	0.19	0.31
29'4" - 36'8"		0.08	0.28	0.05	0.18	0.12
36'8" - 44'		0.08	0.16	0.14	0.09	0.07
44' - 51'4"		0.03	0.24	0.09	0.04	0.14
51'4" - 58'8"		0.01	0.02	0.04	0.02	0.04
58'8" - 66'		0.03	0.10	0.20	0.01	0.04
66' - 73'4"		0.02	0.10	1.48	0.05	0.25
73'4" - 80'8"		0.24	0.44	7.11	0.07	0.71
80'8" - 88'		0.32	2.02	7.55 (80'8"-85'6")	2.25	0.66
88' - 95'4"		25.38	1.16		69.70 (88'-95')	3.22
95'4" - 102'8"		153.74 (95'4"-98'9")	243.36 (95'4"-100'10")			104.57 (95'4"-100')
102'8" - 110'						

<u>TOTAL DEPTH</u>	91'3"	98'9"	100'10"	85'6"	95'0"	100'
<u>AVERAGE VALUE</u>	trace	7.07	13.4	1.20	5.38	5.33

DEPTH	No. 25 BORE	No. 26 BORE	No. 27 BORE	No. 28 BORE	No. 29 BORE	No. 30 BORE
0' - 7'4"	0.05	0.08	0.11	0.07	0.00	0.13
7'4" - 14'8"	0.24	0.03	0.05	0.21	0.08	0.15
14'8" - 22'	0.03	1.22	0.19	0.11	0.06	0.43
22' - 29'4"	0.04	0.41	0.07	0.15	0.04	0.22
29'4" - 36'8"	0.17	1.18	0.18	0.11	0.32	0.31
36'8" - 44"	0.27	0.03	0.19	0.08	0.22	0.05
44' - 51'4"	1.02	0.05	0.05	0.58	0.04	0.17
51'4" - 58'8"	1.30	0.05	0.06	3.80	0.02	4.37
58'8" - 66'	0.36	0.04	0.30	0.24	0.04	7.24
66' - 73'4"	0.94	0.01	0.05	0.12	0.07	60.95
73'4" - 80'8"	2.10 (73'4"-79'6")	0.02	0.47	0.72	0.31 (73'4"-80'4")	60.95
80'8" - 88'		0.12 (80'8"-83')	0.74	3.77		
88' - 95'4"			5.19 (88'-95')	24.05		
95'4" - 102'8"				311.52 (95'4"-97'10")		79'6"
<u>AVERAGE VALUE</u>	2.21	0.24	8.49		2.26	5.89

<u>TOTAL DEPTH</u>	79'6"	83'	95'	97'10"	80'4"	74'
<u>AVERAGE VALUE</u>	.56	.18	.59	10.01	0.12	Trace

No. 18 BORE	No. 19 BORE	No. 20 BORE	No. 21 BORE	No. 22 BORE	No. 23 BORE	No. 24 BORE
	0.22	0.10	0.19	0.07	0.07	0.10
	0.06	0.12	0.05	0.29	0.06	8.86
	0.24	0.12	0.09	0.08	1.29	1.97
	0.61	0.28	0.04	0.19	0.31	0.21
	0.08	0.28	0.05	0.18	0.12	0.10
	0.08	0.16	0.14	0.09	0.07	0.04
	0.03	0.24	0.09	0.04	0.14	0.73
	0.01	0.02	0.04	0.02	0.04	0.21
	0.03	0.10	0.20	0.01	0.04	0.10
	0.02	0.10	1.48	0.05	0.25	2.70
	0.24	0.44	7.11	0.07	0.71	3.07
	0.32	2.02	7.55 (80'8"-85'6")	2.25	0.66 (66'-73')	30.99 (80'8"-87')
	25.38	1.16		69.70 (88'-95')	3.22	2.37 (73'4"-76'9")
	153.74 (95'4"-98'9")	243.36 (95'4"-100'10")			104.57 (95'4"-100')	

91'3"	98'9"	100'10"	85'6"	95'0"	100'	87'
trace	7.07	13.4	1.20	5.38	5.33	3.74

No. 25 BORE	No. 26 BORE	No. 27 BORE	No. 28 BORE	No. 29 BORE	No. 30 BORE	No. 31 BORE
0.05	0.08	0.11	0.07	0.00		0.19
0.24	0.03	0.05	0.21	0.08		0.07
0.03	1.22	0.19	0.11	0.06		0.10
0.04	0.41	0.07	0.15	0.04		0.06
0.17	1.18	0.18	0.11	0.32		0.11
0.27	0.03	0.19	0.08	0.22		0.04
1.02	0.05	0.05	0.58	0.04		0.04
1.30	0.05	0.06	3.80	0.02		0.75
0.36	0.04	0.30	0.24	0.04		44.52 (58'8"-62'3")
0.94	0.01	0.05	0.12	0.07		
2.10 (73'4"-79'6")	0.02	0.47	0.72	0.31 (73'4"-80'4")		
	0.12 (80'8"-83')	0.74	3.77			
		5.19 (88'-95')	24.05			
			311.52 (95'4"-97'10")			

79'6"	83'	95'	97'10"	80'4"	74'	62'3"
.56	.18	.59	10.01	0.12	Trace	2.62

DEPTH	BORE No. 32	BORE No. 33	BORE No. 34	BORE No. 35	BORE No. 36	BORE No.
0' - 7'4"	0.11	0.08	0.11	0.02		0.0
7'4" - 14'8"	0.03	1.27	0.33	0.12	0.08	0.22
14'8" - 22'	0.14	0.35	0.10	0.27	0.10	0.04
22' - 29'4"	0.13	0.05	0.16	0.40	0.05	0.17
29'4" - 36'8"	0.24	0.15	0.14	0.27	0.19	0.21
36'8" - 44'	0.26	0.60		0.07	0.61 (29'4"-36'6")	0.07
44' - 51'4"	0.04	0.22		0.26		0.05
51'4" - 58'8"	0.31	0.21	0.64	0.27		0.25
58'8" - 66'	0.08	9.73 (51'4"-55')	2.53	0.23		0.73
66' - 73'4"	5.97 (65'8"-87'6")	0.37	4.27	23.75		1.91
73'4" - 80'8"		257.38 (88' - 93'8")	58.81	1.01		11.86 (66'-73')
<b>TOTAL DEPTH</b>	55'6"	55'	21'	6'	36'6"	73'
<b>AVERAGE</b>	trace	0.84	trace	nil	0.20	1.55

DEPTH	BORE No. 39	BORE No. 40	BORE No. 41	BORE No. 42	BORE No. 43	BORE No. 44
0' - 7'4"	0.05	0.22	0.12	0.93	0.10	0.29
7'4" - 14'8"	0.12	0.18	0.22	1.31	0.15	0.13
14'8" - 22'	0.29	0.22	0.22	1.03	0.15	0.15
22' - 29'4"	0.65	0.13	0.23	0.67	0.51	0.43
29'4" - 36'8"	1.00	0.40	0.36	0.54	0.26	0.68
36'8" - 44'	1.67	0.14	0.07	0.31	0.02	0.04
44' - 51'4"	1.09	0.13	0.33	0.15	0.10	0.05
51'4" - 58'8"	1.66	1.16 (51'4"-55')	0.28	0.50	2.43	0.17
58'8" - 66'	41.99	0.13	0.67	0.51	1.52	4.37
66' - 73'4"	(58'8"-61')	0.21	2.08	0.98	5.89	7.24
73'4" - 80'8"		0.21	49.23	5.86 (73'4"-78')	27.55 (73'4"-77')	60.96 (73'4"-79'6")
80'8" - 88'		3.06	105.76 (80'8"-84')			
<b>TOTAL DEPTH</b>	61'	55'	84'	78'	77'	79'6"
<b>AVERAGE VALUE</b>	2.21	0.24 (102'8"-104'5")	8.49	0.97	2.26	5.89

BORE No. 32    BORE No. 33    BORE No. 34    BORE No. 35    BORE No. 36    BORE No. 37    BORE No. 38

4"						
8"	1.27				0.22	
	0.35			0.08	0.04	0.05
	0.05			0.10	0.17	0.24
				0.05	0.21	0.56
				0.19	0.07	0.41
				0.61 (29'4"-36'6")	0.05	0.06
	0.21				0.25	0.03
	9.73 (51'4"-55')				0.73	1.13
					1.91	1.15
					11.86 (66'-73')	4.04
						2.37 (73'4"-76'9")

55'6"    55'    21'    6'    36'6"    73'    76'9"  
 trace    0.84    trace    nil    0.20    1.55    0.83

BORE No. 39    BORE No. 40    BORE No. 41    BORE No. 42    BORE No. 43    BORE No. 44    BORE No. 45

4"	0.05	0.22	0.12	0.93	0.10	0.29	0.14
8"	0.12	0.18	0.22	1.31	0.15	0.13	0.06
2'	0.29	0.22	0.22	1.03	0.15	0.15	0.12
4'	0.65	0.13	0.23	0.67	0.51	0.43	0.30
8"	1.00	0.40	0.36	0.54	0.26	0.68	0.18
1'	1.67	0.14	0.07	0.31	0.02	0.04	0.39
4"	1.09	0.13	0.33	0.15	0.10	0.05	0.44
8"	1.66	1.16 (51'4"-55')	0.28	0.50	2.43	0.17	1.97
1'	41.99 (58'8"-61')	0.15	0.67	0.51	1.52	4.37	1.45
4"		2.08	2.08	0.98	5.89	7.24	2.24
8"		49.23	49.23	5.86 (73'4"-78')	27.55 (73'4"-77')	60.96 (73'4"-79'6")	66.1 (66'-70')
		1.01	105.76 (80'8"-84')				
		3.06					

61'    55'    84'    78'    77'    79'6"    70'  
 2.21    0.24    8.49    0.97    2.26    5.89    0.63  
 (102'8"-104'5")

76'    104'5"    91'    70'    80'3"    65'6"

DEPTH	Bore No. 46	Bore No. 47	Bore No. 48	Bore No. 49	Bore No. 50	Bore No. 51
0' - 7'4"	0.10	0.19	0.10	0.04		0.09
7'4" - 14'8"	0.11	0.08	0.11	0.02		0.09
14'8" - 22'	0.03	0.11	0.35	0.12		0.03
22' - 29'4"	0.14	0.22	0.10	0.27		0.16
29'4" - 36'8"	0.13	0.08	0.16	0.69		0.09
36'8" - 44'	0.24	0.15	0.14	0.27		0.18
44' - 51'4"	0.26	0.60	-	0.07		0.20
51'4" - 58'8"	0.09	0.22	-	0.06		0.19
58'8" - 66'	0.04	0.23	-	0.14		0.18
66' - 73'4"	0.31	1.51	0.66	0.73		0.08
73'4" - 80'8"	0.08	3.23	2.53	4.22		0.20
80'8" - 88'	5.97	5.37	4.67	53.16		5.01
88' - 95'4"		257.38 (88' - 93'8")	68.93 (88' - 92'6")	104.30 (88' - 91')		6.80
95'4" - 102'8"	5.77					57.72 (95'4" - 98')
88' - 95'4"	13.86					
95'4" - 102'8"	7.76					
<b>TOTAL DEPTH</b>	87'6"	93'8"	92'6"	91'	75'6"	98'
<b>AVERAGE VALUE</b>	0.59	16.22	3.93	7.88	trace	2.45

DEPTH	Bore No. 53	Bore No. 54	Bore No. 55	Bore No. 56	Bore No. 57	Bore No. 58
0' - 7'4"			0.14			
7'4" - 14'8"			0.03			
14'8" - 22'		0.02	0.06			
22' - 29'4"		0.06	0.54			
29'4" - 36'8"		0.05	0.23			
36'8" - 44'		0.11	0.17			
44' - 51'4"		0.15	0.59			
51'4" - 58'8"		0.20	0.56			
58'8" - 66'		0.05	0.14			
66' - 73'4"		0.04	0.15			
73'4" - 80'8"		1.01	2.26			
80'8" - 88'		3.06	1.48			
88' - 95'4"		1.20	3.68 (88' - 91')			
95'4" - 102'8"		71.80				
102'8" - 110'		1208.28 (102'8" - 104'5")				
<b>TOTAL DEPTH</b>	76'	104'5"	91'	58'	20'	80'3"
<b>AVERAGE VALUE</b>	trace	24.41	0.60	trace	abandoned	trace

DEPTH	Bore No. 59	Bore No. 60	Bore No. 61	Bore No. 62	Bore No. 63	Bore No. 64
<b>TOTAL DEPTH</b>	101'2"	80'6"	112'	113'7"	66'	
<b>AVERAGE VALUE</b>	trace	trace	3.70	0.55	0.09	

	Bore No. 46	Bore No. 47	Bore No. 48	Bore No. 49	Bore No. 50	Bore No. 51	Bore No. 52
4"	0.10	0.19	0.10	0.04		0.09	0.13
8"	0.11	0.08	0.11	0.02		0.09	0.27
	0.03	0.11	0.35	0.12		0.03	0.13
4"	0.14	0.22	0.10	0.27		0.16	
8"	0.13	0.08	0.16	0.69		0.09	0.05
	0.24	0.15	0.14	0.27		0.18	
4"	0.26	0.60	-	0.07		0.20	0.08
8"	0.09	0.22	-	0.06		0.19	
4"	0.04	0.23	0.13	0.14		0.18	0.18
8"	0.31	1.51	0.66	0.73		0.08	0.68
8"	0.08	3.23	2.53	4.22		0.20	(51'4" - 57'3")
	5.97 (80'8" - 87'6")	5.37	4.67	53.16		5.01	
		257.38 (88' - 93'8")	68.93 (88' - 92'6")	104.30 (88' - 91')		6.80	
						57.72 (95'4" - 98')	

TH	87'6"	93'8"	92'6"	91'	75'6"	98'	91'
VALUE	0.59	16.22	3.93	7.88	trace	2.45	trace

	Bore No. 53	Bore No. 54	Bore No. 55	Bore No. 56	Bore No. 57	Bore No. 58	Bore No. 59
4"			0.14				
8"			0.03				
		0.02	0.06		0.04	0.40	
4"		0.06	0.54		0.01	0.17	
8"		0.05	0.23		0.02	0.17	
		0.11	0.17		0.05	0.17	
4"		0.15	0.59		0.05	0.17	
8"		0.20	0.56		0.05	0.17	
		0.05	0.14		0.05	0.17	
4"		0.04	0.15		0.05	0.17	
8"		1.01	2.26		0.05	0.17	
		3.06	1.48		0.05	0.17	
4"		1.20	3.68 (88' - 91')		0.05	0.17	
8"		71.80			0.05	0.17	
30'3"		1208.28 (102'8" - 104'5")			0.05	0.17	

TH	76'	104'5"	91'	58'	20'	80'3"	65'6"
VALUE	trace	24.41	0.60	trace	abandoned	trace	trace

	112'	113'3"	66'	58'8"	65'6"
VALUE	3.70	0.55	0.09	3.43	trace

DEPTH	Bore No. 60	Bore No. 61	Bore No. 62	Bore No. 63	Bore No. 64	Bore No. 65
0 - 7'4"	-	-	-	-	-	-
7'14" - 14'8"	-	-	-	-	-	-
14'8" - 22'	-	-	-	-	-	-
22' - 29'4"	-	-	0.15	-	-	-
29'4" - 36'8"	-	-	0.11	-	-	-
36'8" - 44'	0.17	-	0.46	-	-	-
44' - 51'4"	0.14	-	0.13	-	-	-
51'4" - 58'8"	0.12	-	0.17	-	-	-
58'8" - 66'	0.08	-	0.19	-	-	-
66' - 73'4"	0.57	-	0.16	-	-	-
73'4" - 80'8"	0.29	-	0.36	-	-	-
80'8" - 88'	5.77	-	2.46	-	-	-
88' - 95'4"	13.86	-	5.62	-	-	-
95'4" - 102'8"	7.76	-	18.83 (95'4"-99'3")	-	-	-
102'8" - 110'	45.13 (102'8"-106'6")	-	-	-	-	-
<u>TOTAL DEPTH</u>	106'6"	79'6"	99'3"	85'3"	44'6"	44'6"
<u>AVERAGE VALUE</u>	3.49	trace	1.42	trace	trace	trace

DEPTH	Bore No. 67	Bore No. 68	Bore No. 69	Bore No. 70	Bore No. 71	Bore No. 72
0 - 7'4"	-	-	-	-	0.04	-
7'4" - 14'8"	-	-	-	-	0.01	-
14'8" - 22'	-	-	0.03	0.09	0.02	-
22' - 29'4"	-	-	0.04	0.03	0.05	-
29'4" - 36'8"	-	-	0.09	0.09	0.04	-
36'8" - 44'	-	-	0.04	0.08	0.07	-
44' - 51'4"	-	-	0.06	0.01	0.22	-
51'4" - 58'8"	-	-	0.03	0.12	0.10	-
58'8" - 66'	-	-	0.08	0.10	0.28	-
66' - 73'4"	-	-	0.06	0.04	-	-
73'4" - 80'8"	-	-	0.51	-	-	-
80'8" - 88'	-	-	3.40	0.19	-	-
88' - 95'4"	88 - 954	-	0.07	1.57	-	-
95'4" - 102'8"	-	-	19'38	2.91	-	-
102'8" - 110'	-	-	124.89 (110'-112')	6.44 (110'-113'3")	-	-
110' - 117'4"	-	-	-	-	-	-
<u>TOTAL DEPTH</u>	40'9"	89'6"	112'	113'3"	66'	66'
<u>AVERAGE VALUE</u>	trace	trace	3.70	0.55	0.09	0.09

Bore No. 60

Bore No. 61

Bore No. 62

Bore No. 63

Bore No. 64

Bore No. 65

Bore No. 66

7'4"	-	-	-	-	-	0.13
4'8"	-	-	-	-	-	0.27
2'	-	-	-	-	-	0.13
9'4"	-	0.15	-	-	-	0.05
6'8"	-	0.11	-	-	-	0.55
3'	0.17	0.46	-	-	-	0.08
1'4"	0.14	0.13	-	-	-	0.18
8'8"	0.12	0.17	-	-	-	0.68
6'	0.08	0.19	-	-	-	(51'4" - 57'3")
3'4"	0.57	0.16	-	-	-	(51'4" - 57'3")
2'8"	0.29	0.36	-	-	-	
3'	5.77	2.46	-	-	-	
5'4"	13.86	5.62	-	-	-	
2'8"	7.76	18.83 (95'4"-99'3")	-	-	-	
0'	45.13 (102'8"-106'6")		-	-	-	

PTH	106'6"	79'6"	99'3"	85'3"	44'6"	46'	57'3"
VALUE	3.49	trace	1.42	trace	trace	trace	0.17

Bore No. 67

Bore No. 68

Bore No. 69

Bore No. 70

Bore No. 71

Bore No. 72

Bore No. 73

7'4"	-	-	-	0.04	0.40	
4'8"	-	-	-	0.01	0.16	
22'	-	0.03	0.09	0.02	0.17	
29'4"	-	0.04	0.03	0.05	0.24	
36'8"	-	0.09	0.09	0.04	0.58	
44'	-	0.04	0.08	0.07	0.58	
51'4"	-	0.06	0.01	0.22	9.70	
58'8"	-	0.03	0.12	0.10	15.69	
66'	-	0.08	0.10	0.28		
73'4"	-	0.06	0.04			
80'8"	-	0.51	-			
88'	88 - 954	3.40	0.19			
02'8"		0.07	1.57			
10'		19'38	2.91			
17'4"		124.89 (110'-112')	6.44 (110'-113'3")			

PTH	40'9"	89'6"	112'	113'3"	66'	58'8"	44'6"
VALUE	trace	trace	3.70	0.55	0.09	3.45	trace

DEPTH	No. 74 Bore	No. 75 Bore	No. 76 Bore	Bore No. 77	Bore No. 78	Bore No. 79
0' - 7'4"	0.91		0.14	0.18	0.07	.18
7'4" - 14'8"	0.09		0.03	0.02	0.10	0.10
14'8" - 22'	0.29		0.10	0.17	0.04	0.03
22' - 29'4"	0.27		0.10	0.06	0.05	-
29'4" - 36'8"	0.04		0.05	-	0.02	-
36'8" - 44'	-		0.10	0.08	0.03	-
44' - 51'4"			0.06		0.01	-
51'4" - 58'8"			0.16		0.05	0.06
58'8" - 66'			0.03	0.16	0.11	0.09
66' - 73'4"			0.03	0.05	0.14	14.74
73'4" - 80'8"			0.77	0.06	0.24	9.39
80'8" - 88'			1.89	0.21	0.32	0.49
88' - 95'4"			1.11	8.90	1.61	0.58
95'4" - 102'8"			32.31	1.08	0.34	0.67
102'8" - 110'			56.92 (102'8"-104'9")	1.38	5.73	2.41
110' - 117'4"				171.82 (110'-117'2")	19.10	7.42
117'4" - 124'8"					1070.17 (117'4"-122'2")	
124'8" - 132'						
<u>TOTAL DEPTH</u>	36'9"	35'	104'9"	117'2"	122'2"	124'7"
<u>AVERAGE VALUE</u>	0.32	Nil	3.54	11.26	43.14	12.74

DEPTH	No. 81 Bore	No. 82 Bore	No. 83 Bore	No. 84 Bore	No. 85 Bore	No. 86 Bore
0' - 7'4"	0.05	0.24	0.93	0.05	-	0.20
7'4" - 14'8"	0.02	0.14	0.20	0.15	0.50	0.42
14'8" - 22'	0.05	0.14	-	-	0.16	0.11
22' - 29'4"	0.02	-	-	-	-	0.08
29'4" - 36'8"	0.04	-	-	0.04	-	0.23
36'8" - 44'	-	-	-	-	-	-
44' - 51'4"	0.03	-	-	0.22	0.46	-
51'4" - 58'8"	-	-	-	0.72	0.12	-
58'8" - 66'	0.16	0.08	0.08	0.15	0.09	-
66' - 73'4"	0.25	0.30	0.10	0.09	0.06	-
73'4" - 80'8"	0.09	38.54	10.29	0.29	-	-
80'8" - 88'	0.10	1.84	13.02	0.49	1.95	0.30
88' - 95'4"	0.30	0.11	0.32	0.08	1.09	0.11
95'4" - 102'8"	2.45	1.49	0.78	0.56	0.16	0.24
102'8" - 110'	1.06	3.00	0.40	1.81	0.52	0.16
110' - 117'4"	4.31 (110'-117')	2.00	0.86	1.09 (110'-117')	0.52	0.77
117'4" - 124'8"		14.15	5.72		0.71	13.78 (117'4"-119'6")
124'8" - 132'		239.20 (124'8"-127'5")	55.94 (124'8"-131')		3.30	
132' - 139'4"					4.75 (132'-136'8")	
<u>TOTAL DEPTH</u>	117'	127'5"	131'	117'	136'8"	119'6"
<u>AVERAGE VALUE</u>	0.55	8.43	4.45	0.35	0.67	0.36

	No. 74 Bore	No. 75 Bore	No. 76 Bore	Bore No. 77	Bore No. 78	Bore No. 79	Bore No. 80
4"	0.91		0.14	0.18	0.07	.18	0.28
8"	0.09		0.03	0.02	0.10	0.10	0.26
7"	0.29		0.10	0.17	0.04	0.03	0.12
4"	0.27		0.10	0.06	0.05	-	-
8"	0.04		0.05	-	0.02	-	-
			0.10	0.08	0.03	-	-
4"			0.06		0.01		
8"			0.16		0.05	0.06	0.04
			0.03	0.16	0.11	0.09	0.09
4"			0.03	0.05	0.14	14.74	0.22
8"			0.77	0.06	0.24	9.39	1.43
			1.89	0.21	0.32	0.49	0.07
4"			1.11	8.90	1.61	0.58	0.33
8"			32.31	1.08	0.34	0.67	0.36
			56.92 (102'8"-104'9")	1.38	5.73	2.41	0.19
			15.20	171.82 (110'-117'2")	19.10	7.42	1.16
			221.45 (95'4"-...)		1070.17 (117'4"-122'2")		
	36'9"	35'	104'9"	117'2"	122'2"	124'7"	124'8"
	0.32	Nil	3.54	11.26	43.14	12.74	1.82
	No. 81 Bore	No. 82 Bore	No. 83 Bore	No. 84 Bore	No. 85 Bore	No. 86 Bore	No. 87 Bore
4"	0.05	0.24	0.93	0.05	-	0.20	0.59
8"	0.02	0.14	0.20	0.15	0.50	0.42	0.17
	0.05	0.14	-	-	0.16	0.11	0.11
4"	0.02	-	-	-	-	0.08	0.04
8"	0.04	-	-	0.04	-	0.23	-
	-	-	-	-	-	-	0.66
4"	0.03	-	-	0.22	0.46	-	0.31
8"	-	-	-	0.72	0.12	-	0.22
	0.16	0.08	0.08	0.15	0.09	-	1.03
4"	0.25	0.30	0.10	0.09	0.06	-	0.67
8"	0.09	38.54	10.29	0.29	-	-	-
	0.10	1.84	13.02	0.49	1.95	0.30	1.30 (80'8"-85'9")
4"	0.30	0.11	0.32	0.08	1.09	0.11	
8"	2.45	1.49	0.78	0.56	0.16	0.24	
	1.06	3.00	0.40	1.81	0.52	0.16	
4"	4.31 (110'-117')	2.00	0.86	1.09 (110'-117')	0.52	0.77	
8"		14.15	5.72		0.71	13.78 (117'4"-119'6")	
		239.20 (124'8"-127'5")	55.94 (124'8"-131')		3.30		
					4.75 (132'-136'8")		
	117'	127'5"	131'	117'	136'8"	119'6"	85'9"
	0.55	8.43	4.45	0.35	0.67	0.36	0.51

DEPTH	Bore No. 88	Bore No. 89	Bore No. 90	Bore No. 91	Bore No. 92	Bore No.
0' - 7'4"	0.09	0.35	0.23	0.33	0.25	0.11
7'4" - 14'8"	0.12	0.23	0.14	0.50	0.95	0.19
14'8" - 22'	0.02	0.05	0.12	0.60	0.33	0.08
22' - 29'4"	0.22	0.10	0.07	0.17	0.29	0.17
29'4" - 36'8"	0.15	0.10	0.12	0.18	0.58	0.10
36'8" - 44'	0.29	0.09	0.10	0.20	0.71	0.15
44' - 51'4"	0.32	0.09	0.27	0.47	0.19	-
51'4" - 58'8"	0.22	0.23	0.22	0.24	0.10	-
58'8" - 66'	0.14	0.02	0.09	0.55	0.20	-
66' - 73'4"	0.24	0.19	1.24	0.28	45.90 (66'-70'6")	-
73'4" - 80'8"	0.37	2.60	3.54	-	-	6.86
80'8" - 88'	0.70	3.20	38.20 (80'8"-85'8")	-	-	1.50
88' - 95'4"	2.50	13.20	-	-	-	44.10 (88'-95'4")
95'4" - 102'8"	169	221.45	-	-	-	-
102'8" - 110'	(95'4"-101'11")	(95'4"-99'10")	-	-	-	-
110' - 117'4"	-	-	-	-	-	-
117'4" - 124'8"	-	-	-	-	-	-
124'8" - 132'	-	-	-	-	-	-
132' - 139'4"	-	-	-	-	-	-
139'4" - 146'8"	-	-	-	-	-	-
<u>TOTAL DEPTH</u>	101'11"	99'10"	85'8"	80'2"	70'6"	95'4"
<u>AVERAGE VALUE</u>	12.46	17.27	3.70	.32	4.95	5.91

DEPTH	Bore No. 1B	Bore No. 2B	Bore No. 3B	Bore No. 4B	Bore No. 5B	Bore No. 6
0' - 7'4"	0.18	1.00	0.07	-	-	.05
7'4" - 14'8"	0.12	0.10	0.37	-	-	.09
14'8" - 22'	0.03	0.14	0.04	-	-	.03
22' - 29'4"	-	-	0.02	-	-	.06
29'4" - 36'8"	-	-	0.02	-	-	.01
36'8" - 44'	-	-	0.11	-	-	.07
44' - 51'4"	-	-	0.07	-	-	.05
51'4" - 58'8"	0.17	0.03	0.07	-	-	.08
58'8" - 66'	0.02	0.06	0.03	-	-	.05
66' - 73'4"	0.05	0.06	0.03	-	-	.03
73'4" - 80'8"	0.64	0.14	0.11	-	-	.04
80'8" - 88'	0.42	0.19	0.16	-	-	.63
88' - 95'4"	0.19	0.14	-	-	-	.26
95'4" - 102'8"	0.06	0.02	0.44	-	-	.11
102'8" - 110'	0.05	0.10	0.06	-	-	1.23
110' - 117'4"	0.41	0.35	0.11	-	-	2.07
117'4" - 124'8"	2.01	0.96	0.18	-	-	1.01
124'8" - 132'	2.93	0.96	2.19 (124'8"-131'6")	-	-	5.89
132' - 139'4"	2.06	11.79 (132'-133'6")	-	-	-	53.20 (132'-137'6")
139'4" - 146'8"	85.49 (139'4"-144')	-	-	-	-	-
<u>TOTAL DEPTH</u>	144'	133'6"	131'6"	117'6"	112'	137'6"
<u>AVERAGE VALUE</u>	3.18	.35	.21	Trace	Trace	2.72

	Bore No. 88	Bore No. 89	Bore No. 90	Bore No. 91	Bore No. 92	Bore No. 93
7'4"	0.09	0.35	0.23	0.33	0.25	0.11
14'8"	0.12	0.23	0.14	0.50	0.95	0.19
22'	0.02	0.05	0.12	0.60	0.33	0.08
29'4"	0.22	0.10	0.07	0.17	0.29	0.17
36'8"	0.15	0.10	0.12	0.18	0.58	0.10
44'	0.29	0.09	0.10	0.20	0.71	0.15
51'4"	0.32	0.09	0.27	0.47	0.19	-
58'8"	0.22	0.23	0.22	0.24	0.10	-
66'	0.14	0.02	0.09	0.55	0.20	-
73'4"	0.24	0.19	1.24	0.28	45.90 (66'-70'6")	-
80'8"	0.37	2.60	3.54	-		6.86
88'	0.70	3.20	38.20 (80'8"-85'8")			1.50
95'4"	2.50	13.20				44.10 (88'-95'4")
102'8"	169	221.45				
110'	(95'4"-101'11")	(95'4"-99'10")				
117'4"						
124'8"						
132'						
139'4"						
145'8"						

	101'11"	99'10"	85'8"	80'2"	70'6"	95'4"
VALUE	12.46	17.27	3.70	.32	4.95	5.91

	Bore No. 1B	Bore No. 2B	Bore No. 3B	Bore No. 4B	Bore No. 5B	Bore No. 6B	Bore No. 7B
7'4"	0.18	1.00	0.07			.05	.35
14'8"	0.12	0.10	0.37			.09	.13
22'	0.03	0.14	0.04			.03	.11
29'4"	-	-	0.02			.06	.05
36'8"	-	-	0.02			.01	.19
44'	-	-	0.11			.07	.10
51'4"	-	-	0.07			.05	.17
58'8"	0.17	0.03	0.07			.08	.19
66'	0.02	0.06	0.03			.05	.38
73'4"	0.05	0.06	0.03			.03	.14
80'8"	0.64	0.14	0.11			.04	.08
88'	0.42	0.19	0.16			.63	.05
95'4"	0.19	0.14	-			.26	1.87
102'8"	0.06	0.02	0.44			.11	3.05
110'	0.05	0.10	0.06			1.23	12.65 (102'8"-105'2")
117'4"	0.44	0.35	0.11			2.07	
124'8"	2.01	0.96	0.18			1.01	
132'	2.93	0.96	2.19 (124'8"-131'6")			5.89	
139'4"	2.06	11.79 (132'-133'6")				53.20 (132'-137'6")	
146'8"	85.49 (139'4"-144')						

	144'	133'6"	131'6"	117'6"	112'	137'6"	105'2"
VALUE	3.18	.35	.21	Trace	Trace	2.72	.75