

UR1986_69

1986/69. Offshore well data held by the Tasmania Department of Mines (Revision 3)

P.W. Baillie
J.W. Hudspeth

Abstract

Data held by the Department of Mines for each offshore well drilled in Tasmanian waters since the first well (Bass 1) was drilled in 1965 are tabulated.

INTRODUCTION

To date thirty-four offshore petroleum exploration wells have been drilled in Tasmanian waters. Of these, four have been drilled in the Otway Basin, one in the Cape Sorell Basin, twenty-seven in the Bass Basin, and three on the Gippsland Shelf.

The forms included as part of this report tabulate data held by the Department of Mines for each of these wells. Information includes: locality and water depth, when the well was drilled, by whom and for whom, lists of reports and the various wireline logs run. Cores taken and formation tests carried out are detailed.

Reports and logs are housed in the Department of Mines Library; cores and cuttings are stored at the Department's Mornington Core Library; thin sections and micropalaeontological and palynological preparations are housed in fire-proof storage at the Department's Rosny Park offices. Magnetic tapes are stored at the Australian Archives, Villawood, N.S.W.

The original version of this report was prepared by Baillie and Hudspeth. This revision has been prepared by Baillie and features the modified data form for the wells completed during 1985 and 1986. The form allows for the inclusion of extra data and is more in keeping with the extra information that was generated by recent drilling.

It is intended that this report will continue to be regularly updated as new batches of data are received.

[15 October 1986]

WELL NAME AROO 1		BASIN BASS		COMPANY HEMATITE		2/37
LOCATION Central Bass Basin		PERMIT T/3P		DRILL RIG Glomar Conception		
WELL NO. 22	OPERATOR Hematite	LAT. 39°47'30.325"S	LONG. 145°26'47.976"E	AMG		
SPUDDED 4.3.74	REACHED TD 19.4.74	RIG RELEASED 23.4.74	TD 12112'	WD 250'	KB to SL 32'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
ISF/Sonic/GR	1	3030'	Schlumberger	2", 5"	2	-
ISF/Sonic	2	9688'	Schlumberger	2", 5"	2	-
ISF/Sonic/GR	3	11257'	Schlumberger	2", 5"	2	-
ISF	4	11973'	Schlumberger	2", 5"	2	-
FDC/CNL/GR	2, 3	10572'	Schlumberger	2", 5"	4	-
FDC/GR	1	11982'	Schlumberger	2", 5"	2	-
CCL	1		Schlumberger	5"	1	-
CAL	1, 2	11251'	Schlumberger	5"	2	-
PML	1	9685'	Schlumberger	2", 5"	2	-
HDT	1	9694'	Schlumberger	10"	1	-
Dip(Int)	2	9694'	Schlumberger	2", 5", polar	4	-
FIT	1, 2, 3		Schlumberger		3	-

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG

WELL COMPLETION-REPORT

TIME-DEPTH CURVE

PALYNOLOGY REPORT PALAEOZOOLOGY REPORT PETROLOGY REPORT

MUD AND CUTTINGS ANALYSIS Baroid (+ transparency)

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED <input checked="" type="checkbox"/>
---------------	----------------	---

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT (1) 9530', (2) 9133', (3) 10318', (4) 10708', (5) 10890'

CORE (1) 9515-9545', (2) 9545-9570', (3) 11782-11812'

85 SWC recovered Core received

OTHER Well Velocity Survey Report, Schlumberger Synergetic Logs
Logs available on tape.

WELL NAME BASS 1		BASIN BASS		COMPANY HEMATITE		3/37
LOCATION Bass Strait		PERMIT EL 1/60		DRILL RIG		
WELL NO. 01	OPERATOR Esso	LAT. 39°46'18"S	LONG. 145°44'3"E	AMG		
SPUDED 21.7.65	REACHED TD 8.9.65	RIG RELEASED 14.9.65	TD 7717'	WD	KB to SL 31'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
MLL	1,2,3,4	7704'	Schlumberger	2", 5"	7 (No run 2-2")	8
IEL	1,2,3,4,	7708'	Schlumberger	2", 5"	8	8
BHC/GR	1,2,3,4	7696'	Schlumberger	2", 5"	8	8
CDM	1,2,3	7680'	Schlumberger	2"	3	-
Dip(Int.)	1,2,3	7680'	Schlumberger	2"	3	-

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE	HOLE STATUS Plugged and abandoned
---	----------	--------------------------------------

WELL COMPLETION-LOG

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE

PALYNOLOGY REPORT ✓	PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT ✓
---------------------	------------------------	--------------------

MUD AND CUTTINGS ANALYSIS
Grapholog (Corelab) (+ transparency)

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED ✓
---------------	----------------	---------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT

CORE (1) 1500-1530', (2) 1998-2028', (3) 2495-2519', (4) 2617-2647', (5) 3141-3171', (6) 3665-3679', (7) 3881-3911', (8) 4405-4430', (9) 4857-4883', (10) 5382-5401', (11) 5880-5905', (12) 6405-6430', (13) 6930-6960', (14) 7419-7448', (15) 7692-7717',
17 SWC recovered

Core received ✓

OTHER

WELL NAME BASS 2		BASIN BASS		COMPANY HEMATITE		4/37
LOCATION Bass Strait		PERMIT EL 1/60		DRILL RIG		
WELL NO. 02	OPERATOR Esso	LAT. 39°53'09"S	LONG. 146°13'15"S	AMG		
SPUDED 14.4.66	REACHED TD 21.5.66	RIG RELEASED 25.5.66	TD 5910'	WD 280'	KB to SL 31'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
MLL	1, 2	3432'	Schlumberger	2", 5"	4	4
BHC/GR	1, 2	5904'	Schlumberger	2", 5"	4	4
IEL	1, 2, 3	5910'	Schlumberger	2", 5"	6	6
Dip (Int.)	1, 2, 3	5910'	Schlumberger	2", 5"	6	6

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE	HOLE STATUS Plugged and abandoned
---	----------	--------------------------------------

WELL COMPLETION-LOG

WELL COMPLETION-REPORT

TIME-DEPTH CURVE

PALYNOLOGY REPORT PALAEOLOGY REPORT PETROLOGY REPORT

MUD AND CUTTINGS ANALYSIS Grapholog (Corelab) (+ transparency)

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT

CORE (1) 2504-2532', (2) 3025-3055', (3) 3518-3532', (4) 3800-3828', (5) 4130-4160', (6) 4416-4444', (7) 4740-4762', (8) 5062-5092', (9) 5508-5521', (10) 5900-5910'

14 SWC recovered Core received

OTHER

WELL NAME

BASIN

COMPANY

BASS 3

BASS

HEMATITE

5/37

LOCATION Bass Strait		PERMIT EL 1/60		DRILL RIG	
WELL NO. 03	OPERATOR Esso	LAT 39°59'51"S	LONG 145°15'57"E	AMG	
SPUDDED 11.2.67	REACHED TD 29.3.67	RIG RELEASED 2.4.67	TD 7978'	WD 202'	KB to SL 31'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
MLL	1, 2	7979'	Schlumberger	2", 5"	4	-
BHC/GR	1, 2, 3	7976'	Schlumberger	2", 5"	6	-
IEL	1, 2	6235'	Schlumberger	2", 5"	4	-
FDC	3	7984'	Schlumberger	2", 5"	2	
Dip(Int.)	1	2069	Schlumberger	2", 5"	2	

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE	HOLE STATUS Plugged and abandoned
---	----------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE

PALYNOLOGY REPORT	PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT
-------------------	------------------------	------------------

MUD AND CUTTINGS ANALYSIS Grapholog (Corelab) (+ transparency)

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED ✓
---------------	----------------	---------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT

CORE (1) 3000-3030', (2) 3500-3530', (3) 3997-4022', (4) 4516-4539', (5) 5009-5039', (6) 5315-5336',
 (7) 5620-5650', (8) 5905-5920', 6420-6442', (10) 6903-6933', (11) 7433-7453',
 (12) 7877-7892', (13) 7903-7914', (14) 7974-7978'

Core received ✓

OTHER Gas Analysis Log

WELL NAME

BASIN

COMPANY

BLUEBONE 1

GIPPSLAND

HEMATITE

6/37

LOCATION 20 m N of Flinders Island		PERMIT T/4P		DRILL RIG Glomar III	
WELL NO. 07	OPERATOR Esso	LAT. 39°24'24.296"S	LONG. 147°50'52.740"E	AMG	
SPUDED 26.9.69	REACHED TD 1.10.69	RIG RELEASED 1.10.69	TD 1984'	WD 158'	KB to SL 31'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IEL	1,2	1978'	Schlumberger	2", 5"	4	4
FDC	1,2	1979'	Schlumberger	2", 5"	3 (No run 2-5")	4
BHC/GR	1	1255'	Schlumberger	2", 5"	2	2
BHC/CAL	1	1969'	Schlumberger	2", 5"	2	2
Dip (Int)	1	1978'	Schlumberger	5"	1	1

DRILLING CONTRACTOR Global Marine	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
--------------------------------------	----------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓ (+ transparency)

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT ✓ PETROLOGY REPORT

MUD AND CUTTINGS ANALYSIS Grapholog (Corelab) (+ transparency)

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED ✓

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT

CORE (1) 1675-1687', (2) 1966-1984'

21 SWC recovered

Core received ✓

OTHER

WELL NAME

BASIN

COMPANY

CAPE SORELL 1

CAPE SORELL

AMOCO

7/37

LOCATION 8 km NW Cape Sorell		PERMIT T/12P		DRILL RIG Diamond M Epoch	
WELL NO. 26	OPERATOR Amoco	LAT 22°08'09.646"S	LONG 145°01'45.84"E	AMG 372332	
SPUDDER 5.7.82	REACHED TD 3.9.82	RIG RELEASED 14.9.82	TD 11576'	WD 309'	KB to SL 72'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
DIS/BHC/GR	1	1440'	Schlumberger	1:200, 1:500	-	2
FDC/CNL/GR	1	1437'	Schlumberger	1:200, 1:500	1 of 1:200	2
DIS/BHC/CAL/ GR/SP	2	4146'	Schlumberger	1:200, 1:500	2	2
DLL/BHC/GR	3	9025'	Schlumberger	1:200, 1:500	2	2
DLL/MSFL/GR	3	9010'	Schlumberger	1:200, 1:500	2	2
LDL/CNL/GR	3, 4	11558'	Schlumberger	1:200, 1:500	4	4
DIL/SLS/GR	4	11556'	Schlumberger	1:200, 1:500	2	2
HDT	1,2,3,4	11558'	Schlumberger	1:200	3 - (No run 3)	4
RFT	4		Schlumberger		1	1
Cyberdip	2,3,4	11558'	Schlumberger	1:200	3	3
TEMP		4042'	Schlumberger	1:200, 1:500	2	2
CBL/VDL/GR		8990'	Schlumberger	1:200	1	1

DRILLING CONTRACTOR Diamond M Drilling Co.	RIG TYPE Semi-submersible	HOLE STATUS Plugged and abandoned
---	------------------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT ✓ PETROLOGY REPORT ✓

MUD AND CUTTINGS ANALYSIS Geoservices Overseas S.A.

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED ✓

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT (RFT) (1) 10586, (2) 10588, (3) 11240, (4) 11242, (5) 11321, (6) 11322, (7) 11336, (8) 11338, (9) 11352

CORE (1) 11420-11427'

44 SWC recovered

Core received ✓

OTHER Geochemical analysis (various); Geohistory analysis (RR); Well velocity survey; Cement Bond Log; Velocity Survey Check Shots Log; Global (CPI) Log; Seismic calibration Log; Directional Survey

WELL NAME CHAT #1		BASIN BASS		COMPANY BRIDGE		8/37 OPEN FILE <input type="checkbox"/>		CLOSED FILE <input checked="" type="checkbox"/>	
LOCATION		PERMIT T/15P		DRILL RIG Atwood Margie					
WELL NO. 33	OPERATOR Bridge		LATITUDE 40°10'53.2"E	LONGITUDE 146°41'54.9"E		AMG			
SPUDED 15.1.86	REACHED TD 2.2.86		RIG RELEASED 6.2.86	TD 3104 m		WD 82 m	KB to SL 25 m		
DRILLING CONTRACTOR Triton/Atwood Oceanics			RIG TYPE Semi-submersible		HOLE STATUS P & A				
WELL COMPLETION REPORT <input checked="" type="checkbox"/>									
WELL COMPLETION LOG <input checked="" type="checkbox"/>		MUDLOG Exlog (+ transparency)			TIME-DEPTH CURVE GEOGRAM				
PALYNOLOGY REPORT <input checked="" type="checkbox"/>		PALAEOLOGY REPORT			PETROLOGY REPORT <input checked="" type="checkbox"/>				
DAILY REPORTS <input checked="" type="checkbox"/>		WEEKLY REPORTS			CUTTINGS RECEIVED <input checked="" type="checkbox"/>				
WATER SAMPLES		OIL SAMPLES			GAS SAMPLES				
DST				RFT/FIT					
SWC 1 Run CST - only 5 recovered									
CORE									

CORE RECEIVED

WIRELINE LOGGING DETAILS

WIRELINE LOGGING DETAILS		<input checked="" type="checkbox"/> SCHLUMBERGER		<input type="checkbox"/> OTHER		
SUITE	TYPE	LOWEST DEPTH	SCALES	PRINTS	TRANSP.	TAPE
1	DIL-LSS-SP-GR-CAL	928 m	1:200, 1:500	2	2	1
2	DIL-MSFL-LSS-SP-CAL-GR	3105 m	1:200 1:500	2	2	1
2	LDL-CNL-GR	3106 m	1:200 1:500	2	2	1

OTHER Hydrocarbon Source rock evaluation study

WELL NAME CLAM 1		BASIN OTWAY		COMPANY HEMATITE		9/37
LOCATION 43 m S of King Island		PERMIT T/5P		DRILL RIG		
WELL NO. 06	OPERATOR Esso	LAT. 40°51'52.419"S	LONG. 144°12'55.153"E	AMG		
SPUDED 19.7.69	REACHED TD 3.8.69	RIG RELEASED 15.8.69	TD 5323'	WD 334'	KB to SL	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IEL	1,2	5323'	Schlumberger	2", 5"	2- no 2" run 1 or 2	4
FDC	1	5318'	Schlumberger	2", 5"	2	2
BHC	1	2015'	Schlumberger	2", 5"	2	2
BHC/SP	2	5318'	Schlumberger	2", 5"	2	2
CDM	1	5314'	Schlumberger	2"	1	1
Dip(Int)	1	5314'	Schlumberger	5"	1	1
HDT(Int)	1	5314'	Schlumberger	2", 5"	2	2

DRILLING CONTRACTOR ODECO	RIG TYPE	HOLE STATUS Plugged and abandoned
------------------------------	----------	--------------------------------------

WELL COMPLETION-LOG

WELL COMPLETION-REPORT

TIME-DEPTH CURVE (+ transparency)

PALYNOLOGY REPORT <input checked="" type="checkbox"/>	PALAEONTOLOGY REPORT <input checked="" type="checkbox"/>	PETROLOGY REPORT <input checked="" type="checkbox"/>
---	--	--

MUD AND CUTTINGS ANALYSIS
Exploration Logging (+transparency)

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED <input checked="" type="checkbox"/>
---------------	----------------	---

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT

CORE (1) 1366-1370', (2) 1370-1394' (0%), (3) 2846-2849', (4) 3157-3167', (5) 4478-4508', (6) 5316-5323' 68 SWC recovered	Core received <input checked="" type="checkbox"/>
--	---

OTHER Report by Geochron Labs on K/Ar analysis - Core 6 (630±21 Ma)

WELL NAME

BASIN

COMPANY

CORMORANT 1

BASS

HEMATITE

10/37

LOCATION 17.6 m NW of Bass 1		PERMIT T/3P		DRILL RIG Ocean Digger	
WELL NO. 10	OPERATOR Esso	LAT. 30°34'22.8"S	LONG. 145°31'35.7"E	AMG	
SPUDED 11.6.70	REACHED TD	RIG RELEASED 27.7.70	TD 9845'	WD 240'	KB to SL 100'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2,3	9834'	Schlumberger	2", 5"	6	5 (No run 2-5)
BHC/GR	1	2999'	Schlumberger	2", 5"	2	2
BHC	2	9836'	Schlumberger	2", 5"	2	2
FDC/GR	1,2	9832'	Schlumberger	2", 5"	4	4
MLL	1	6600	Schlumberger	2", 5"	2	2
CDM	1	9832'	Schlumberger	2", 5"	2	-
FIT	1,2				2	2
CDM(Int.)	1	9832'	Schlumberger	2", 5"	2	2

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged and abandoned
------------------------------	------------------------------	--------------------------------------

WELL COMPLETION-LOG

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE

PALYNOLOGY REPORT ✓	PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT ✓
---------------------	------------------------	--------------------

MUD AND CUTTINGS ANALYSIS Exploration Logging (+ transparency)

DAILY REPORTS	WEEKLY REPORTS ✓	CUTTINGS RECEIVED ✓
---------------	------------------	---------------------

WATER SAMPLES ✓	OIL SAMPLES ✓	GAS SAMPLES
-----------------	---------------	-------------

DST

FIT (1) 6890, (2) 7694, (3) 7462, (4) 7456, (5) 6587, (6) 4922, (7) 6588, (8) 6003, (9) 5644, (10) 4703, (11) 4711, (12) 5003, (13) 4647

CORE (1) 2972-3002', (2) 3799-3819', (3) 4271-4289', (4) 4289-4316', (5) 4934-4963', (6) 4963-4993', (7) 5513-5543', (8) 5989-6019', (9) 6543-6563', (10) 7297-7337', (11) 8100-8116', (12) 8683-8707', (13) 9098-9128'

71 SWC recovered

Core received ✓

OTHER

Hydrocarbon report
Petroleum geochemistry report (Analabs)

WELL NAME

BASIN

COMPANY

DONDU 1

BASS

HEMATITE

11/37

LOCATION 8.3 m SW of Bass 2		PERMIT T/4P		DRILL RIG Glomar Conception	
WELL NO. 18	OPERATOR Esso	LAT. 39°59'12.52"S	LONG. 146°13'2.60"E	AMG 433183E 5573398N	
SPUDED 30.5.73	REACHED TD	RIG RELEASED 1.7.73	TD 9603'	WD 269'	KB to SL 32'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
ISF	1,2	9602'	Schlumberger	2", 5"	4	4
BHC	1,2	9600'	Schlumberger	2", 5"	4	4
FDC/CNL/GR	1,2	9606'	Schlumberger	2", 5"	4	4
HDT	1	9606'	Schlumberger	10"	1	-
Dip(Int)	1	9606'	Data Analysis	2", 5"	2	-
FIT	1		Schlumberger		1	-

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT ✓ PETROLOGY REPORT

MUD AND CUTTINGS ANALYSIS Baroid (+ transparency)

DAILY REPORTS WEEKLY REPORTS ✓ CUTTINGS RECEIVED ✓

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT (1) 9550'

CORE (1) 7674-7733'

56 SWC recovered

Core received ✓

OTHER

WELL NAME DURROON 1		BASIN BASS		COMPANY HEMATITE		12/37
LOCATION SE Bass Basin		PERMIT T/6P		DRILL RIG Glomar Conception		
WELL NO. 16	OPERATOR Esso	LAT. 40°32'2.94"S	LONG. 147°12'48.49"E	AMG 518079E 5512917N		
SPUDDED 22.10.72	REACHED TD	RIG RELEASED 24.11.72	TD 9922'	WD 225'	KB to SL 32'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
ISF/SONIC	1,2,3	9906'	Schlumberger	2", 5"	6	6
FDC/CNL/GR	1,2,3	9912'	Schlumberger	2", 5"	6	6
Dip (Int)	1,2	9914'	Data Analysis	2", 5"	4	-
FIT	1		Schlumberger		1	1
DIR	1	5174'	Schlumberger	5"	1	-

DRILLING CONTRACTOR Global Marine A/Asia		RIG TYPE Floating	HOLE STATUS Plugged and abandoned
WELL COMPLETION-LOG ✓			
WELL COMPLETION-REPORT ✓			
TIME-DEPTH CURVE ✓			
PALYNOLOGY REPORT ✓		PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT ✓
MUD AND CUTTINGS ANALYSIS Baroid (+ transparency)			
DAILY REPORTS		WEEKLY REPORTS ✓	CUTTINGS RECEIVED ✓
WATER SAMPLES		OIL SAMPLES	GAS SAMPLES
DST			
FIT (1) 6030			
CORE (1) 1636-1678', (2) 5207-5207', (3) 5547-5566' 1 & 2 not recovered			
85 SWC recovered			Core received ✓
OTHER Hydrocarbon Source rock study (Analabs)			

WELL NAME KONKON 1		BASIN BASS		COMPANY HEMATITE		13/37
LOCATION 35 m NW Cormorant		PERMIT T/3P		DRILL RIG Glomar Conception		
WELL NO. 17	OPERATOR Esso	LAT. 39°12'19.584"S	LONG. 145°3'39.721"	AMG 332581E 5658619N		
SPUDDED 13.5.73	REACHED TD	RIG RELEASED 29.5.73	TD 5043'	WD 230'	KB to SL 32'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
ISF	1	5020'	Schlumberger	2", 5"	2	2
BHC	1	5018'	Schlumberger	2", 5"	2	2
FDC/CNL/GR	1	5026'	Schlumberger	2", 5"	2	2
HDT	1	5018'	Schlumberger	10"	1	1
Dip(Int)	1	5018'	Data Analysis	2", 5"	2	2

DRILLING CONTRACTOR Global Marine A/Asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓ (+ transparency)

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT ✓ PETROLOGY REPORT ✓

MUD AND CUTTINGS ANALYSIS
Baroid (+ transparency)

DAILY REPORTS WEEKLY REPORTS ✓ CUTTINGS RECEIVED ✓

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT

CORE (1) 4411-4441'

56 SWC recovered

Core received ✓

OTHER
Rock log (clastics)

WELL NAME KOORKAH #1		BASIN BASS		COMPANY AMOCO		OPEN FILE <input type="checkbox"/>	14/37	CLOSED FILE <input checked="" type="checkbox"/>
LOCATION		PERMIT T/18P		DRILL RIG Diamond M Epoch				
WELL NO. 31	OPERATOR Amoco	LATITUDE 39°37'57.010"S	LONGITUDE 145°09'6.985"E	AMG				
SPUDED 27.11.85	REACHED TD 22.12.85	RIG RELEASED 26.12.85	TD 3149 m	WD 67 m	KB to SL 22 m			
DRILLING CONTRACTOR Diamond M		RIG TYPE Semi-submersible		HOLE STATUS P & A				
WELL COMPLETION REPORT 3 Volumes (Geology, Geological enclosures, Drilling)								
WELL COMPLETION LOG (+ transparency)		MUDLOG Exlog (+ transparency)		TIME-DEPTH CURVE WST				
PALYNOLOGY REPORT <input checked="" type="checkbox"/>		PALAEOLOGY REPORT <input checked="" type="checkbox"/>		PETROLOGY REPORT				
DAILY REPORTS <input checked="" type="checkbox"/>		WEEKLY REPORTS <input checked="" type="checkbox"/>		CUTTINGS RECEIVED <input checked="" type="checkbox"/>				
WATER SAMPLES		OIL SAMPLES		GAS SAMPLES				
DST			RFT/FIT					
SWC								
CORE								

CORE RECEIVED

WIRELINE LOGGING DETAILS		<input checked="" type="checkbox"/> SCHLUMBERGER			<input type="checkbox"/> OTHER	
SUITE	TYPE	LOWEST DEPTH	SCALES	PRINTS	TRANSP.	TAPE
1	ISF-BHC-GR-SP-CAL	1600 m	1:200 1:500	2	2	1
2	ISF-BHC-MSFL-SP-GR-CAL	3153 m	1:200 1:500	2	2	1
2	LDL-CNL-GR	3153 m	1:200 1:500	2	2	1
2	HDT	3153 m	1:200	1	1	1
2	Checkshot Survey	3124 m		1	1	1
2	Sidewall Cores	3140 m		1	1	
2	Cluster	3153 m	1:200		1	

OTHER Sidewall core report (AMDEL)
Petroleum Geochemistry report

WELL NAME MULLET 1		BASIN GIPPSLAND		COMPANY HEMATITE	
LOCATION Gippsland		PERMIT T/4P		DRILL RIG Glomar III	
WELL NO. 05	OPERATOR Esso	LAT. 39°13'02"S	LONG. 147°51'22"E	AMG	
SPUDED 9.1.69	REACHED TD	RIG RELEASED 17.1.69	TD 2643'	WD 175'	KB to SL 31'

15/37

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2	2456'	Schlumberger	2", 5"	4	4
BHC/GR	1,2	2457'	Schlumberger	2", 5"	4	5" only
FDC	1	2457'	Schlumberger	2", 5"	2	2
CDM	1	2453'	Schlumberger	2"	-	1
Dip(Int)	1	2453'	Schlumberger	5"	1	-

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓

PALYNOLOGY REPORT	PALAEONTOLOGY REPORT	PETROLOGY REPORT
-------------------	----------------------	------------------

MUD AND CUTTINGS ANALYSIS Grapholog (Corelab) (+ transparency)

DAILY REPORTS	WEEKLY REPORTS ✓	CUTTINGS RECEIVED ✓
---------------	------------------	---------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT

CORE (1) 2350-2385' (2) 2391-2468' (3) 2426-2441'

45 SWC recovered

Core received

OTHER

WELL NAME NANGKERO 1		BASIN BASS		COMPANY HEMATITE		16/37
LOCATION Bass Strait		PERMIT T/4P		DRILL RIG Glomar Conception		
WELL NO. 23	OPERATOR Hematite	LAT. 40°04'24.161"S	LONG. 145°58'41.952"E	AMG		
SPUDED 24.4.74	REACHED TD 12.5.74	RIG RELEASED 15.5.74	TD 9440'	WD 261'	KB to SL 32'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
ISF/GR	1,2	5400'	Schlumberger	2"	2	2
ISF/SONIC	1,2	9455'	Schlumberger	5"	2	2
FDC/CNL/GR	1	9448'	Schlumberger	2", 5"	2	2
CAL	1	3245'	Schlumberger	5"	-	1
HDT	1	9448'	Schlumberger	10"	1	1
Dip(Int)	1	9448'	Schlumberger	2" + polar	4	4
FIT	1		Schlumberger		1	1

DRILLING CONTRACTOR Global Marine A/asia		RIG TYPE Floating	HOLE STATUS Dry; plugged and abandoned	
WELL COMPLETION-LOG ✓				
WELL COMPLETION-REPORT ✓				
TIME-DEPTH CURVE ✓				
PALYNOLOGY REPORT ✓		PALAEOLOGY REPORT ✓		PETROLOGY REPORT
MUD AND CUTTINGS ANALYSIS Baroid (+ transparency)				
DAILY REPORTS ✓		WEEKLY REPORTS ✓		CUTTINGS RECEIVED ✓
WATER SAMPLES		OIL SAMPLES		GAS SAMPLES
DST				
FIT (1) 9304, (2) 9054, (3) 7376, (4) 7370				
CORE (1) 7393-7423'				
58 SWC recovered				Core received ✓
OTHER Logs available on tape.				

WELL NAME NARIMBA 1		BASIN BASS		COMPANY HEMATITE	
LOCATION Bass Strait		PERMIT T/5P		DRILL RIG Glomar Conception	
WELL NO. 20	OPERATOR Esso	LAT 40°16'18.08"S	LONG 145°43'53.581"E	AMG	
SPUDED 31.8.73	REACHED TD 1.10.73	RIG RELEASED 4.10.73	TD 11,003'	WD 253'	KB to SL 32'

17/37

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
ISF	1,2,3,4,5	11003'	Schlumberger	2", 5"	6 - only Run 5 at 5"	-
ISF/SONIC	1,2,3,4	10402'	Schlumberger	2", 5"	7 - No Run 1 at 2"	-
BHC	5	10982'	Schlumberger	2", 5"	2	-
HDT	1,2	10989'	Schlumberger	10"	2	-
Dip(Int)	1,2	10989'	Data Analysis	2", 5"	4	-
FDC/CNL/GR	1,2,3,4,5	10992'	Schlumberger		10	-
FIT	1,2,3		Schlumberger		3	-

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT ✓ PETROLOGY REPORT ✓

MUD AND CUTTINGS ANALYSIS Baroid (+ transparency)

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED ✓

WATER SAMPLES ✓ OIL SAMPLES GAS SAMPLES

DST

FIT (1) 9440 (2) 9842 (3) 9578 (4) 10,251 (5) 10,049

CORE (1) 9278-9307, (2) 9542-9561, (3) 9750-9756

84 SWC recovered

Core received ✓

OTHER Source analysis of canned cuttings
In 1980 Shell did a source-rock evaluation

WELL NAME PELICAN 1		BASIN BASS		COMPANY HEMATITE		18/37
LOCATION 39.8 m NE of Rocky Cape		PERMIT T/6P		DRILL RIG Ocean Digger		
WELL NO. 09	OPERATOR Esso	LAT. 40°20'20.8"S	LONG. 145°50'37.1"E	AMG		
SPUDED 19.3.70	REACHED TD	RIG RELEASED 1.5.70	TD 10,428'	WD 251'	KB to SL 100'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2,3	10414'	Schlumberger	2", 5"	6	6
LL7	1	10408'	Schlumberger	2", 5"	2	2
MLL	1,2	10414'	Schlumberger	2", 5"	4	4
BHC	3	10408'	Schlumberger	2", 5"	2	-
BHC/GR	1,2,3	10408'	Schlumberger	2", 5"	6	6
GR/N	1,2	10414'	Schlumberger	2", 5"	4	4
FDC/GR	1,2	10414'	Schlumberger	2", 5"	4	4
FDC/GR	3	10415'	Schlumberger	2", 5"	2	-
CDM	1,2	10415'	Schlumberger	2", 5"	4	-
FIT	2		Schlumberger		2	2

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged & abandoned with shows
------------------------------	------------------------------	---

WELL COMPLETION-LOG	✓
---------------------	---

WELL COMPLETION-REPORT	✓
------------------------	---

TIME-DEPTH CURVE	✓
------------------	---

PALYNOLOGY REPORT	✓	PALAEONTOLOGY REPORT	PETROLOGY REPORT	✓
-------------------	---	----------------------	------------------	---

FLUID AND CUTTINGS ANALYSIS
Exploration Logging (+ transparency)

DAILY REPORTS	WEEKLY REPORTS	✓	CUTTINGS RECEIVED	✓
---------------	----------------	---	-------------------	---

WATER SAMPLES	✓	OIL SAMPLES	GAS SAMPLES
---------------	---	-------------	-------------

TEST

TEST (1) 8557, (2) 8484, (3) 8367, (4) 8138, (5) 8115, (6) 8515, (7) 10368, (8) 10372, (9) 10333, (10) 10045
(11) 9858, (12) 9474, (13) 10041, (14) 9422, (15) 9424, (16) 9378, (17) 9167, (18) 9107, (19) 8985, (20) 864
CORE (21) 8367

(1) 5600-5630', (2) 5840-5861', (3) 7110-7130', (4) 7749-7777', (5) 8354-8384', (6) 8540-8570', (7) 9263-9283', (8) 9426-9456', (9) 10058-10088', (10) 10386-10398'	Core received	✓
--	---------------	---

OTHER Hydro-carbon reports; Coriband Log (print + transparency)

WELL NAME PELICAN 2		BASIN BASS		COMPANY HEMATITE		19/37
LOCATION 2.5 m NW Pelican 1		PERMIT T/5P		DRILL RIG Ocean Digger		
WELL NO. 11	OPERATOR Esso	LAT. 40°18'30.2"S	LONG. 145°49'11.59"E	AMG		
SPUDED 28.7.70	REACHED TD	RIG RELEASED 7.9.70	TD 10066'	WD 255'	KB to SL 100'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2	10079'	Schlumberger	2", 5"	4	4
BHC	1, 2	10030'	Schlumberger	2", 5"	4	4
FDC/GR	1,2,3	10075'	Schlumberger	2", 5"	6	6
HDT	1	10076'	Schlumberger	2", 5"	2	-
CAL	1	10077'	Schlumberger	5"	1	-
FIT	3		Schlumberger		3	3
HDT (Int.)	1	10076	Schlumberger	2", 5"	2	2

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged & abandoned with shows
------------------------------	------------------------------	---

WELL COMPLETION-LOG

WELL COMPLETION-REPORT	✓
------------------------	---

TIME-DEPTH CURVE	✓
------------------	---

PALYNOLOGY REPORT	✓	PALAEONTOLOGY REPORT	PETROLOGY REPORT	✓
-------------------	---	----------------------	------------------	---

MUD AND CUTTINGS ANALYSIS Exploration Logging (+ transparency)

DAILY REPORTS	WEEKLY REPORTS	✓	CUTTINGS RECEIVED	✓
---------------	----------------	---	-------------------	---

WATER SAMPLES	✓	OIL SAMPLES	GAS SAMPLES
---------------	---	-------------	-------------

DST

FIT (1) 9447, (2) 9312, (3) 9149, (4) 10007, (5) 9784, (6) 9906, (7) 9706, (8) 10006, (8) 9785, (10) 9904, (11) 9784

CORE (1) 9598-9620', (2) 9782-9812', (3) 9901-9931'

80 SWC recovered

Core received ✓

OTHER Hydro-carbon report

WELL NAME PELICAN 3		BASIN BASS		COMPANY HEMATITE		20/37
LOCATION Pelican field		PERMIT T/6P		DRILL RIG Glomar Conception		
WELL NO. 13	OPERATOR Esso	LAT. 40°15'44.99"S	LONG. 145°51'50.60"E	AMG 403407E 5542473N		
SPUDED 1.5.72	REACHED TD	RIG RELEASED 13.6.72	TD 9537'	WD 263'	KB to SL 32'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2	9517'	Schlumberger	2", 5"	4	2 - 5" only
FDC/CNL/GR	1,2	9517'	Schlumberger	2", 5"	4	2 - 5" only
MLL	1	9537'	Schlumberger	2", 5"	2	2
LL7	1	9536'	Schlumberger	2", 5"	2	2
HDT	1	9541'	Schlumberger	5"	-	1
Dip(Int)	1	9541'	Data Analysis	2", 5"	2	-
FIT	1,2,3				3	-

DRILLING CONTRACTOR Global Marine A/asia		RIG TYPE Floating	HOLE STATUS Plugged and abandoned	
WELL COMPLETION-LOG ✓				
WELL COMPLETION-REPORT ✓				
TIME-DEPTH CURVE ✓				
PALYNOLOGY REPORT ✓		PALAEOLOGY REPORT		PETROLOGY REPORT ✓
MUD AND CUTTINGS ANALYSIS Baroid (+ transparency)				
DAILY REPORTS ✓		WEEKLY REPORTS ✓		CUTTINGS RECEIVED ✓
WATER SAMPLES		OIL SAMPLES		GAS SAMPLES
AST				
FIT (1) 9191, (2) 9190, (3) 9273, (4) 9418, (5) 9425, (6) 9421, (7) 9498, (8) 9235, (9) 9425, (10) 9237, (11) 9187, (12) 9119, (13) 9234, (14) 9424, (15) 9424, (16) 8964				
CORE (1) 9351-9398', (2) 9398-9460', (3) 9460-9521'				
48 SWC recovered				Core received

OTHER Water Analysis report

WELL NAME PELICAN 4		BASIN BASS		COMPANY HEMATITE		21/37
LOCATION 3.3 km SE of Pelican 1		PERMIT T/6P		DRILL RIG Ocean Endeavour		
WELL NO. 24	OPERATOR Hematite	LAT. 40°21'40.02"S	LONG. 145°52'15.36"E	AMG404131.4mE 5531533.9mN		
SPUDED 17.1.79	REACHED TD 12.2.79	RIG RELEASED 18.2.79	TD 3051 m (10009')	WD 77.4 m 254'	KB to SL 25 m 82'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
ISF/BHC	1,2,3	10002'	Schlumberger	2", 5"	6	6
ISF	1	2855'	Schlumberger	2", 5"	2	5" only
ISF/GR	2,3	9400'	Schlumberger	2", 5"	4	-
DLL	1	10003'	Schlumberger	2", 5"	2	2
FDC/CNL/GR	1,2	9987'	Schlumberger	2", 5"	3 (No Run 2 at 2")	4
HDT	1	9996'	Schlumberger	2", 5"	2	2
Dip(Int)	1	9996'	Schlumberger	2", 5"	2	2
CAL	1	2848'	Schlumberger	2", 5"	2	2
FIT	4		Schlumberger		4	4
RFT	1,2,3		Schlumberger		3	3
IES	2,3	9400'	Schlumberger	2", 5"	3 (No Run 3 at 5")	3 (No Run 3 at 5")

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged & abandoned with shows
------------------------------	------------------------------	---

WELL COMPLETION-LOG / (Interpretive log)

WELL COMPLETION-REPORT /

TIME-DEPTH CURVE /

PALYNOLOGY REPORT	PALAEONTOLOGY REPORT /	PETROLOGY REPORT
-------------------	---------------------------	------------------

MUD AND CUTTINGS ANALYSIS Grapholog (Corelab) (+ transparency)

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED /
---------------	----------------	------------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

AIT (1) 8988 (2) 9164 (3) 9342 (4) 9238	RFT (1) 8445-9376 (2) 8254-9261 (3) 9164-9920
---	---

CORE (1) 2846-2858 m (2) 2918-2931 m

89 SWC recovered

Core received /

OTHER Corelab Extended Service Well Report; Hematite Lithlog; Hematite Interpreted Log; Hematite Well Log Correlation (Pelican 1, 2, & 4); Hematite Pelican Field Formation Pressures; Synergetic Log (Schlumberger)
Logs available on tape.

WELL NAME PELICAN #5	BASIN BASS	COMPANY AMOCO	22/37	OPEN FILE <input type="checkbox"/>
				CLOSED FILE <input checked="" type="checkbox"/>

LOCATION Midway between P#1 and P#4	PERMIT T/22P	DRILL RIG Diamond M Epoch
--	-----------------	------------------------------

WELL NO. 32	OPERATOR Amoco	LATITUDE 40° 20' 43.259"S	LONGITUDE 145° 51' 49.971"	AMG
----------------	-------------------	------------------------------	-------------------------------	-----

SPUDED 28.12.85	REACHED TD 2.3.86	RIG RELEASED 16.4.86	TD 4267 m	WD 78 m	KB to SL 21.4 m
--------------------	----------------------	-------------------------	--------------	------------	--------------------

DRILLING CONTRACTOR Diamond M	RIG TYPE Semi-submersible	HOLE STATUS P & A with shows
----------------------------------	------------------------------	---------------------------------

WELL COMPLETION REPORT

WELL COMPLETION LOG	MUDLOG Exlog	TIME-DEPTH CURVE VSP
---------------------	-----------------	-------------------------

PALYNOLOGY REPORT	PALAEONTOLOGY REPORT	PETROLOGY REPORT
-------------------	----------------------	------------------

DAILY REPORTS ✓	WEEKLY REPORTS ✓	CUTTINGS RECEIVED ✓
--------------------	---------------------	------------------------

WATER SAMPLES	OIL SAMPLES 1-DST#4	GAS SAMPLES
---------------	------------------------	-------------

DST See over	RFT/FIT Several RFT's (3 runs)
-----------------	-----------------------------------

SWC

- CORE
1. 2789.5-2807.9 m
 2. 2863.5-2881.7 m
 3. 2881.9-2896.2 m

CORE RECEIVED ✓

WIRELINING LOGGING DETAILS

SUITE	TYPE	LOWEST DEPTH	SCHLUMBERGER <input checked="" type="checkbox"/>		OTHER <input type="checkbox"/>	
			SCALES	PRINTS	TRANSP.	TAPE
1	ISF-BHC-GR-SP-CAL	1775 m	1:200 1:500	2	2	1
2,3	ISF-SLS-MSFL-GR-SP	3630 m	1:200 1:500	4	4	2
4	ISF-BHC-MSFL-GR-SP	4267 m	1:200 1:500	2	2	1
2,3,4	LDL-CNL-GR	4267 m	1:200 1:500	6	6	3
2,3,4	HDT	4267 m	1:200	3	3	3
2,3,4	RFT	4267 m		6	6	
2,3,4	CST	4267 m		3	3	
4	WST	4267 m		1	1	
4	AMS Playback	4267 m	1:200	1	1	
2,3,4	CYBERLOOK	4267 m	1:200	3	3	
2,3,4	CLUSTER	4267 m	1:200	3	3	
Various logs associated with the DST's carried out on the well (includes CBL, CCL, Simultaneous production logs and perforation checks).						

OTHER VSP Computations Report (Schlumberger)

WELL NAME PIPIPA 1		BASIN BASS		COMPANY HEMATITE		23/37
LOCATION 66 km N of Wynyard		PERMIT T/5P		DRILL RIG Southern Cross		
WELL NO. 25	OPERATOR Hematite	LAT. 40°23'14"S	LONG. 145°41'45"E	AMG 389304E 5528428N		
SPUDED 4.5.82	REACHED TD 17.5.82	RIG RELEASED 23.5.82	TD 2115 m	WD 73 m	KB to SL 21 m	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
HDT	1	2110 m	Schlumberger	1:240	1	1
DIL/BHC/ MSFL/GR	1	2114 m	Schlumberger	1:240, 1:600	2	2
DIL/BHC/ CAL/GR	1	873 m	Schlumberger	1:240, 1:600	2	2
LDL/CNL/GR	1	2113 m	Schlumberger	1:240, 1:600	2	2
CST	1		Schlumberger		1	1

DRILLING CONTRACTOR Southseas Drilling Co.	RIG TYPE Semi-submersible	HOLE STATUS Plugged and abandoned
---	------------------------------	--------------------------------------

WELL COMPLETION-LOG	✓ (Interpretive Log)
---------------------	----------------------

WELL COMPLETION-REPORT	✓
------------------------	---

TIME-DEPTH CURVE	✓
------------------	---

PALYNOLOGY REPORT	✓	PALAEONTOLOGY REPORT	PETROLOGY REPORT
-------------------	---	----------------------	------------------

MUD AND CUTTINGS ANALYSIS	Grapholog (Corelab) (+ transparency)
---------------------------	--------------------------------------

DAILY REPORTS	✓	WEEKLY REPORTS	CUTTINGS RECEIVED	✓
---------------	---	----------------	-------------------	---

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT

CORE

30 SWC recovered

Core received

OTHER Corelab Extended Services Report; Offshore Navigation Report
Logs available on tape.

WELL NAME

BASIN

COMPANY

24/37

POONBOON. 1

BASS

HEMATITE

LOCATION 60 m NW of Wynyard		PERMIT T/6P		DRILL RIG Glomar Conception	
WELL NO. 14	OPERATOR Esso	LAT. 40°08'15.19"S	LONG. 145°55'01.29"E	AMG 407742E 5566398N	
SPUDED 29.8.72	REACHED TD	RIG RELEASED 2.10.72	TD 10715'	WD 259'	KB to SL 32'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
ISF/BHC	1, 2	10703'	Schlumberger	2", 5"	4	4
IES	2	10499'	Schlumberger	2", 5"	2	2
SNP	1	10714'	Schlumberger	2", 5"	2	2
FDC/CNL/GR	1	8791'	Schlumberger	2", 5"	2	2
FDC/GR	2, 3	10691'	Schlumberger	2", 5"	4	3 (No Run 2 at 5")
HDT	1, 2	10691'	Schlumberger	10"	-	2
Dip(Int)	1, 2	10691'	Data Analysis	2", 5"	4	-
FIT	1, 2, 3		Schlumberger		3	3

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT ✓ PETROLOGY REPORT ✓

MUD AND CUTTINGS ANALYSIS Baroid (+ transparency)

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED ✓

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT (1) 8760, (2) 10434, (3) 10181, (4) 9727, (5) 10470, (6) 10000, (7) 10427, (8) 10680

CORE (1) 6407-6432', (2) 8096-8118', (3) 8802-8827', (4) 9954-9982', (5) 10691-10715'

91 SWC recovered

Core received ✓

OTHER

WELL NAME

BASIN

COMPANY

PRAWN A1

OTWAY

HEMATITE

25/37

LOCATION NW of King Island		PERMIT 1/60		DRILL RIG Ocean Digger	
WELL NO. 04	OPERATOR Esso	LAT. 39°21'23.42"S	LONG. 143°05'41.89"E	AMG 599059E 147612N	
SPUDDED 29.12.67	REACHED TD 30.3.68	RIG RELEASED 9.4.68	TD 10477'	WD 354'	KB to SL 89'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2,3,4	10473'	Schlumberger	2", 5"	7 (No Run 3 at 5")	-
FDC/GR	1,2,3	8195'	Schlumberger	2", 5"	6	-
BHC	1	2784'	Schlumberger	2", 5"	2	-
BHC/GR	2	5602'	Schlumberger	2", 5"	2	-
BHC/SP	3	8198'	Schlumberger	2", 5"	2	-
Dip(Int)	1,2	8195'	Schlumberger	5"	2	-
CBL	1	10473'	Schlumberger	2"	1	-

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged and abandoned
------------------------------	------------------------------	--------------------------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT ✓ PETROLOGY REPORT

MUD AND CUTTINGS ANALYSIS Exploration Logging (+ transparency)

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED ✓

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT

CORE (1) 3621-3623' (0%), (2) 3938-3957', (3) 4254-4284', (4) 4581-4597', (5) 4935-4963', (6) 5621-5649', (7) 6145-6155', (8) 6651-6677', (9) 7147-7177', (10) 7684-7694', (11) 8217-8247', (12) 8697-8727', (13) 9289-9294', (14) 9850-9873', (15) 10168-10184', (16) 10450-10477' 117 SWC recovered

Core received ✓

OTHER BMR Report - Organic analysis of cores

WELL NAME

SAILFISH 1

GIPPSLAND

MAGELLAN

26/37

LOCATION NE of Flinders Island		PERMIT T/1P		DRILL RIG Glomar Conception	
WELL NO. 12	OPERATOR NSW Oil & Gas	LAT. 39°27'24"S	LONG. 148°37'54.4"E	AMG	
SPUDDED 12.10.71	REACHED TD 2.11.71	RIG RELEASED 5.11.71	TD 4665'	WD 278'	KB to SL 32'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
BHC/GR	1,2	4651'	Schlumberger	2", 5"	4	4
IES	1,2	4659'	Schlumberger	2", 5"	4	4
CCL	1	1000'	Schlumberger	2", 5"	2	-

DRILLING CONTRACTOR Global Marine A/asia		RIG TYPE Floating	HOLE STATUS Plugged and abandoned
WELL COMPLETION-LOG ✓			
WELL COMPLETION-REPORT ✓			
TIME-DEPTH CURVE			
PALYNOLOGY REPORT		PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT ✓
MUD AND CUTTINGS ANALYSIS Grapholog (Corelab)			
DAILY REPORTS ✓		WEEKLY REPORTS	CUTTINGS RECEIVED ✓
WATER SAMPLES		OIL SAMPLES	GAS SAMPLES
DST			
FIT			
CORE			
			Core received
OTHER Site Preparation Report			

WELL NAME SEAL #1		BASIN BASS		COMPANY BRIDGE		OPEN FILE	<input type="checkbox"/>
LOCATION		PERMIT T/19P		DRILL RIG Atwood Margie			
WELL NO. 34	OPERATOR Bridge		LATITUDE 39°21'49.2"S	LONGITUDE 144°52'51.5"E		AMG	
SPUDED	REACHED TD	RIG RELEASED	TD	WD 66 m	KB to SL 25 m		
DRILLING CONTRACTOR Triton/Atwood Oceanics		RIG TYPE Semi-submersible		HOLE STATUS P & A			
WELL COMPLETION REPORT <input checked="" type="checkbox"/>							
WELL COMPLETION LOG Composite log		MUDLOG Exlog (+ transparency)		TIME-DEPTH CURVE			
PALYNOLOGY REPORT <input checked="" type="checkbox"/>		PALAEOLOGY REPORT		PETROLOGY REPORT			
DAILY REPORTS <input checked="" type="checkbox"/>		WEEKLY REPORTS		CUTTINGS RECEIVED <input checked="" type="checkbox"/>			
WATER SAMPLES		OIL SAMPLES		GAS SAMPLES			
DST				RFT/FIT			
SWC 1 Run CST - 26 recovered							
CORE							
							CORE RECEIVED
WIRELINE LOGGING DETAILS							
				<input checked="" type="checkbox"/> SCHLUMBERGER		<input type="checkbox"/> OTHER	
SUITE	TYPE	LOWEST DEPTH	SCALES	PRINTS	TRANSP.	TAPE	
1	DIL-LSS-SP-GR-GAL		1:200 1:500	2	2	1	
2	DIL-MSFL-LSS-SP-GAL-GR	1668 m	1:200 1:500	2	2	1	
2	LDL-CNL-GR	1669 m	1:200 1:500	2	2	1	
2	CYBERLOOK	1475 m	1:200	1			
	LDT Quality Control Log			1			

OTHER Hydrocarbon Source rock evaluation study (Analabs)

SQUID #1 + ST #1

BASS

COMPANY

WEAVER OIL & GAS

DATE

FILE

CLOSED

FILE

LOCATION		PERMIT T/15P		DRILL RIG Diamond M 'Epoch'	
WELL NO. 27	OPERATOR Weaver	LAT. 40°11'53-547"	LONG. 146°18'27-456"	AMG	
SUDDDED 16.7.84	REACHED TD 16.8.84	RIG RELEASED 18.8.84	TD 2925 m	WD 81 m	KB to SL 22.3 m

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
DIL-SLS- CAL-GR-SP	1, 2	2923 m	Schlumberger	1:200, 1:500	4	4
LDL-CNL- GR	1	Equipment failure			1	1

DRILLING CONTRACTOR Triton	RIG TYPE Semi-submersible	HOLE STATUS P & A
-------------------------------	------------------------------	----------------------

WELL COMPLETION-LOG

WELL COMPLETION-REPORT

TIME-DEPTH CURVE Data only - no velocity survey

PALYNOLOGY REPORT <input checked="" type="checkbox"/>	PALAEONTOLOGY REPORT --	PETROLOGY REPORT <input checked="" type="checkbox"/>
---	-------------------------	--

MUD AND CUTTINGS ANALYSIS Geoservices (+ transparency)

DAILY REPORTS <input checked="" type="checkbox"/>	WEEKLY REPORTS <input checked="" type="checkbox"/>	CUTTINGS RECEIVED <input checked="" type="checkbox"/>
---	--	---

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

ΔST

FIT

CORE

Core received

OTHER

TAROOK 1

BASS

HEMATITE

2731

LOCATION 67 m N of Wynyard		PERMIT T/5P		DRILL RIG Glomar Conception		
WELL NO. 15	OPERATOR Esso	LAT. 40°02'37.85"S	LONG. 145°40'29.52"E	AMG 386938E	5566547N	
SPUDED 3.10.72	REACHED TD	RIG RELEASED 21.10.72	TD 9100'	WD 252'	KB to SL ₃₂ '	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
ISF/BHC	1	9090'	Schlumberger	2", 5"	2	2
FDC/CNL/GR	1	9096'	Schlumberger	2", 5"	2	2
Dip (Int)	1	9083'	Schlumberger	2", 5"	2	-

DRILLING CONTRACTOR Global Marine A/asia		RIG TYPE Floating		HOLE STATUS Plugged and abandoned	
WELL COMPLETION-LOG		✓			
WELL COMPLETION-REPORT		✓			
TIME-DEPTH CURVE		✓			
PALYNOLOGY REPORT		PALAEOLOGY REPORT		PETROLOGY REPORT	
✓		✓		✓	
MUD AND CUTTINGS ANALYSIS Baroid (+ transparency)					
DAILY REPORTS		WEEKLY REPORTS		CUTTINGS RECEIVED	
✓		✓		✓	
WATER SAMPLES		OIL SAMPLES		GAS SAMPLES	
DST		FIT			
CORE (1) 6426-6466', (2) 8544-8576', (3) 9083-9100'					
50 SWC recovered				Core received	
				✓	

OTHER

TASMANIAN DEVIL #1

BASS

WEAVER OIL & GAS

 2037
 FILE
 CLOSED
 FILE

LOCATION		PERMIT T/16		DRILL RIG Diamond M 'Epoch'	
WELL NO. 28	OPERATOR Weaver	LAT. 40°44'16.209"	LONG. 146°09'44.958"	AMG	
SPUDED 27.8.84	REACHED TD 1.9.84	RIG RELEASED 3.9.84	TD 864 m	WD 74 m	KB to SL 22 m

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
DIL-SLS-CAL-GR-SP	1, 2	861 m	Schlumberger	1:200, 1:500	4	4
LDL-CNL-GR	1	862 m	Schlumberger	1:200, 1:500	2	2

DRILLING CONTRACTOR Triton	RIG TYPE Semi-submersible	HOLE STATUS P & A
-------------------------------	------------------------------	----------------------

WELL COMPLETION-LOG ✓

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE -

PALYNOLOGY REPORT ✓	PALAEONTOLOGY REPORT	PETROLOGY REPORT ✓
---------------------	----------------------	--------------------

MUD AND CUTTINGS ANALYSIS Geoservices (+transparency)
--

DAILY REPORTS ✓	WEEKLY REPORTS ✓	CUTTINGS RECEIVED ✓
-----------------	------------------	---------------------

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT

CORE

Core received

OTHER

WELL NAME TILANA #1		BASIN BASS		COMPANY AMOCO		31/37 OPEN FILE <input type="checkbox"/>		CLOSED FILE <input checked="" type="checkbox"/>	
LOCATION		PERMIT T/14P		DRILL RIG Diamond M Epoch					
WELL NO. 30	OPERATOR Amoco		LATITUDE 39°53'36.7346"S	LONGITUDE 145°58'41.969"E		AMG			
SPUDED 5.9.85	REACHED TD 28.10.85		RIG RELEASED 25.11.85	TD 3900 m		WD 80 m	KB to SL 22 m		
DRILLING CONTRACTOR Diamond M			RIG TYPE Semi submersible		HOLE STATUS P & A with shows				
WELL COMPLETION REPORT 3 Volumes (Geology, Geological enclosures, Drilling)									
WELL COMPLETION LOG ✓(+ transparency)			MUDLOG Exlog (+ transparency)			TIME-DEPTH CURVE WST			
PALYNOLOGY REPORT ✓			PALAEOLOGY REPORT ✓			PETROLOGY REPORT ✓			
DAILY REPORTS ✓			WEEKLY REPORTS ✓			CUTTINGS RECEIVED ✓			
WATER SAMPLES			OIL SAMPLES			GAS SAMPLES			
DST See over				RFT/FIT Several RFT's were attempted					
SWC 85 shot, 83 recovered									
CORE (1) 1664-1682 m (2) 2789-2807 m (3) 3747-3752 m									
									CORE RECEIVED ✓
WIRELINE LOGGING DETAILS									
			<input checked="" type="checkbox"/> SCHLUMBERGER			<input type="checkbox"/> OTHER			
SUITE	TYPE		LOWEST DEPTH	SCALES	PRINTS	TRANSP.	TAPE		
1	ISF-BHC-GR-GAL-SP		1661 m	1:200 1:500	2	2	1		
2, 3	ISF-BHC-MSFL-GR-SP		3900 m	1:200 1:500	4	4	2		
2, 3	LDL-CNL-GR		3900 m	1:200 1:500	4	4	2		
2, 3	HDT		3900 m	1:200	2	2	2		
2	CST-GR				1	1			
2	WST CHECK SHOT				1	1			
2	WSS CHECK SHOT LIST				1	1			
3	CHECKSHOT SURVEY				1	1			
3	RFT-STRAIN GAUGE-GR		3226 m		1	1			
3	RFT-HP-GR		3226 m		1	1			
3	DWQL Pass 1		3900 m	1:200	1	1			
	CBL-VDL-GR-CCL		3239 m	1:200	1				
	CBL-WF-GR-CCL		3239 m	1:200	1				
	BOREHOLE PROFILE		3900 m	1:500	1	1			
2, 3	CYBERDIP		3400 m	1:200 1:500	4	4			
2	CYBERLOOK		3070 m	1:200	1	1			

OTHER Core Analysis Report (Corelab)
 Petroleum Geochemistry report (Analabs, AMDEL)
 Geochronology report (AMDEL)
 DST results

WELL NAME

TILANA #1

32/37

DST DETAILS

The intervals 3179 - 3185 m, 3071 - 3075 m and 3042 - 3048 m were perforated but no formation fluids were obtained.

WIRELINE LOGGING DETAILS (cont.)

SUITE	TYPE	LOWEST DEPTH	SCALES	PRINTS	TRANSP.	TAPE
3	CLUSTER	3900 m	1:200	2	2	
3	DWQL	3200 m	1:200		1	
	GLOBAL	3900 m	1:200	2		

OTHER

WELL NAME

BASIN

COMPANY

33/37

TOOLKA 1A

BASS

HEMATITE

LOCATION 14 m NW of Cormorant 1		PERMIT T/3P		DRILL RIG Glomar Conception	
WELL NO. 21	OPERATOR ESSO	LAT. 39°24'35.678"S	LONG. 145°23'45.108"E	AMG J61896E 5636491N	
SPUDED 14.1.74	REACHED TD	RIG RELEASED 5.2.74	TD 8907'	WD 258'	KB to SL 32'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
BHC	1	8894'	Schlumberger	2", 5"	2	2
ISF	1	8896'	Schlumberger	2", 5"	2	2
CNL/FDC/GR	1	8892'	Schlumberger	2", 5"	2	2
HDT	1	8889'	Schlumberger	5"	1	1
Dip(Int)	1	8889'	Data Analysis	2", 5"	2	-
FIT	1		Schlumberger		1	1

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
---	----------------------	--------------------------------------

WELL COMPLETION-LOG	✓
---------------------	---

WELL COMPLETION-REPORT	✓
------------------------	---

TIME-DEPTH CURVE	✓
------------------	---

PALYNOLOGY REPORT	✓	PALAEONTOLOGY REPORT	✓	PETROLOGY REPORT
-------------------	---	----------------------	---	------------------

MUD AND CUTTINGS ANALYSIS	Baroid (+ transparency)
---------------------------	-------------------------

DAILY REPORTS	WEEKLY REPORTS	CUTTINGS RECEIVED	✓
---------------	----------------	-------------------	---

WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
---------------	-------------	-------------

DST

FIT (1) 7361, (2) 7224.5

CORE (1) 5089-5119'

29 SWC recovered

Core received ✓

OTHER

WELL NAME

BASIN

COMPANY

WHELK 1

OTWAY

HEMATITE

34/37

LOCATION 15m W of King Island		PERMIT T/3P		DRILL RIG Ocean Digger	
WELL NO. 08	OPERATOR Esso	LAT. 39°53'57.8"S	LONG. 143°33'20.9"E	AMG	
SPUDED 6.3.70	REACHED TD	RIG RELEASED 17.3.70	TD 4810'	WD 338'	KB to SL 100'

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
IES	1,2	4810'	Schlumberger	2", 5"	4	4
BHC/GR	1,2	4800'	Schlumberger	2", 5"	4	4
FDC/GR	1	4810'	Schlumberger	2", 5"	2	2
CDM	1	4810'	Schlumberger	5"	1	1

DRILLING CONTRACTOR ODECO	RIG TYPE Semi-submersible	HOLE STATUS Plugged and abandoned
------------------------------	------------------------------	--------------------------------------

WELL COMPLETION-LOG

WELL COMPLETION-REPORT ✓

TIME-DEPTH CURVE ✓ (Transparency)

PALYNOLOGY REPORT ✓ PALAEOLOGY REPORT PETROLOGY REPORT ✓

MUD AND CUTTINGS ANALYSIS Exploration Logging (+ transparency)

DAILY REPORTS WEEKLY REPORTS CUTTINGS RECEIVED ✓

WATER SAMPLES OIL SAMPLES GAS SAMPLES

DST

FIT

CORE (1) 4238-4268', (2) 4478-4508'

59 SWC recovered

Core received ✓

OTHER

WELL NAME YOLLA #1		BASIN BASS		COMPANY AMOCO		OPEN FILE <input type="checkbox"/>
LOCATION		PERMIT T/14P		DRILL RIG Robert F Bauer		
WELL NO. 29	OPERATOR Amoco	LATITUDE 39°50'18.89"S	LONGITUDE 145°48'20.55"E	AMG		
SPUDED 8.6.85	REACHED TD 17.8.85	RIG RELEASED 11.10.85	TD 3347 m	WD 80 m	KB to SL 11 m	
DRILLING CONTRACTOR Global Marine		RIG TYPE Drill ship		HOLE STATUS Suspended oil and gas		
WELL COMPLETION REPORT 3 Volumes (Geology, Geological enclosures, Drilling)						
WELL COMPLETION LOG ✓ (+ transparency)		MUDLOG Anadrill (+ transparency)		TIME-DEPTH CURVE VSP		
PALYNOLOGY REPORT ✓		PALAEOLOGY REPORT ✓		PETROLOGY REPORT ✓		
DAILY REPORTS ✓		WEEKLY REPORTS ✓		CUTTINGS RECEIVED ✓		
WATER SAMPLES RW known		OIL SAMPLES ✓		GAS SAMPLES		
DST See over			RFT/FIT Several RFT's see below			
SWC 51 shot, 48 recovered						
CORE (1) 1838-1848 m (2) 3345-3347 m						
						CORE RECEIVED ✓

WIRELINE LOGGING DETAILS		<input checked="" type="checkbox"/> SCHLUMBERGER			<input type="checkbox"/> OTHER	
SUITE	TYPE	LOWEST DEPTH	SCALES	PRINTS	TRANSP.	TAPE
1	ISF-BHC-MSGL-GR-SP	1759 m	1:200 1:500	2	2	1
2	ISF-BHC-MSFL-GR-SP	1984 m	1:200 1:500	2	2))
2	LDL-CNL-GR	1985 m	1:200 1:500	2	2)) 1
3	ISF-BHC-MSFL-GR-SP	3350 m	1:200 1:500	2	2) 1
3	LDL-CNL-GR	3350 m	1:200 1:500	2	2)) 1
3	NGT	3350 m	1:200 1:500	2	2) (+ EPT))
3	HDT-GR	3350 m	1:200	1	1	1
3	CLUSTER	3350 m	1:200	1	1	
3	EPT	3350 m	1:200	1	1	1
3	VSP-GR	3312 m		1		
3	RFT-GR (Runs 1,2)	2845 m		2	2	
3	RFT-HP-GR	2988 m		1	1	
3	CYBERLOOK	3350 m	1:200	1	1	1
3	BOREHOLE CORRECTED PLAYBACK	3350 m	1:200	1	1	

OTHER VSP Computations Report (Schlumberger)
End of Well Report (Anadrill)
Report on Seabed Investigation Survey (Geomex)

WELL NAME

YOLLA #1

DST DETAILS

- (1) 2809-2814 m, 2818-2825 m - flowed 10.2 MMcFD gas and 420 BOPD through a 30/64" choke and 15.1 MMcFD and 580 BOPD through a 40/64" choke. Maximum CO₂ 25%, condensate yellow (≈51 API).
- (2) 1830-1835 m - could not choke back water on a 32/64" choke, also produced waxy crude.
- (2A) 1833-1834 m - flowed 1.02 MMcFD gas and 302 BOPD through a 16/64" choke.
- (3) 1813-1833 m - flowed 11.8 MMcFD gas and 892 BOPD through a 80/64" choke. Oil (≈51°API) was brown in colour.

WIRELINE LOGGING DETAILS (cont.)

SUITE	TYPE	LOWEST DEPTH	SCALES	PRINTS	TRANSP.	TAPE
3	DWQL-EPTQL	3050 m	1:200	1		
3	EPT LQC	3350 m	1:200	1	1	
3	EPTQL	3350 m	1:200	1	1	1
3	BOREHOLE GEOMETRY	3350 m	1:500	1	1	
3	SONIC POROSITY COMPARISON	3350 m	1:200	1		
	CBL-VDL-GR	3315 m	1:200	1		
	CBL-WF-GR	3315 m	1:200	1	1	
	Various production depth determinations, squeeze packer logs etc. from the various DST's (include 2 pressure buildup tapes).					

OTHER

Core Analysis Report (Corelab)
 DST Memorandum + Enclosures (Amoco, Otis, Halliburton, Amdrill)

WELL NAME YURONGI 1		BASIN BASS		COMPANY HEMATITE		51/37
LOCATION		PERMIT T/4P		DRILL RIG Giomar Conception		
WELL NO. 19	OPERATOR Esso	LAT. 39°55'29.936"S	LONG. 146°15'58.886"E	AMG 437307E	5580296N	
SPUDED 3.7.73	REACHED TD 13.7.73	RIG RELEASED 14.7.73	TD 8000	WD 272'	KB to SL 32'	

LOGGING DETAILS

TYPE	RUN	LOWEST	COMPANY	SCALES	PRINTS	TRANSPAR.
FDC/CNL/GR	1	7982'	Schlumberger	2", 5"	2	2
ISF/SONIC	1	7981'	Schlumberger	2", 5"	2	2
HDT	1	7950'	Schlumberger	10"	1	1
Dip(Int)	1	7950'	Data Analysis	2", 5"	2	1 - 5" only
DIR	1	4400	Schlumberger	10"	1	1

DRILLING CONTRACTOR Global Marine A/asia	RIG TYPE Floating	HOLE STATUS Plugged and abandoned
WELL COMPLETION-LOG ✓	(+ transparency)	
WELL COMPLETION-REPORT ✓		
TIME-DEPTH CURVE ✓		
PALYNOLOGY REPORT ✓	PALAEONTOLOGY REPORT ✓	PETROLOGY REPORT
MUD AND CUTTINGS ANALYSIS	Baroid (+ transparency)	
DAILY REPORTS ✓	WEEKLY REPORTS	CUTTINGS RECEIVED ✓
WATER SAMPLES	OIL SAMPLES	GAS SAMPLES
DST		
FIT		
CORE (1) 7045-7075'		
28 SWC recovered	Core received ✓	
OTHER Rock log (transparency)		