









220 080

Ref. III7F  
Kalamazoo 901041

[ERD = MAGN. + 90°] \*  
 \*  
 \*

| DDH No. | CO-ORDINATES |           | RL (m) | BRG (ISG) | DEPTH (m) | INCLIN. (°) | DATE      |           | BORE HOLE SURVEY | CEMENTED ON COMPLETION | ASSAYS CHECKED | WATER         | COMPUT. CODED | MACHINE TYPE |
|---------|--------------|-----------|--------|-----------|-----------|-------------|-----------|-----------|------------------|------------------------|----------------|---------------|---------------|--------------|
|         | E            | N         |        |           |           |             | COMMENCED | COMPLETED |                  |                        |                |               |               |              |
| 080/1   | 220079.0     | 564077.4  | -72.5  | 354       | 77.42     | -43° 01'    | 25.3.74   | 28.3.74   | ✓                | ✓                      | ✓              | making 12g/hr | ✓             | ✓            |
| 080/2   | 220079.0     | 564076.7  | -72.9  | 346° 30'  | 78.63     | -80°        | 28.3.74   | 2.4.74    | ✓                | ✓                      | -              | -             | ✓             | ✓            |
| 080/3   | 220079.5     | 564079.2  | -70.92 | 357       | 72.24     | -12°        | 11.3.74   | 15.3.74   | ✓                | ✓                      | ✓              | -             | ✓             | ✓            |
| 080/4   | 220079.7     | 564073.9  | -72.9  | 197       | 95.40     | -75°        | 2.4.74    | 22.4.74   | ✓                | ✓                      | ✓              | -             | ✓             | ✓            |
| 080/5   | 220079.68    | 564079.13 | -71.8  | 360       | 97.66     | +14°        | 20.6.74   | 5.7.74    | No               | No                     | ✓              | -             | ✓             | ✓            |
| 080/6   | 220077.7     | 564079.2  | -70.9  | 335° 07'  | 82.90     | +16°        | 9.8.74    | 23.8.74   | ✓                | No                     | -              | -             | ✓             | ✓            |
| 080/7   | 220080.2     | 564073.4  | -73.6  | 178       | 123.80    | -63° 50'    | 13.9.74   | 24.9.74   | ✓                | ✓                      | ✓              | -             | ✓             | ✓            |

[multi shot technique inadequate for +ve slope.]

220120

Ref. 1117F  
Kalamaroo 901041

| DDH<br>No. | CO-ORDINATES |          | R.L.<br>(m) | BRG<br>(156) <sup>o</sup> | DEPTH<br>(m) | INCLIN<br>( <sup>o</sup> ) | DATE     |           | SURVEY | CEMENTED | CHECK<br>ASSAY | WATER     | COMPUT.<br>CODED. | MACHINE<br>TYPE |
|------------|--------------|----------|-------------|---------------------------|--------------|----------------------------|----------|-----------|--------|----------|----------------|-----------|-------------------|-----------------|
|            | E            | N        |             |                           |              |                            | COMMENCE | COMPLETE. |        |          |                |           |                   |                 |
| 120/1      | 220120       | 564094   | -75         | 360 <sup>o</sup>          | 60.65        | 0 (Hz)                     | 2-2-74   | 4-2-74    | No     | No       | ✓              | Nil       | ✓                 | ✓               |
| 120/2      | 220119.9     | 564038.0 | -80.5       | 360 <sup>o</sup>          | 104.24       | -83 <sup>o</sup> 48'       | 19-7-74  | 29-7-74   | ✓      | ✓        | ✓              | Nil       | ✓                 | ✓               |
| 120/3      | 220120.2     | 564039.4 | -80.5       | 360 <sup>o</sup>          | 54.25        | -35 <sup>o</sup>           | 29-7-74  | 1-8-74    | ✓      | ✓        | ✓              | Nil       | ✓                 | ✓               |
| 120/4      | 220122.7     | 564112.8 | -78.2       | 360 <sup>o</sup>          | 70.41        | -66                        | 24-5-74  | 31-5-74   | ✓      | No       | ✓              | Nil       | ✓                 | ✓               |
| 120/5      | 220124.7     | 564108.3 | -78.1       | 184                       | 99.97        | -64                        | 6-6-74   | 18-6-74   | ✓      | ✓        | ✓              | Nil       | ✓                 | ✓               |
| 120/6      | NOT AN       |          | OREBLOCKING |                           | HOLE.        |                            |          |           |        |          |                | 3000 g/hr |                   |                 |
| 120/7      | 220120.7     | 564038.2 | -80.4       | 360 <sup>o</sup>          | 75.39        | -72                        | 1-8-74   | 12-8-74   | ✓      | ✓        | ✓              | Nil       | ✓                 | ✓               |
| 120/8      | 220119.9     | 564038.6 | -80.4       | 180 <sup>o</sup>          | 110.64       | -71 <sup>o</sup> 30'       | 13-8-74  | 4-9-74    | ✓      | ✓        | ✓              | Nil       | ✓                 | ✓               |
| 120/9      | 220123.74    | 564108.9 | -78.02      | 290                       | 68.88        | Vert.                      | 6-3-75   | 12-3-75   | ✓      | ✓        | ✓              | Nil       | ✓                 | ✓               |
| 120/10     | 220119.7     | 564037.6 | -80.1       | 186 <sup>o</sup> 30'      | 155.90       | -57 <sup>o</sup> 10'       | 2-4-75   | 16-4-75   | ✓      | ✓        | ✓              | Nil       | ✓                 | ✓               |
| 120/11     | 220123.3     | 564102.8 | -74.9       | 180                       | 28.04        | 43 <sup>o</sup> 20'        | 18-4-75  | 2-5-75    | ✓      | No       | No Assays      | Nil       | ✓                 | ✓               |
| 120/12     | 220123.9     | 564113.3 | -73.7       | 188                       | 41.45        | 75                         | 23-4-75  | 2-5-75    | ✓      | No       | ✓              | Nil       | ✓                 | ✓               |











220200

Ref. III7F  
Kalamazoo 901041

| DDH No. | CO-ORDINATES |          | RL (m) | BRG (15G) <sup>o</sup> | DEPTH (m)       | INCLIN (°) | DATE     |          | SURVEY | CEMENT | CHECK Assay | COMPUT CODE | MACH TYPE | WATER  |
|---------|--------------|----------|--------|------------------------|-----------------|------------|----------|----------|--------|--------|-------------|-------------|-----------|--------|
|         | E            | N        |        |                        |                 |            | COMMEN.  | COMPL.   |        |        |             |             |           |        |
| 200/1   | 220201.2     | 564057.7 | -91.7  | 189                    | 105.46          | -70        | 20-5-74  | 28-5-74  | ✓      | ✓      | ✓           | ✓           |           | Nil    |
| 200/2   | 220200.1     | 564061.0 | -91.7  | 360                    | 90.22           | -85        | 28-5-74  | 4-6-74   | ✓      | ✓      | ✓           | ✓           |           | Nil    |
| 200/3   | 220198.9     | 564061.3 | -91.5  | 358                    | 81.15           | -60        | 5-9-74   | 12-9-74  | ✓      | ✓      | ✓           | ✓           |           | Nil    |
| 200/4   | 220201.0     | 564119.8 | -76.4  | 192                    | 106.88          | -83        | 4-10-74  | 25-10-74 | ✓      | ✓      | ✓           | ✓           |           |        |
| 200/5A  | 220200.0     | 564121.5 | -76.1  | 358                    | 91.97           | -68        | 18-9-74  | 2-10-74  | ✓      | ✓      | ✓           | ✓           |           | Nil    |
| 200/6   | 220200.5     | 564121.6 | -76.6  | 360                    | 153.31<br>91.97 | -49        | 30-10-74 | 10-12-74 | ✓      | YES    | ✓           | ✓           |           |        |
| 200/7   | 220199.6     | 564187.8 | -74.5  | 360                    | 56.69<br>153.31 | -58        | 12-2-75  | 17-2-75  | ✓      | ✓      | ✓           | ✓           |           | Nil    |
| 200/8   | 220199.6     | 564187.5 | -74.7  | 360                    | 94.49<br>56.69  | -79        | 5-2-75   | 12-2-75  | ✓      | ✓      | ✓           | ✓           |           | Nil    |
| 200/9   | 220200.5     | 564185.9 | -74.7  | 204                    | 71.37<br>94.49  | -85        | 18-2-75  | 21-2-75  | ✓      |        | ✓           | ✓           |           |        |
| 200/10  | 220200.5     | 564185.5 | -74.9  | 184                    | 65.84           | -65        | 21-2-75  | 25-2-75  | ✓      | ✓      | ✓           | ✓           |           | Nil    |
| 200/11  | 220200.8     | 564057.9 | -91.8  | 182                    | 158.21          | -59        | 13-3-75  | 1-4-75   | ✓      | ✓      | ✓           | ✓           |           | Nil    |
| 200/12  | 220200.4     | 564182.0 | -70.7  | 144                    | 45.11           | 89         | 11-4-75  | 17-4-75  | No     | No     | ✓           | ✓           |           | Tickle |
| 200/13  | 220200.2     | 564179.2 | -72.1  | 180                    | 54.56           | -30        | 17-4-75  | 29-4-75  | ✓      | No     | ✓           | ✓           |           | Nil    |
| 200/14  | 220199.7     | 564190.9 | -70.0  | 1°                     | 54.56           | 62         | 9-5-75   | 22-5-75  | ✓      | No     | ✓           | ✓           |           | Nil    |
| 200/15  | 220197.3     | 564197.4 | -126.7 | 309                    | 31.01           | -8°        | 16-8-75  | 1-9-75   | No     |        | -           |             |           |        |
| 200/16  | 220202.8     | 564088.2 | -127.6 | 288                    | 33.7            | 1          | 23-1-76  | 13-2-76  | ✓      | No     | -           | ✓           | MS        | Nil    |

200/5 is not an are blocking hole.





