


**KING ISLAND SCHEELITE**

No. KG3-211-250

**BOLD HEAD OREBODY  
GEOLOGICAL CROSS SECTION  
10 250 N**

DATE: 28-2-82  
GEOLOGIST: C.J.K.  
DRAWN: [Signature]  
CHECKED: [Signature]

DATE: \_\_\_\_\_ REVISION: \_\_\_\_\_ GEOL: \_\_\_\_\_





Legend:			
uv	Upper metovolcanics	pgh	Pyroxene garnet hornfels
bh	Biotite hornfels	pgh(m)	Mineralized pgh (>0.30% WO <sub>3</sub> )
ph	Pyroxene hornfels	gh	Garnet skarn (>0.30% WO <sub>3</sub> )
ch	Marble	bfb	Banded footwall beds
mv	Middle metovolcanics	bfb(m)	Mineralized bfb (>0.30% WO <sub>3</sub> )
bph	Biotite pyroxene hornfels	nc	No core recovered
q	Quartzite	(m)	Mineralized
ad	Adomellite	(b)	Banded
ap	Aplite	(p)	Podded
		(d)	Disturbed
		bb	Breccia


DATE: 22-2-82  
GEOLOGIST: E.W.K.  
DRAWN: [Signature]  
CHECKED: [Signature]

**KING ISLAND SCHEELITE**  
No. K63-211-275

**BOLD HEAD OREBODY**  
**GEOLOGICAL CROSS SECTION**  
10 275 N



Legend:		Fault, showing relative movement		Assay results in % WO <sub>3</sub>		Slope, showing area filled		Indicates collar location as being 1-7 metres North of section.		Indicates end of hole as being 2-1 metres South of section.	
uv	Upper metavolcanics	bph	Biotite pyroxene hornfels	nc	No core recovered	□	Stope, showing area filled	□	Indicates collar location as being 1-7 metres North of section.	□	Indicates end of hole as being 2-1 metres South of section.
bh	Biotite hornfels	q	Quartzite	(m)	Mineralized	□		□		□	
ph	Pyroxene hornfels	ad	Adamellite	(b)	Banded	□		□		□	
ch	Marble	ap	Aplite	(p)	Podded	□		□		□	
mv	Middle metavolcanics	bfb	Banded footwall beds	(d)	Disturbed	□		□		□	
		bfb(m)	Mineralized bfb (>0.30% WO <sub>3</sub> )	bb	Breccia	□		□		□	
		pgh	Pyroxene garnet hornfels			□		□		□	
		pgh(m)	Mineralized pgh (>0.30% WO <sub>3</sub> )			□		□		□	
		gh	Garnet skarn (>0.30% WO <sub>3</sub> )			□		□		□	



KING ISLAND SCHEELITE  
No. KG3-211-300  
BOLD HEAD OREBODY  
GEOLOGICAL CROSS SECTION  
10 300 N

DATE	REVISION	GEOLOGIST	DRAWN	CHECKED







































N.B. For assay results of DDH's this area see Dwg. No. KG3-212-017




<b>Legend:</b> uv Upper metovolcanics bh Biotite hornfels ph Pyroxene hornfels ch Marble mv Middle metovolcanics pgh Pyroxene garnet hornfels pgh(m) Mineralized pgh (>0.30% WO <sub>3</sub> ) gh Garnet skarn (>0.30% WO <sub>3</sub> ) bfb Banded footwall beds bfb(m) Mineralized bfb (>0.30% WO <sub>3</sub> ) bph Biotite pyroxene hornfels q Quartzite ad Adamellite ap Aplitite nc No core recovered (m) Mineralized (b) Banded (p) Podded (d) Disturbed bb Breccia		Fault, showing relative movement Degree of uncertainty in Fault position Assay results in % WO <sub>3</sub> Stope, showing area filled	DDH 183 Col. 1.7m No/s Indicates collar location as being 1.7 metres North of section. DDH 183 Col. 1.7m No/s Indicates end of hole as being 2.1 metres South of section.	<b>KING ISLAND SCHEELITE</b> No. KG3-211-700 <b>BOLD HEAD OREBODY</b> <b>GEOLOGICAL CROSS SECTION</b> 10 700 N DATE: 28-2-82 GEOLOGIST: G.V.K. DRAWN: G.V.K. CHECKED: J.B.
--	--	---	--	--



<b>Legend:</b> uv Upper metovolcanics bh Biotite hornfels ph Pyroxene hornfels ch Marble mv Middle metovolcanics pgh Pyroxene garnet hornfels pgh(m) Mineralized pgh (>0.30% WO <sub>3</sub> ) gh Garnet skarn (>0.30% WO <sub>3</sub> ) bfb Banded footwall beds bfb(m) Mineralized bfb (>0.30% WO <sub>3</sub> ) bph Biotite pyroxene hornfels q Quartzite ad Adomellite ap Aplite nc No core recovered (m) Mineralized (b) Banded (p) Podded (d) Disturbed ΔΔ Breccia Fault, showing relative movement Degree of uncertainty in Fault position Assay results in % WO <sub>3</sub> Stoppe, showing area filled DDH 193 Col. 1.7m No/s Indicates collar location as being 1.7 metres North of section. 2.1m So/s Indicates end of hole as being 2.1 metres South of section. E.O.M.		KING ISLAND SCHEELITE No. KG3-211-725 BOLD HEAD OREBODY GEOLOGICAL CROSS SECTION 10 725 N DATE: JAN. '83 GEOLOGIST: JAB DRAWN: JAB CHECKED: JAB
---	--	---







<b>Legend:</b>	uv Upper metovolcanics	pgh Pyroxene garnet hornfels	bph Biotite pyroxene hornfels	nc No core recovered	— Fault, showing relative movement	Indicates collar location as being 1.7 metres North of section.
bh Biotite hornfels	q Quartzite	gh Garnet skarn (>0.30% WO <sub>3</sub> )	ad Adamellite	(m) Mineralized	↔ Degree of uncertainty in Fault position	Indicates end of hole as being 2.1 metres South of section.
ph Pyroxene hornfels	gh Garnet skarn (>0.30% WO <sub>3</sub> )	ad Adamellite	ap Aplite	(b) Banded	Assay results in % WO <sub>3</sub>	
ch Marble	bfb Banded footwall beds	ap Aplite		(p) Podded	Stope, showing area filled	
mv Middle metovolcanics	bfb(m) Mineralized bfb (>0.30% WO <sub>3</sub> )			(d) Disturbed		
				bb Breccia		

DATE: / /

GEOLOGIST: / /

DRAWN: M.vds

CHECKED: / /

**GEOPEKO LIMITED**  
KING ISLAND GROUP

SCALE: 1:500

**BOLD HEAD OREBODY**  
**GEOLOGICAL CROSS SECTION**  
10 800 N & 10 825 N

No. KG3-211-800-25

