

VITRINITE REFLECTANCE DATA ON SIXTEEN
WELLS FROM THE BASS BASIN

AMOCO Australia Petroleum Company

F3/0/0-6117/85

December, 1984

Dot M.	A.O.	C.G.	E.O.	D.G.M.E.
				Registr.
D. DIR.	MAY 1985			E & IL
	DEPT. OF MINES			
REF. No.				

CONTENTS

1. Introduction
2. Analytical Procedure
3. Results
4. References

Tables:

Table 1. Summary of Vitrinite Reflectance Measurements, Bass Basin

Table 2. Exinite Contents and Major Exinite Macerals in Resinite-Rich Coal Samples, Bass Basin

Key to Dispersed Organic Matter Descriptions

Figures:

1. Vitrinite Reflectance Profile, Dondu #1
2. Vitrinite Reflectance Profile, Poonboon #1
3. Vitrinite Reflectance Profile, Bass Basin

Appendix 1.

Histogram Plots of Vitrinite Reflectance Data, Bass Basin

(listed alphabetically)



The Australian
Mineral Development
Laboratories

amdel

11 December 1984

F3/0/0
F6117/85 (Final)

AMOCO Australia Petroleum Company,
15 Blue Street,
NORTH SYDNEY NSW 2060

Attention: P.D. Connard

REPORT F6117/85 (Final)

CLIENT REFERENCE: Letter of 23 November 1984. AUP-74-L-341-PDC

TITLE: Vitrinite reflectance data on sixteen wells from the Bass Basin.

MATERIAL: Core, SWC and cuttings

LOCALITY: Bass Basin

DATE RECEIVED: 26 November 1984

WORK REQUIRED: Vitrinite reflectance determinations

Investigation and Report by: Brian L. Watson

Chief - Fuels Section: Dr Brian G. Steveson

Brian Steveson

for Dr William G. Spencer
Manager,
Mineral & Materials Sciences Division

cah

Head Office:
Flemington Street, Frewville
South Australia 5063
Telephone (08) 79 1662
Telex: Amdel AA82520
Pilot Plant:
Osman Place
Thebarton, S.A.
Telephone (08) 43 5733
Telex: Amdel AA82725
Branch Laboratories:
Melbourne, Vic.
Telephone (03) 645 3093
Perth, W.A.
Telephone (09) 325 7311
Telex: Amdel AA94893
Sydney, N.S.W.
Telephone (02) 439 7735
Telex: Amdel AA20053
Townsville
Queensland 4814
Telephone (077) 75 1377

1. INTRODUCTION

Forty-five core, SWC and cuttings samples from sixteen exploration wells in the Bass Basin were received for vitrinite reflectance determinations. This report presents the results of this study.

2. ANALYTICAL PROCEDURE

Representative portions of each sample (crushed to -14+35 BSS mesh) were obtained with a sample splitter and then mounted in cold setting Glasscraft resin using a 2.5 cm diameter mould. Each block was ground flat using diamond impregnated laps and carborundum paper. The surface was then polished with aluminium oxide and finally magnesium oxide.

Reflectance measurements were made with a Leitz MPV1.1 microphotometer fitted to a Leitz Ortholux microscope and calibrated against synthetic standards. All measurements were taken using oil immersion ($n = 1.518$) and incident monochromatic light (wavelength 546 nm) at a temperature of $23 \pm 1^\circ\text{C}$.

3. RESULTS

The vitrinite reflectance data are summarised in Table 1. Histogram plots of these data are presented in Appendix 1. Vitrinite reflectance versus depth plots (Figs 1 and 2) are provided for Poonboon-1 and Dondu-1. Figure 3 is a composite depth-reflectance profile for the whole basin. Table 2 lists the proportion of exinite, and the major exinite macerals present, in the resinite-rich coal samples examined.

4. REFERENCES

- COOK, A.C., 1982. Organic facies in the Eromanga Basin; In Moore, P.S. & Mount, T.J. (compilers) *Eromanga Basin Symposium*, summary papers. Geol. Soc. Aust. & Pet. Explor. Soc. Aust., Adelaide.
- SNOWDON, L.R. and POWELL, T.G., 1982. Immature oil and condensate - modification of hydrocarbon generation model for terrestrial organic matter. *Bull. Am. Assoc. Petrol. Geol.*, 66, 775-788.

TABLE 1: SUMMARY OF VITRINITE REFLECTANCE MEASUREMENTS, BASS BASIN

Depth (ft)	Mean Maximum Reflectance (%)	Standard Deviation	Range	Number of Determinations
<u>AR00-1</u>				
9527	0.68	0.05	0.55-0.76	32
<u>BASS-1</u>				
7709	0.54	0.05	0.44-0.68	29
7714	0.54	0.05	0.46-0.65	31
<u>BASS-3</u>				
7433	0.50	0.02	0.47-0.57	26
7443	0.46	0.04	0.40-0.54	8
<u>CORMORANT-1</u>				
7914	-	-	-	-
8683	-	-	-	-
9099	0.79	0.07	0.65-0.91	21
9103	0.81	0.05	0.68-0.89	33
<u>DONDU-1</u>				
7680	0.49	0.05	0.39-0.59	19
7681	0.50	0.04	0.44-0.58	16
7685	0.50	0.04	0.43-0.61	27
7686	0.51	0.04	0.45-0.62	19
9133	0.93	0.07	0.73-1.04	34
<u>NANGKERO-1</u>				
7414	0.50	0.06	0.37-0.61	31
7415	0.51	0.05	0.42-0.62	28
<u>NARIMBA-1</u>				
10294	0.71	0.06	0.56-0.86	26
10704	0.78	0.09	0.57-0.94	31
10770	0.79	0.06	0.66-0.96	29
10798	0.78	0.10	0.68-0.92	7
<u>PELICAN-1</u>				
8542	0.69	0.04	0.61-0.77	33
10392	0.86	0.07	0.70-0.96	34
10397	0.81	0.07	0.81-1.04	33
<u>PELICAN-2</u>				
9786	0.80	0.04	0.72-0.87	25
9809	0.81	0.09	0.60-0.96	32
9911	0.82	0.06	0.67-0.91	29
9917	0.81	0.05	0.72-0.95	32

Continued

TABLE 1: Continued

Depth (ft)	Mean Maximum Reflectance (%)	Standard Deviation	Range	Number of Determinations
<u>PELICAN-3</u>				
9489	0.67	0.06	0.58-0.76	9
9514	0.71	0.04	0.64-0.78	11
<u>PELICAN-4</u>				
9569	0.75	0.06	0.65-0.84	26
9570	0.73	0.06	0.63-0.84	33
<u>PIPIPA-1</u>				
6375	1.48	0.10	1.23-1.62	28
<u>POONBOON-1</u>				
8113	0.63	0.04	0.56-0.72	31
8115	0.64	0.04	0.58-0.75	31
9976	0.71	0.05	0.60-0.80	28
9982	0.69	0.06	0.58-0.79	24
10693	0.73	0.04	0.65-0.79	18
10694	0.70	0.04	0.62-0.76	18
10712	0.72	0.08	0.60-0.84	17
<u>TAROOK-1A</u>				
9094	0.68	0.06	0.59-0.83	34
9095	0.72	0.04	0.61-0.78	36
<u>TOOLKA-1</u>				
8100-8240	0.68	0.05	0.60-0.77	16
<u>YURONGI-1</u>				
7705	0.53	0.05	0.38-0.63	32
7803	0.57	0.06	0.47-0.69	33
7935	0.57	0.05	0.47-0.65	13

TABLE 2: EXINITE CONTENTS AND MAJOR EXINITE MACERALS IN RESINITE-RICH COAL SAMPLES, BASS BASIN*

Well	Depth (ft)	Proportion of exinite	Major Exinite
Bass-1	7714	up to 10%	res, sub
Nangkero-1	7414	up to 15%	res, sub
	7415	up to 15%	res, sub
Pelican-1	8542	up to 20%	sp, res
Pelican-4	9569	up to 10%	sp, res, exs
	9570	up to 30%	res, sp, exs
Tarook-1A	9094	up to 20%	sp, exs
	9095	up to 30%	sp, res, sub, exs

*Resinite and suberinite are thermally labile exinites which have the potential to generate liquid hydrocarbons at maturation levels as low as VR ~0.45% (Snowdon and Powell, 1982; Cook, 1982).

KEY TO DISPERSED ORGANIC MATTER DESCRIPTIONS

MACERAL GROUPS

V Vitrinite
I Inertinite
E Exinite

EXINITE MACERALS

spo Sporinite
cut Cutinite
res Resinite
sub Suberinite
lipto Liptodetrinite
fluor Fluorinite
exs Exsudatinitite
phyto Phytoplankton
tela Telalginite
lama Lamalginite
bmite Bituminite
bmen Bitumen
thuc Thucholite

ABUNDANCE (by vol.)


Ma Major >15%
Ab Abundant 2-15%
Co Common 1-2%
Sp Sparse 0.5-1%
Ra Rare 0.1-0.5%
Vr Very Rare ~0.1%
Tr Trace <0.1%

FLUORESCENCE COLOUR AND INTENSITY

G	Green	i	Intense
Y	Yellow	m	Moderate
O	Orange	d	Dull
B	Brown		

VITRINITE REFLECTANCE PROFILE, DONDU #1


146009



5 cm


VITRINITE REFLECTANCE PROFILE, POONBOON #1

146010



VITRINITE REFLECTANCE PROFILE, BASS BASIN


146011



5 cm

APPENDIX 1

HISTOGRAM PLOTS OF VITRINITE REFLECTANCE DATA, BASS BASIN



AR00-1

9527 FT

SORTED LIST


.55	.58	.59	.6	.6	.62	.63	.65	.66	.66
.66	.67	.67	.67	.68	.69	.69	.7	.71	.71
.72	.72	.72	.72	.72	.73	.73	.73	.74	.74
.74	.76								


Number of values= 32

MEAN OF VALUES .68
 STD DEVIATION .053

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100





BASS-3

7433 FT

SORTED LIST


.47 .47 .47 .48 .48 .48 .49 .49 .49 .49
 .49 .49 .49 .5 .5 .5 .51 .51 .52 .52
 .52 .52 .53 .53 .53 .57

Number of values= 26

MEAN OF VALUES .502
 STD DEVIATION .023

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100



5 cm

146017

BASS-3

7443 FT

SORTED LIST


.4 .42 .43 .46 .47 .48 .51 .53
Number of values= 8

MEAN OF VALUES .463
STD DEVIATION .042

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

40 - 42	■■■
43 - 45	■
46 - 48	■■■■
49 - 51	■
52 - 54	■



CORMORANT-1

9099 FT

SORTED LIST

.65 .73 .73 .74 .74 .75 .75 .76 .76 .78
 .78 .79 .79 .8 .83 .85 .86 .88 .89 .89
 .91


Number of values= 21

MEAN OF VALUES .793
 STD DEVIATION .065

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

65 - 69	■
70 - 74	■■■■
75 - 79	■■■■■■
80 - 84	■■
85 - 89	■■■■
90 - 94	■



146019

CORMORANT-1

9103 FT

SORTED LIST

.68 .7 .72 .73 .73 .74 .76 .76 .78 .79
.79 .8 .8 .81 .81 .81 .81 .82 .82 .83
.83 .84 .84 .84 .84 .85 .85 .86 .87 .87
.88 .88 .89


Number of values= 33

MEAN OF VALUES .807
STD DEVIATION .054

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100





146020

DONDU-1

7680 FT

SORTED LIST


.39 .42 .44 .45 .47 .47 .48 .48 .48 .48
.48 .51 .51 .52 .53 .53 .53 .55 .59


Number of values= 19

MEAN OF VALUES .49
STD DEVIATION .046

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100





146021

DONDU-1

7681 FT

SORTED LIST

.44 .45 .45 .46 .47 .48 .48 .51 .51 .52
.53 .53 .53 .55 .56 .58

Number of values= 16

MEAN OF VALUES .503
STD DEVIATION .041

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

44 - 46		██████████
47 - 49		██████████
50 - 52		██████████
53 - 55		██████████
56 - 58		██████████

5 cm

146022

DONDU-1

7685 FT

SORTED LIST

.43 .44 .44 .45 .45 .45 .46 .47 .47 .49
.49 .5 .5 .5 .51 .51 .51 .51 .52 .52
.52 .53 .53 .54 .55 .55 .61
Number of values= 27

MEAN OF VALUES .498
STD DEVIATION .041

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

43 - 47	██████████
48 - 52	████████████████████
53 - 57	██████████
58 - 62	█

5 cm

146023

DONDU-1

7686 FT

SORTED LIST

.45 .45 .45 .47 .48 .49 .49 .5 .5 .5
.51 .51 .51 .52 .53 .53 .55 .56 .62


Number of values= 19

MEAN OF VALUES .506
STD DEVIATION .041

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

45 - 47		██████
48 - 50		████████
51 - 53		████████
54 - 56		████
57 - 59		
60 - 62		██



146024

DONDU-1

9133 FT

SORTED LIST


.73 .77 .81 .85 .87 .88 .89 .89 .89 .89
 .9 .9 .9 .91 .91 .93 .93 .93 .93 .93
 .94 .94 .95 .96 .97 .97 .99 .99 1 1
 1 1.03 1.04 1.04


Number of values= 34

MEAN OF VALUES .925
 STD DEVIATION .069

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100





146025

NANGKERO-1

7414 FT

SORTED LIST

.37	.41	.43	.44	.45	.45	.46	.46	.46	.46
.47	.47	.48	.48	.48	.5	.51	.51	.52	.52
.52	.52	.53	.53	.53	.54	.56	.58	.58	.6
.61									


Number of values= 31

MEAN OF VALUES .498
 STD DEVIATION .055

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100





NARIMBA-1

10294 FT

SORTED LIST

.56 .61 .64 .64 .67 .67 .67 .67 .67 .69
 .69 .7 .71 .72 .72 .73 .73 .74 .74 .74
 .75 .75 .76 .77 .8 .86


Number of values= 26


MEAN OF VALUES .708

STD DEVIATION .06

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100





NARIMBA-1

10704 FT

SORTED LIST


.57 .61 .61 .63 .67 .71 .72 .73 .73 .74
 .76 .77 .78 .79 .8 .82 .82 .83 .83 .84
 .84 .84 .84 .84 .86 .87 .87 .88 .88 .89
 .94

Number of values= 31

MEAN OF VALUES .784
 STD DEVIATION .091

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100



5 cm

146029

NARIMBA-1

10770 FT

SORTED LIST

.66 .73 .74 .74 .74 .74 .74 .75 .75 .76
.76 .76 .78 .79 .79 .79 .8 .81 .81 .82
.82 .83 .83 .84 .85 .86 .86 .9 .96


Number of values= 29

MEAN OF VALUES .793
STD DEVIATION .059

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

66 - 70	■
71 - 75	■■■■■
76 - 80	■■■■■
81 - 85	■■■■■
86 - 90	■■■
91 - 95	
96 - 100	■



146030

NARIMBA-1

10798 FT

SORTED LIST


.68 .68 .7 .72 .87 .89 .92
Number of values= 7

MEAN OF VALUES .78
STD DEVIATION .1

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

68 - 72		████████
73 - 77		
78 - 82		
83 - 87		██
88 - 92		████



146031

PELICAN-1

8542 FT

SORTED LIST

.61 .63 .63 .63 .65 .65 .65 .66 .66 .66
.66 .66 .66 .67 .68 .69 .69 .7 .7 .7
.7 .71 .71 .71 .72 .73 .75 .75 .75 .75
.75 .76 .77


Number of values= 33

MEAN OF VALUES .691
STD DEVIATION .043

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

61 - 65	██████████
66 - 70	████████████████████
71 - 75	████████████████████
76 - 80	█████



146032

PELICAN-1

10395 FT

SORTED LIST

.7 .73 .76 .77 .79 .8 .8 .8 .81 .82
.83 .84 .84 .85 .86 .87 .88 .89 .89 .89
.9 .9 .9 .9 .9 .91 .92 .92 .93 .94
.94 .95 .95 .96

Number of values= 34

MEAN OF VALUES .863
STD DEVIATION .066

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100



5 cm

146033

PELICAN-1

10397 FT

SORTED LIST

.81 .81 .82 .83 .84 .84 .84 .84 .86 .86
.86 .87 .87 .9 .9 .91 .91 .92 .92 .92
.94 .95 .95 .96 .96 .96 .96 .98 .98 1.01
1.02 1.02 1.04


Number of values= 33

MEAN OF VALUES .911
STD DEVIATION .065

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

81 - 85	██████████
86 - 90	██████████
91 - 95	██████████
96 - 100	██████████
101 - 105	██████████



146034

PELICAN-2

9786 FT

SORTED LIST


.72 .74 .75 .76 .76 .77 .77 .78 .79 .79
.8 .8 .8 .8 .8 .81 .81 .82 .82 .84
.85 .86 .86 .86 .87
Number of values= 25

MEAN OF VALUES .801
STD DEVIATION .039

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

72 - 76	██████████
77 - 81	████████████████████
82 - 86	████████████████
87 - 91	█



PELICAN-2

9809 FT

SORTED LIST


.6 .65 .68 .68 .7 .7 .72 .72 .72 .73
 .77 .79 .81 .81 .82 .85 .85 .85 .86 .86
 .86 .86 .88 .89 .89 .89 .9 .9 .9 .93
 .94 .96

Number of values= 32

MEAN OF VALUES .812
 STD DEVIATION .093

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100



5 cm

146036

PELICAN-2

9911 FT

SORTED LIST


.67 .72 .73 .75 .76 .78 .79 .79 .79 .79
.79 .8 .81 .81 .82 .83 .83 .83 .83 .85
.85 .86 .87 .87 .88 .88 .88 .89 .91

Number of values= 29

MEAN OF VALUES .816
STD DEVIATION .055

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100



5 cm

146037

PELICAN-2

9917 FT

SORTED LIST

.72 .74 .75 .76 .76 .77 .77 .77 .77 .77
.78 .79 .79 .79 .79 .79 .8 .8 .8 .81
.82 .83 .83 .83 .84 .84 .84 .85 .86 .86
.93 .95

Number of values= 32

MEAN OF VALUES .806

STD DEVIATION .049

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

72 - 76		████████
77 - 81		████████████████████
82 - 86		████████████████
87 - 91		
92 - 96		████

146038

5 cm

PELICAN-3

9489 FT

SORTED LIST

.58 .6 .61 .63 .67 .69 .71 .75 .76

Number of values= 9

MEAN OF VALUES .667

STD DEVIATION .062

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

58 - 62	■■■■
63 - 67	■■■
68 - 72	■■■
73 - 77	■■■

5 cm

146039

PELICAN-3

9514 FT

SORTED LIST

.64 .66 .67 .69 .69 .7 .74 .74 .75 .75
.78

Number of values= 11


MEAN OF VALUES .71

STD DEVIATION .042

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

64 - 68	■■■■
69 - 73	■■■■
74 - 78	■■■■■



5 cm

PELICAN-4

9569 FT

SORTED LIST

.65 .67 .67 .67 .68 .7 .71 .72 .72 .73
 .73 .73 .74 .75 .75 .76 .78 .79 .79 .8
 .8 .81 .82 .82 .83 .84

Number of values= 26

MEAN OF VALUES .748


STD DEVIATION .055

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

65 - 69	██████████
70 - 74	████████████████████
75 - 79	████████████████████
80 - 84	████████████████████

PELICAN-4



9570 FT

146041

SORTED LIST


.63 .64 .64 .66 .66 .67 .67 .68 .69 .69
.7 .7 .7 .71 .72 .72 .73 .75 .75 .75
.75 .76 .76 .76 .78 .78 .79 .8 .8 .8
.8 .82 .84


Number of values= 33

MEAN OF VALUES .73
STD DEVIATION .056

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100





146042

PIPIA-1

1943.9 M

SORTED LIST


1.23 1.3 1.31 1.36 1.39 1.4 1.4 1.41 1.43 1.44
 1.45 1.47 1.48 1.5 1.51 1.52 1.53 1.54 1.54 1.56
 1.56 1.56 1.57 1.58 1.58 1.59 1.6 1.62


Number of values= 28

MEAN OF VALUES 1.48
 STD DEVIATION .099

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100





146043

POONBOON-1

8113 FT

SORTED LIST


.56	.57	.57	.58	.58	.59	.59	.6	.6	.6
.61	.62	.62	.62	.62	.62	.63	.63	.64	.64
.64	.64	.65	.65	.66	.66	.66	.67	.67	.67
.72									


Number of values= 31

MEAN OF VALUES .625
 STD DEVIATION .036

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100





146044

POONBOON-1

8115 FT

SORTED LIST

.58	.58	.58	.59	.6	.6	.6	.61	.61	.62
.62	.62	.62	.62	.63	.63	.63	.64	.64	.65
.65	.65	.65	.65	.66	.67	.67	.68	.69	.7
.75									


Number of values= 31

MEAN OF VALUES .635
 STD DEVIATION .038

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100





146046

POONBOON-1

9982 FT

SORTED LIST

.58 .6 .61 .63 .63 .65 .65 .66 .66 .67
.67 .68 .69 .7 .71 .72 .72 .72 .74 .74
.75 .76 .77 .79


Number of values= 24

MEAN OF VALUES .688

STD DEVIATION .055

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100



5 cm

146047

POONBOON-1

10693 FT

SORTED LIST

.65 .67 .68 .69 .7 .7 .72 .72 .73 .73
.73 .74 .75 .75 .76 .77 .78 .79


Number of values= 18

MEAN OF VALUES .726
STD DEVIATION .037

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

65 - 69	██████
70 - 74	██████████
75 - 79	██████



POONBOON-1

10694 FT

SORTED LIST

.62 .64 .65 .65 .66 .67 .67 .69 .7 .71
.72 .72 .73 .73 .73 .75 .75 .76


Number of values= 18

MEAN OF VALUES .697
STD DEVIATION .041

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

62 - 66	██████████
67 - 71	██████████
72 - 76	████████████████████



POONBOON-1

10712 FT

SORTED LIST

.6 .62 .64 .66 .66 .66 .66 .68 .69 .72

.78 .79 .8 .8 .8 .81 .84

Number of values= 17


MEAN OF VALUES .718

STD DEVIATION .076

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

60 - 64	██████
65 - 69	██████████
70 - 74	████
75 - 79	██████
80 - 84	██████████



TAROOK-1A

9094 FT

SORTED LIST

.59 .6 .61 .62 .62 .63 .63 .63 .63 .64
 .64 .64 .65 .65 .65 .66 .66 .66 .67 .67
 .68 .68 .69 .69 .69 .69 .71 .71 .71 .72
 .78 .8 .83 .83

Number of Values= 34


MEAN OF VALUES .675

STD DEVIATION .059

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

59 - 63	██████████
64 - 68	██████████████
69 - 73	██████████
74 - 78	███
79 - 83	█████



TAROOK-1A

9095 FT

SORTED LIST


.61 .64 .64 .65 .66 .66 .68 .7 .7 .71
 .71 .71 .71 .72 .72 .72 .72 .73 .73 .73
 .73 .73 .73 .73 .74 .74 .74 .74 .74 .74
 .75 .75 .75 .76 .76 .78

Number of values= 36

MEAN OF VALUES .716
 STD DEVIATION .038

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100



5 cm

146052

TOOLKA-1

8100-8240 FT

SORTED LIST

.6 .61 .62 .63 .63 .64 .67 .67 .68 .68
.71 .72 .72 .72 .76 .77

Number of values= 16


MEAN OF VALUES .677
STD DEVIATION .051

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

60 - 64	██████████
65 - 69	████████
70 - 74	████████
75 - 79	██████

YURONGI-1

5 cm


7803 FT

146054

SORTED LIST

.47	.48	.49	.5	.5	.52	.53	.53	.53	.53
.53	.54	.54	.55	.56	.57	.57	.57	.57	.58
.58	.59	.59	.6	.61	.62	.64	.64	.65	.65
.67	.69	.69							

Number of values= 33

MEAN OF VALUES .572

STD DEVIATION .059

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

47 - 51		████████
52 - 56		████████████████
57 - 61		████████████████
62 - 66		████████
67 - 71		██████

5 cm

146055

YURONGI - 1

7935 FT

SORTED LIST

.47 .5 .54 .55 .56 .57 .57 .57 .59 .59
.61 .62 .65

Number of values= 13

MEAN OF VALUES .568
STD DEVIATION .046

HISTOGRAM OF RESULTS

Values are reflectance multiplied by 100

47 - 51	■■■■
52 - 56	■■■■
57 - 61	■■■■■■
62 - 66	■■■■