

TABLE 2.3

MARSH/LAKE : COAL (TOTAL THICKNESS COAL AND % OF TOTAL INTERVAL)

(modified after Aquing, 1980)

	"Upper" EVCN"		M.diversus Unconformity to Top of L.balmei	
	Thickness	% Coal	Thickness	% Coal
Aroo 1	235'	1%	2'	1%
Bass 1	97'	6.2%	TS	TS
Bass 2	43'	8.3%	13.5'	3.2%
Bass 3	10'	1.2%	1'	1.2%
Cormorant 1	252'	8.7%	110.5'	4.6%
Dondu 1	308.5'	25%	52'	5.1%
Durroon 1	-----	-----	-----	-----
Konkon 1	46.5'	7.9%	38'	29%
Nangkero 1	174'	12.7%	49'	7.2%
Narimba 1	78'	3%	58.5'	2.2%
Pelican 1	149'	7%	96.5'	4.3%
Pelican 2	153.5'	7.2%	52'	3%
Pelican 3	75'	6%	3'	1%
Pelican 4	165'	7%	135'	7%
Pipipa 1	153'	8%	TS	TS
Poonboon 1	112.5'	8.4%	18'	2%
Tarook 1	90'	3.9%	9'	2.2%
Toolka 1	138'	5.9%	75'	3.4%
Yurongi 1	107'	12%	28.5'	4.1%