



NOTE : PARTRIDGE (1973) RECOGNISED *N.senectus* ABOVE THE MID-UPPER CRETACEOUS UNCONFORMITY AT 1341.1m (SWC) AND UNDIFFERENTIATED *C.triplex*/*A.distocarinus* BELOW AT 1374.7-1533.2m

MORGAN (1985) RECOGNISED *T.lilliei* ABOVE AT 1319m, AND TENTATIVELY *L.lilliei* BELOW IN A SPARSE ASSEMBLAGE AT 1374m, BUT DID NOT RECOGNISE EITHER *N.senectus* OR *T.pachyexinus* IN THE CUTTINGS SAMPLES.

REFERENCES : HARLAND W.B. et al, 1982, A GEOLOGIC TIME SCALE, CAMBRIDGE UNIVERSITY PRESS.

JELL P.A. 1987, STUDIES IN AUSTRALIAN MESOZOIC PALYNOLOGY, ASSOC. OF AUSTRALIAN PALAEOONTOLOGISTS.

THE WORK OF MORGAN (1991) IS MANIFESTED IN THIS CHART AND THEREFORE SUPERCEDES PREVIOUS INTERPRETATIONS.

5 cm

**Bridge Oil Limited**  
**DURROON-1 STRATIGRAPHIC CHART**

AUTHOR : D.C.C. DATE : AUG'88 REVISED :  
DRAFTED BY : G.F. FILING CODE : FIGURE No. : 2