

TERRALOG - MAY 86 - 5  
 WELL NAME: CHAT #1  
 LOCATION: T-15P BASS BASIN  
 DATE: RIG RELEASED 6/2/86

DEPTH	CALRES	GR-RES	GR-RES BHC	VSH-GR BHC	ILDBHC	N-DPOR	PORSON SC	SW-IND
1195.250	13.05	34.25	40.73	.23	.26	.25	.25	1.00
1195.500	13.19	34.82	41.75	.24	.25	.22	.24	1.00
1196.250	13.66	37.72	46.42	.29	.29	.19	.22	1.00
1197.500	13.52	36.02	43.99	.26	.31	.22	.24	.98
1197.750	13.50	33.50	40.88	.23	.32	.22	.25	.94
1198.000	13.57	34.79	42.60	.25	.32	.21	.24	.95
1198.250	13.51	34.24	41.79	.24	.31	.22	.25	.95
1198.500	13.45	35.90	43.67	.26	.30	.21	.24	.99
1198.750	13.40	34.43	41.75	.24	.29	.22	.25	.99
1199.000	13.52	32.39	39.55	.21	.27	.24	.26	1.00
1199.250	13.48	32.38	39.45	.21	.27	.24	.25	1.00
1199.500	13.51	31.26	38.15	.20	.26	.24	.26	1.00
1199.750	13.43	35.46	43.07	.25	.25	.21	.24	1.00
1200.000	13.40	35.55	43.13	.25	.25	.21	.24	1.00
1200.250	13.43	33.42	40.61	.22	.26	.24	.25	1.00
1200.500	13.56	37.54	45.96	.28	.27	.21	.22	1.00
1200.750	13.47	37.36	45.51	.28	.27	.21	.23	1.00
1201.000	13.52	35.61	43.47	.26	.27	.22	.23	1.00
1201.250	13.65	37.01	45.52	.28	.28	.22	.22	1.00
1202.000	13.59	35.68	43.75	.26	.29	.24	.25	.97
1203.000	13.76	37.46	46.37	.29	.32	.22	.23	.97
1203.250	13.79	36.40	45.14	.27	.32	.21	.23	.98
1203.500	13.80	32.94	40.87	.23	.30	.24	.25	.97
1204.000	13.81	37.84	46.96	.29	.27	.21	.23	1.00
1204.250	13.61	31.60	38.78	.20	.27	.26	.26	.99
1205.000	13.74	34.96	43.23	.25	.26	.23	.24	1.00
1205.250	13.96	34.51	43.20	.25	.25	.25	.24	1.00
1205.500	13.85	33.21	41.31	.23	.24	.29	.25	1.00
1205.750	13.75	32.21	39.87	.22	.23	.28	.25	1.00
1206.000	14.18	29.20	36.99	.18	.22	.28	.27	1.00
1206.250	14.26	31.44	40.02	.22	.22	.26	.26	1.00
1206.500	13.46	33.98	41.36	.23	.23	.25	.25	1.00
1206.750	13.65	33.75	41.52	.23	.26	.25	.24	1.00
1207.000	13.07	32.93	39.23	.21	.32	.25	.24	.99
1207.250	12.90	32.48	38.31	.20	.39	.25	.24	.89
1207.500	12.88	34.68	40.85	.23	.45	.23	.23	.84
1207.750	12.84	33.43	39.29	.21	.47	.24	.25	.79
1208.000	12.93	28.68	33.88	.15	.44	.26	.26	.80
1208.250	12.84	29.09	34.20	.15	.35	.23	.26	.90
1208.500	12.92	34.70	40.97	.23	.28	.20	.23	1.00
1208.750	13.23	34.14	41.01	.23	.25	.20	.22	1.00
1209.000	13.51	31.85	38.88	.20	.24	.21	.23	1.00
1209.250	13.56	33.78	41.35	.23	.24	.20	.22	1.00
1209.500	13.58	32.98	40.41	.22	.24	.22	.23	1.00
1209.750	13.56	28.13	34.43	.16	.25	.25	.26	1.00
1210.000	13.31	30.67	37.02	.18	.26	.23	.25	1.00
1210.250	13.07	32.26	38.42	.20	.28	.21	.24	1.00
1210.500	12.91	26.01	30.70	.11	.29	.25	.27	.96
1210.750	12.95	28.51	33.72	.15	.30	.24	.27	.96
1211.000	12.95	28.83	34.11	.15	.30	.24	.27	.94
1211.250	13.09	28.56	34.05	.15	.30	.24	.27	.94
1211.500	13.14	29.88	35.71	.17	.30	.22	.26	.95
1211.750	13.24	25.98	31.24	.12	.30	.24	.28	.93
1212.000	13.33	28.93	34.95	.16	.30	.23	.27	.95
1212.250	13.07	28.53	33.97	.15	.29	.24	.27	.95

display limited to Vsh< 30% for 1150 - 1250m  
 used Rw = 0.03 ohm @ 45.8 deg C  
 used Hunt Raymer shale corr. porosity  
 Vsh from GR-RESBHC, Rsh = 1.5 ohm

274138