

TERRALOG - MAY 86 - 5  
 WELL NAME: CHAT #1  
 LOCATION: T-15P BASS BASIN  
 DATE: RIG RELEASED 6/2/86

DEPTH	CALRES	GR-RES	GR-RES BHC	VSH-GR BHC	ILDBHC	N-DPOR	PORSON SC	SW-IND
1568.750	13.08	55.25	65.83	.27	.34	.24	.25	.87
1570.500	13.80	53.43	66.28	.27	.38	.26	.27	.77
1570.750	13.83	48.99	60.86	.23	.37	.22	.26	.89
1571.000	13.83	52.12	64.75	.26	.34	.20	.25	.99
1571.250	13.83	50.28	62.50	.25	.32	.21	.25	1.00
1571.500	13.83	47.66	59.22	.22	.32	.22	.25	.96
1571.750	13.81	48.58	60.30	.23	.32	.23	.24	.93
1572.000	13.78	45.14	55.94	.19	.30	.21	.20	1.00
1572.250	13.87	37.45	46.64	.12	.29	.22	.23	1.00
1572.500	13.88	45.32	56.48	.20	.31	.22	.24	.99
1573.250	13.24	57.29	68.87	.29	.53	.23	.26	.70
1573.500	13.24	55.40	66.60	.28	.52	.25	.26	.68
1573.750	13.27	54.27	65.34	.27	.45	.25	.27	.71
1574.000	13.35	48.55	58.74	.22	.39	.26	.26	.75
1574.250	13.59	42.58	52.22	.17	.34	.26	.26	.84
1574.500	13.90	41.16	51.35	.16	.27	.26	.26	.93
1575.750	14.18	40.96	51.92	.16	.28	.25	.26	.97
1576.000	14.22	48.42	61.51	.24	.34	.19	.22	1.00
1576.250	13.69	46.92	57.86	.21	.38	.20	.21	.97
1576.500	13.59	44.11	54.09	.18	.40	.24	.25	.83
1576.750	13.60	42.54	52.21	.17	.40	.27	.26	.76
1577.000	14.13	40.61	51.32	.16	.35	.28	.25	.79
1577.250	13.78	40.54	50.25	.15	.30	.26	.25	.89
1577.500	14.01	42.00	52.73	.17	.30	.25	.25	.93
1577.750	14.11	47.81	60.35	.23	.34	.25	.24	.85
1578.000	14.54	48.51	62.73	.25	.36	.26	.23	.79
1578.250	15.40	45.14	61.25	.24	.37	.26	.23	.77
1578.500	15.64	45.81	63.02	.25	.36	.27	.23	.75
1579.750	15.32	41.18	55.64	.19	.30	.29	.24	.80
1580.000	13.66	41.97	51.66	.16	.30	.29	.25	.81
1580.250	13.30	42.09	50.77	.15	.30	.28	.25	.83
1580.500	13.15	38.94	46.58	.12	.30	.28	.25	.84
1580.750	13.09	43.16	51.44	.16	.30	.27	.24	.86
1581.000	13.06	46.82	55.72	.19	.30	.26	.23	.88
1581.250	13.03	44.98	53.44	.18	.30	.26	.23	.89
1581.500	13.58	50.34	61.70	.24	.31	.23	.22	.95
1581.750	14.16	52.02	65.86	.27	.33	.21	.21	.96
1582.000	14.25	50.16	63.83	.26	.35	.21	.21	.93
1582.250	14.34	53.56	68.51	.29	.36	.21	.19	.91
1583.000	14.74	46.32	60.59	.23	.38	.22	.21	.88
1583.250	14.75	38.11	49.88	.15	.35	.25	.22	.86
1583.500	14.77	37.88	49.63	.15	.33	.28	.22	.81
1583.750	14.78	38.39	50.32	.15	.32	.28	.23	.83
1584.000	14.57	41.31	53.51	.18	.32	.26	.22	.87
1584.250	14.03	43.10	54.15	.18	.35	.25	.21	.86
1584.500	13.79	44.30	54.94	.19	.38	.24	.23	.84
1584.750	13.85	39.11	48.65	.14	.39	.26	.23	.81
1585.000	13.87	35.59	44.33	.11	.40	.25	.22	.83
1585.250	13.91	35.94	44.86	.11	.40	.24	.21	.87
1585.500	13.86	34.89	43.44	.10	.39	.23	.20	.91
1585.750	13.82	33.79	41.98	.09	.40	.24	.20	.88
1586.000	13.93	35.98	44.95	.11	.41	.23	.20	.90
1586.250	14.05	34.84	43.82	.10	.40	.22	.20	.93
1586.500	14.13	32.82	41.47	.08	.39	.22	.20	.95
1586.750	14.18	30.84	39.09	.07	.38	.23	.21	.93

display limited to Vsh < 30% for 1545 -1650m  
 used Rw 0.025 ohm @ 59.0 deg C  
 used N-D shale corr. porosity  
 used Vsh from GR-RESEBHC, Rsh = 1.5 ohm

274142