

TERRALOG - MAY 86 - 5
 WELL NAME: CHAT #1
 LOCATION: T-15P BASS BASIN
 DATE: RIG RELEASED 6/2/86

DEPTH	CALRES	GR-RES	GR-RES BHC	VSH-GR BHC	ILDBHC	N-DPOR	PORSON SC	SW-IND
1713.750	12.56	57.18	66.17	.28	.36	.24	.23	1.00
1714.000	13.02	44.61	52.96	.18	.31	.24	.26	1.00
1714.250	13.43	39.24	47.68	.14	.28	.28	.28	1.00
1714.500	13.64	37.91	46.61	.13	.26	.32	.29	1.00
1715.250	15.37	49.02	66.41	.29	.28	.30	.25	.96
1715.500	14.73	47.06	61.52	.25	.30	.30	.26	.96
1718.750	13.21	55.96	67.15	.29	.29	.24	.25	1.00
1719.500	13.15	55.42	66.28	.29	.25	.29	.26	1.00
1719.750	13.13	54.19	64.74	.27	.25	.29	.26	1.00
1721.750	14.31	39.04	49.84	.15	.51	.27	.27	.83
1722.000	15.09	36.92	49.26	.15	.33	.28	.26	1.00
1722.250	13.71	35.13	43.35	.10	.26	.28	.20	1.00
1722.500	12.82	34.63	40.65	.08	.23	.27	.19	1.00
1722.750	13.49	37.86	46.16	.12	.24	.20	.21	1.00
1723.000	14.06	45.23	56.94	.21	.28	.18	.18	1.00
1729.000	13.00	52.69	62.51	.26	.31	.33	.27	.86
1729.750	12.83	56.70	66.61	.29	.29	.29	.26	.97
1731.750	13.48	51.47	62.71	.26	.35	.34	.28	.79
1733.500	12.67	49.35	57.47	.21	1.25	.19	.18	.72
1733.750	13.74	50.87	62.90	.26	1.19	.20	.20	.74
1734.750	13.08	53.93	64.24	.27	.32	.23	.22	1.00
1745.250	12.25	51.69	58.78	.23	.46	.26	.24	.89
1745.500	12.40	53.70	61.58	.25	.41	.25	.25	.95
1745.750	12.47	57.17	65.83	.28	.36	.25	.25	1.00
1746.000	12.39	56.45	64.71	.27	.33	.26	.24	1.00
1746.500	12.36	54.11	61.90	.25	.32	.26	.25	1.00
1746.750	12.36	49.30	56.39	.21	.32	.28	.26	1.00
1747.000	12.31	49.06	55.97	.20	.29	.27	.26	1.00
1747.250	12.28	50.66	57.70	.22	.28	.27	.25	1.00
1747.500	12.25	53.76	61.15	.24	.30	.27	.24	1.00
1747.750	12.19	56.78	64.36	.27	.32	.25	.23	1.00
1749.000	12.37	55.20	63.21	.26	.45	.26	.25	.87
1749.250	12.55	53.94	62.37	.25	.39	.26	.25	.93
1749.500	12.59	53.97	62.58	.26	.32	.26	.25	1.00
1749.750	12.50	55.52	64.05	.27	.27	.27	.25	1.00
1750.000	12.70	55.97	65.27	.28	.27	.29	.25	1.00
1750.250	12.77	54.55	63.89	.27	.28	.29	.26	1.00
1751.000	12.34	56.99	65.14	.28	.33	.28	.25	.95
1751.250	12.50	56.56	65.23	.28	.36	.29	.25	.90
1751.500	12.66	54.80	63.76	.27	.38	.28	.25	.90
1751.750	12.70	56.12	65.45	.28	.38	.25	.24	.96
1752.000	12.60	57.45	66.62	.29	.35	.28	.24	.93
1752.250	12.69	54.51	63.53	.26	.34	.29	.23	.90
1752.500	12.51	52.27	60.33	.24	.33	.29	.24	.94
1752.750	12.50	55.24	63.70	.26	.32	.28	.24	.97
1754.750	12.18	51.91	58.82	.23	.50	.25	.23	.88
1755.000	12.19	47.07	53.35	.18	.49	.24	.24	.93
1755.250	12.22	49.71	56.44	.21	.45	.23	.24	1.00
1755.500	12.30	51.35	58.56	.22	.37	.22	.24	1.00
1755.750	12.36	52.20	59.72	.23	.35	.23	.24	1.00
1756.000	12.31	50.62	57.77	.22	.34	.25	.25	1.00
1756.250	12.30	50.58	57.69	.22	.33	.26	.25	1.00
1756.500	12.32	46.45	53.02	.18	.32	.27	.26	1.00
1756.750	12.22	42.91	48.70	.14	.32	.28	.27	1.00
1757.000	12.18	45.64	51.71	.17	.30	.28	.27	1.00

display limited to Vsh < 30% for 1700 - 1925m
 used Rw = 0.04 ohm @ 62.5 deg C
 used N-D shale corr. porosity
 used Vsh from GR-RESBHC, Rsh = 2.5 ohm

274144