

TERRALOG - MAY 86 - 5
 WELL NAME: CHAT #1
 LOCATION: T-15P BASS BASIN
 DATE: RIG RELEASED 6/2/86

DEPTH	CALRES	GR-RES	GR-RES BHC	VSH-GR BHC	ILDBHC	N-DPOR	PORSON SC	SW-IND
2328.000	12.52	37.60	43.40	.14	1.08	.24	.21	.96
2328.250	12.11	25.87	29.18	.03	.91	.30	.26	.88
2328.500	12.09	23.96	27.01	.01	.77	.30	.26	.96
2328.750	12.04	24.61	27.66	.02	.60	.29	.25	1.00
2329.000	12.02	26.72	29.99	.04	.52	.29	.25	1.00
2329.250	12.00	29.60	33.20	.06	.54	.28	.24	.98
2329.500	12.01	27.01	30.30	.04	.56	.28	.24	1.00
2329.750	12.00	25.25	28.32	.02	.59	.29	.24	1.00
2330.000	11.99	25.00	28.02	.02	.65	.29	.24	1.00
2330.250	11.97	24.42	27.34	.01	.71	.29	.24	.99
2330.500	11.97	26.37	29.53	.03	.75	.28	.24	.97
2330.750	11.98	27.94	31.29	.05	.76	.27	.23	1.00
2331.000	11.97	27.50	30.79	.04	.77	.26	.23	1.00
2331.250	11.97	25.78	28.87	.03	.77	.26	.24	1.00
2331.500	11.97	26.92	30.14	.04	.77	.27	.23	1.00
2331.750	11.99	25.86	28.98	.03	.78	.26	.23	.96
2332.000	12.02	25.33	28.43	.02	.79	.26	.23	.95
2332.250	11.99	26.50	29.70	.03	.80	.26	.22	.97
2332.500	11.99	24.01	26.91	.01	.79	.27	.23	.98
2333.000	11.97	26.49	29.65	.03	.79	.27	.23	.97
2333.250	11.97	30.63	34.28	.07	.77	.26	.23	1.00
2333.500	11.97	27.65	30.95	.04	.72	.27	.23	1.00
2333.750	11.97	26.57	29.74	.03	.67	.28	.24	1.00
2334.000	11.97	27.02	30.24	.04	.64	.28	.24	1.00
2334.250	11.98	25.22	28.25	.02	.63	.29	.24	1.00
2334.500	12.01	25.96	29.13	.03	.62	.28	.24	1.00
2334.750	12.03	26.14	29.37	.03	.63	.28	.24	1.00
2335.000	12.03	28.30	31.79	.05	.65	.28	.24	1.00
2335.250	12.04	26.95	30.28	.04	.69	.28	.24	1.00
2335.500	12.04	27.44	30.83	.04	.69	.28	.24	.96
2335.750	11.99	34.57	38.73	.10	.69	.28	.24	1.00
2336.000	11.97	37.54	42.01	.13	.69	.27	.24	.99
2336.250	11.96	39.84	44.58	.15	.69	.26	.24	1.00
2336.500	11.98	38.50	43.12	.14	.68	.26	.24	1.00
2336.750	12.02	40.77	45.77	.16	.67	.26	.24	1.00
2337.000	12.05	45.53	51.20	.20	.67	.24	.24	1.00
2409.000	12.23	54.30	61.68	.29	1.58	.19	.20	.87
2422.000	11.86	56.15	62.47	.29	1.77	.18	.20	.86
2424.000	11.84	55.43	61.59	.29	1.51	.21	.21	.85
2426.500	12.23	44.24	50.25	.20	2.65	.18	.17	.76
2426.750	12.23	34.98	39.74	.11	2.49	.20	.20	.74
2427.000	12.24	36.42	41.40	.13	2.32	.21	.21	.73
2427.250	12.31	42.57	48.59	.18	2.31	.21	.20	.72
2427.500	12.40	43.04	49.38	.19	2.37	.20	.19	.72
2427.750	12.52	46.75	53.98	.23	2.50	.19	.19	.72
2467.250	11.96	50.98	57.04	.25	1.66	.19	.20	.87
2468.000	12.09	54.56	61.47	.29	1.57	.18	.19	.92
2468.250	12.10	49.43	55.73	.24	1.50	.20	.19	.88
2468.500	12.09	46.74	52.69	.22	1.41	.22	.20	.87
2468.750	12.14	52.61	59.45	.27	1.36	.20	.20	.91
2469.000	12.19	53.91	61.10	.28	1.32	.20	.21	.93
2469.250	12.23	52.46	59.57	.27	1.28	.21	.21	.92
2469.500	12.23	45.28	51.44	.21	1.27	.23	.23	.88
2479.000	12.18	54.96	62.24	.29	2.58	.18	.16	.73
2479.250	12.18	47.08	53.32	.22	2.43	.17	.17	.79

display limited to Vsh < 30% for 2310 - 2575m
 used Rw = 0.07 ohm @ 88.2 deg C
 used N-D shale corr. porosity
 used Vsh from GR-RESBHC, Rsh = 7.0 ohm

274147