

WELL AND FLUID PROPERTIES SUMMARY

OPERATOR : SAGASCO RESOURCES

RIG: DIAMOND M-ODECO "OCEAN EPOCH"

LOCATION: BASS BASIN TASMANIA

WELL: FLINDERS 1

IDF ENGINEERS: J FITZGERALD/C JENSEN

DATE: NOV/DEC 1992

DAY	DATE	DEPTH HOLE DIAM	WT FUNN VIS	AV	PV	YP	GEL 10Sec	GEL 10min	WATERSOLID %	FLUID % LOSS	CL g/lt	SAND %	FANN 600	FANN 300	FANN 200	FANN 100	FANN 6	FANN 3	PF	MF	PM HARD	TOTAL HARD	CA HARD	MG HARD	MBT	pH	CUMCOST			
1	27-11-92	91.5	0.00	0	0	0	0	0	0	0.0	0.0	0.0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	0	0.0	0.0	0.00			
2	28-11-92	91.5	0.00	0	0	0	0	0	0	0.0	0.0	0.0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	0	0.0	0.0	0.00			
3	29-11-92	128	36.00	1.05	95	41	20	42	30	68	98	2	0.0	0.0	0.0	82	62	50	40	27	25	0.00	0.00	0	0	0.0	8.7	9170.38		
4	30-11-92	408	17.50	1.05	105	48	16	64	35	48	98	2	0.0	0.0	0.0	96	80	58	50	34	31	0.00	0.00	0	0	0.0	8.7	20380.94		
5	01-12-92	408	12.50	1.04	38	15	7	15	10	13	98	2	25.0	15.0	0.0	29	22	18	16	11	10	0.10	0.10	0.00	1600	1600	0	12.5	8.9	27281.96
6	02-12-92	686	12.25	1.09	39	14	6	16	6	18	94	6	17.4	15.0	0.5	28	22	16	13	6	5	0.10	0.20	1.10	1040	200	504	15.0	9.3	33309.53
7	03-12-92	1208	12.25	1.11	38	16	7	18	12	21	94	6	20.0	19.0	0.5	32	25	22	20	13	12	0.05	0.15	0.70	1160	200	504	17.5	9.3	36512.17
8	04-12-92	1525	12.25	1.13	43	21	11	20	20	49	94	7	11.4	19.0	0.5	42	31	27	25	21	20	0.05	0.15	0.70	1240	220	612	22.5	9.3	43957.81
9	05-12-92	1525	12.25	1.16	48	26	13	26	20	42	91	9	8.6	19.0	0.5	52	39	35	29	18	17	0.15	0.50	0.40	1320	240	648	27.5	9.7	52788.79
10	06-12-92	1525	12.25	1.19	54	20	10	20	20	53	90	11	9.2	19.0	TR	40	30	25	22	16	15	0.10	0.30	0.80	1040	160	528	27.5	9.4	59645.00
11	07-12-92	1525	12.25	1.19	45	21	14	14	9	17	90	11	9.2	19.0	TR	42	28	22	18	8	7	0.05	0.20	0.50	960	120	504	27.5	9.3	60403.70
12	08-12-92	1525	8.50	1.07	53	17	8	18	4	10	98	2	9.4	2.8	TR	34	26	21	17	7	4	0.05	0.15	0.15	240	120	72	5.0	9.4	74949.97
13	09-12-92	1731	8.50	1.08	49	23	13	19	5	10	97	3	8.6	2.8	0.5	45	32	21	18	7	5	0.05	0.10	0.20	240	200	24	7.5	9.4	94475.35
14	10-12-92	1944	8.50	1.09	48	24	13	22	3	10	96	4	6.6	2.8	0.5	48	35	30	20	7	3	0.05	0.20	0.20	240	200	24	7.5	9.4	101029.48
15	11-12-92	2184	8.50	1.09	53	33	19	28	8	12	96	4	6.8	3.0	TR	66	47	30	20	7	3	0.10	0.20	0.30	200	160	24	7.5	9.0	102950.85
16	12-12-92	2356	8.50	1.09	53	35	19	32	9	13	97	3	6.4	3.3	TR	70	51	41	30	7	4	0.40	0.60	0.60	160	120	24	10.0	9.5	110760.21
17	13-12-92	2407	8.50	1.1	50	32	19	26	6	11	96	4	6.0	3.3	TR	64	45	36	24	5	3	0.30	0.20	0.50	160	120	24	10.0	9.0	111557.97
18	14-12-92	2542	8.50	1.12	52	37	21	31	8	14	96	4	5.8	3.0	TR	73	52	42	28	6	3	0.30	0.50	0.60	160	120	24	10.0	9.0	114549.85
19	15-12-92	2664	8.50	1.12	53	34	20	27	7	12	95	5	6.4	3.0	TR	67	47	37	24	6	4	0.20	0.40	0.50	160	120	24	10.0	9.0	116243.13
20	16-12-92	2723	8.50	1.12	52	36	22	28	5	7	95	5	6.0	3.0	TR	72	50	40	26	5	3	0.30	0.60	0.60	80	80	0	10.0	9.5	117133.59
21	17-12-92	2723	8.50	1.12	52	36	22	28	5	7	95	5	6.0	3.0	TR	72	50	40	26	5	3	0.30	0.60	0.60	80	80	0	10.0	9.5	117925.03
22	18-12-92	2723	8.50	1.12	52	36	22	28	5	7	95	5	6.0	3.0	TR	72	50	40	26	5	3	0.30	0.60	0.60	80	80	0	10.0	9.5	117925.03
23	19-12-92	2723	8.50	1.12	52	36	22	28	5	7	95	5	6.0	3.0	TR	72	50	40	26	5	3	0.30	0.60	0.60	80	80	0	10.0	9.5	117925.03
24	20-12-92	2723	8.50	1.12	52	36	22	28	5	7	95	5	6.0	3.0	TR	72	50	40	26	5	3	0.30	0.60	0.60	80	80	0	10.0	9.5	118174.15

291100

