

HALLIBURTON/TESEL SHIVA V3.00 : Correlation Listing										Page : 40		
Depth Metres	Hole		Computed		Diameters(Ins)			Quality Ind Avg	Arm Pairs	Pad Status	Planar	
	Dev	Azi	Dip	Azi	1-4	2-5	3-6					
1663.00	0.7	38	2.5	213	8.2	8.3	8.1	A	57	14	IIIIII	1.318
1662.50	0.5	39	4.8	130	8.6	8.8	8.6	B	37	9	IIIIII	1.413
1662.00	0.5	40	1.9	189	10.5	10.6	10.1	A	59	12	IIIIII	1.461
1661.50	0.6	42	7.8	222	9.0	9.7	9.1	A	94	12	IIIIII	1.361
1661.00	0.6	47	18.0	229	8.2	8.3	8.1	A	89	12	IIIIII	1.475
1660.50	0.6	42	3.0	116	8.2	8.3	8.1	A	91	6	IIIIII	1.492
1660.00	0.6	41	18.9	152	8.2	8.4	8.1	A	91	6	IIIIII	1.360
1659.50	0.6	38	12.2	243	9.6	10.8	9.2	A	66	6	IIIIII	0.859
1659.00	0.4	32	2.3	307	11.1	11.6	9.4	B	41	15	IIIIII	1.959
1658.50	0.5	48	4.2	283	8.8	8.7	8.4	C	33	14	IIIIII	1.487
1658.00	0.5	35	6.3	268	8.6	8.4	8.3	D	24	9	IIIIII	1.672
1657.50	0.6	35	3.9	218	8.3	8.2	8.1	A	55	14	IIIIII	1.464
1657.00	0.7	38	17.4	193	8.3	8.4	8.3	A	70	9	IIIIII	1.560
1656.50	0.7	38	2.4	262	10.4	11.7	11.5	A	55	11	IIIIII	1.579
1656.00	0.7	33	2.5	294	8.2	8.4	8.2	C	35	13	IIIIII	1.645
1655.50	0.6	31	2.0	337	8.2	8.3	8.3	A	51	13	IIIIII	1.653
1655.00	0.6	27	2.0	326	8.5	8.5	8.4	A	51	14	IIIIII	1.385
1654.50	0.6	30	18.5	231	8.4	8.2	8.2	D	17	10	IIIIII	1.590
1654.00	0.5	31	18.6	205	8.3	8.1	8.1	D	20	9	IIIIII	1.202
1653.50	0.5	35	9.6	252	8.2	8.1	8.1	B	37	12	IIIIII	1.315
1653.00	0.5	40	9.4	252	8.2	8.5	8.6	C	37	11	IIIIII	1.653
1652.50	0.5	45	6.2	182	8.3	8.4	8.4	C	41	9	IIIIII	1.481
1652.00	0.6	52	4.0	217	8.1	8.4	8.2	C	20	8	IIIIII	1.408
1651.50	0.6	58	8.5	183	8.1	8.4	8.1	B	40	9	IIIIII	1.431
1651.00	0.6	43	7.8	72	8.2	8.4	8.1	E	11	7	IIIIII	1.428
1650.00	0.6	46	6.4	346	8.2	8.3	8.1	E	7	8	IIIIII	1.571
1649.50	0.6	48	2.5	262	8.2	8.4	8.2	D	14	6	IIIIII	1.477
1649.00	0.6	41	34.1	341	8.2	8.4	8.2	E	8	8	IIIIII	1.143
1649.00	0.6	43	32.3	320	8.1	8.4	8.1	E	5	6	IIIIII	1.331
1648.50	0.7	43	13.6	382	8.3	8.6	8.2	D	16	5	I.III.I	1.189
1648.00	0.7	41	28.8	290	8.2	8.7	8.2	C	24	5	IIIIII	0.667
1647.50	0.8	39	3.3	46	8.2	8.7	8.1	D	22	7	IIIIII	1.424
1647.00	0.8	38	1.7	59	8.2	8.6	8.1	C	35	10	IIIIII	1.485
1646.50	0.8	40	15.3	85	8.1	8.5	8.1	B	46	10	IIIIII	1.613
1646.00	0.8	40	4.9	55	8.2	8.7	8.1	A	48	11	IIIIII	1.246
1645.50	0.9	43	5.3	334	8.3	8.7	8.0	A	55	15	IIIIII	1.466
1645.00	0.9	42	18.1	300	8.3	8.5	8.1	A	44	15	IIIIII	0.986
1644.50	0.8	44	18.0	183	8.5	8.6	8.2	C	27	7	IIII.I	0.832
1644.00	0.7	52	26.1	157	8.3	8.5	8.2	B	38	6	IIIIII	1.195
1643.50	0.7	53	15.6	7	8.3	8.4	8.2	C	26	8	IIIIII	1.531
1643.00	0.8	51	14.6	7	8.3	8.4	8.2	C	26	8	IIIIII	1.461
1642.50	0.8	52	33.4	344	8.4	8.7	8.2	E	13	6	I.III.I	0.906
1642.00	0.8	49	29.2	351	8.3	8.5	8.1	C	24	6	I.III.I	0.966
1641.50	0.8	49	11.9	128	8.3	8.6	8.1	C	25	12	IIIIII	1.447
1641.00	0.9	46	12.3	131	8.3	8.8	8.3	D	21	12	IIIIII	1.332
1640.50	0.8	46	4.8	45	8.2	8.9	8.3	D	18	9	IIIIII	1.662
1640.00	0.8	45	8.2	22	8.3	9.0	8.3	C	27	9	IIIIII	1.862
1639.50	0.8	41	23.4	206	8.4	9.0	8.2	A	46	4	II..II	1.190
1639.00	0.7	39	15.9	260	10.5	9.4	9.4	B	34	7	IIIIII	1.075
1638.50	0.6	36	4.2	255	9.3	10.1	10.2	A	86	10	IIIIII	1.844
1638.00	0.8	40	7.6	303	8.6	8.9	8.6	A	79	7	II.III	1.413
1637.50	0.9	43	6.6	304	8.4	8.6	8.3	A	60	6	II..II	0.835
1637.00	0.9	45	12.5	324	8.6	9.1	8.6	B	38	4	I.III	0.132
1636.50	0.9	46	4.4	157	8.3	8.8	8.8	A	92	9	IIIIII	1.630

HALLIBURTON/TESEL SHIVA V3.00 : Correlation Listing										Page : 41		
Depth Metres	Hole		Computed		Diameters(Ins)			Quality Ind Avg	Arm Pairs	Pad Status	Planar	
	Dev	Azi	Dip	Azi	1-4	2-5	3-6					
1636.00	0.9	48	4.9	155	8.5	9.3	9.8	A	90	10	IIIII	1.693
1635.50	0.7	47	5.8	71	8.5	9.1	9.0	C	24	12	IIIIII	1.130
1635.00	0.8	48	2.8	310	8.6	9.5	9.0	E	14	5	IIIIII	1.460
1634.50	0.8	54	4.5	50	8.7	9.1	9.5	E	13	9	IIIIII	1.297
1634.00	0.8	51	2.0	322	8.9	9.0	9.2	B	43	6	IIIIII	1.637
1633.50	0.8	55	7.1	347	8.4	9.0	8.9	B	44	8	IIIIII	1.587
1633.00	0.9	51	8.3	346	8.1	8.7	8.4	C	27	9	IIIIII	0.976
1632.50	0.9	54	6.2	319	8.1	8.8	8.3	D	17	7	IIIIII	1.519
1632.00	0.9	53	2.8	296	8.1	8.9	8.3	A	64	8	II.III	1.359
1631.50	0.9	51	7.3	237	8.8	10.2	9.6	A	85	9	IIIIII	1.582
1631.00	0.8	58	6.7	245	8.0	9.7	9.0	A	78	15	IIIIII	0.769
1630.50	0.7	43	5.1	234	8.9	9.7	9.1	A	79	15	IIIIII	0.966
1630.00	0.7	43	4.9	232	8.7	9.4	8.7	A	86	15	IIIIII	0.914
1629.50	0.6	45	2.6	234	8.7	9.0	8.4	A	78	15	IIIIII	0.788
1629.00	0.6	48	5.1	241	8.7	9.0	8.5	A	79	13	IIIIII	1.289
1628.50	0.7	45	5.9	229	8.6	8.8	8.4	A	66	15	IIIIII	1.123
1628.00	0.8	46	4.3	228	8.3	8.5	8.2	B	42	14	IIIIII	1.576
1627.50	0.7	48	2.8	267	8.4	8.5	8.4	B	50	11	IIIIII	1.587
1627.00	0.8	48	3.0	282	8.2	8.3	8.3	A	64	9	IIIIII	1.686
1626.50	0.7	49	3.9	279	8.4	8.9	8.8	A	34	7	IIIII	0.970
1626.00	0.7	50	1.6	59	8.4	9.1	8.9	A	81	8	IIIIII	1.139
1625.50	0.8	48	2.3	83	8.4	8.9	8.5	A	85	6	IIIIII	1.465
1625.00	0.8	51	11.2	134	9.0	8.9	8.4	A	50	10	IIIIII	1.084
1624.50	0.7	46	23.6	264	8.9	8.7	8.3	D	11	5	IIIIII	0.582
1624.00	0.8	50	8.4	305	8.6	8.9	8.1	C	27	5	..III.I	1.193
1623.50	0.8	51	4.6	301	8.4	8.5	8.1	B	45	13	IIIIII	1.579
1623.00	0.8	50	2.7	287	8.2	8.4	8.1	A	89	15	IIIIII	1.099
1622.50	0.8	49	1.8	297	8.5	8.6	8.2	A	94	14	IIIIII	1.331
1622.00	0.7	47	7.0	202	8.8	9.0	8.2	A	42	6	II.III	0.994
1621.50	0.7	43	16.8	343	9.2	9.0	8.2	E	10	5	IIIII	1.046
1621.00	0.7	46	6.0	49	9.1	8.9	8.1	A	67	6	IIIIII	1.289
1620.50	0.8	51	1.6	331	9.7	9.1	8.5	A	89	15	IIIIII	1.131
1619.50	0.7	52	2.1	338	9.1	8.9	8.2	A	88	14	IIIIII	1.289
1619.00	0.7	44	2.6	333	9.3	9.1	8.4	A	39	7	IIII.I	1.839
1618.50	0.8	45	2.5	181	9.8	8.9	9.1	A	83	13	IIIIII	1.491
1618.00	0.8	45	2.7	287	8.8	8.6	8.2	A	84	12	IIIIII	1.292
1617.50	0.8	44	2.4	338	8.9	8.7	8.4	A	77	15	IIIIII	0.695
1617.00	0.8	42	2.0	25	8.6	8.4	8.1	A	86	15	IIIIII	0.831
1616.50	0.8	44	2.0	28	8.8	8.6	8.4	A	87	15	IIIIII	0.787
1616.00	0.7	40			8.5	8.4	8.3	-	0	0	
1615.50	0.7	46	2.9	213	8.4	8.1	8.1	A	61	6	IIIII	0.911
1615.00	0.7	45	5.8	253	8.4	8.2	8.1	B	40	9	IIIIII	1.650
1614.50	0.8	48	11.8	278	8.7	8.2	8.1	A	57	7	IIIII	1.234
1614.00	0.8	48	12.6	285	8.7	8.2	8.1	A	63	7	IIIII	1.129
1613.50	0.9	46	6.5	19	8.7	8.3	8.3	A	59	7	IIIII	1.432
1613.00	0.8	43	4.4	12	8.5	8.2	8.3	D	17	13	IIIIII	1.438
1612.50	0.8	43	6.4	264	8.4	8.2	8.2	A	66	10	IIIIII	1.668
1612.00	0.8	42	6.9	262	8.5	8.2	8.2	A	59	18	IIIII	1.438
1611.50	0.7	41	2.9	198	8.4	8.2	8.1	B	37	18	III.II	1.126
1611.00	0.7	44	2.9	281	8.4	8.3	8.2	A	83	15	IIIIII	1.267
1610.50	0.6	44	7.2	201	8.5	8.3	8.3	A	86	15	IIIIII	1.648
1610.00	0.7	42	3.0	208	8.5	8.3	8.2	A	72	9	IIIIII	1.579
1609.50	0.7	43	6.4	261	8.7	8.4	8.3	E	16	12	IIIIII	1.695

HALLIBURTON/TESEL SHIVA V3.00 : Correlation Listing										Page : 42	
Depth Metres	Hole		Computed		Diameters(Ins)			Quality Ind Avg	Arm Pairs	Pad Status	Planar
	Dev	Azi	Dip	Azi	1-4	2-5					