

1430.50	0.1	235	2.2	130	0.3	0.2	0.3	61	15	IIIIII	1.080
1429.50	0.1	235	3.2	147	0.3	0.2	0.2	50	15	IIIIII	1.053
1429.00	0.1	235	2.4	153	0.3	0.2	0.3	53	15	IIIIII	0.969
1428.50	0.1	235	2.6	149	0.3	0.2	0.3	48	15	IIIIII	0.848
1428.00	0.1	235	2.3	145	0.3	0.2	0.3	28	14	IIIIII	0.848
1427.50	0.1	235	2.4	145	0.3	0.2	0.3	0	0	.....	0.601
1427.00	0.1	235	2.4	73	0.2	0.2	0.3	49	15	IIIIII	0.601
1426.50	0.1	235	2.0	95	0.3	0.2	0.3	52	15	IIIIII	0.529
1426.00	0.1	235	3.2	94	0.3	0.2	0.3	48	15	IIIIII	0.839
1425.50	0.1	235	3.1	92	0.3	0.2	0.3	52	15	IIIIII	0.986
1424.50	0.1	235	2.9	92	0.3	0.2	0.3	42	15	IIIIII	1.156
1424.00	0.1	235	3.5	109	0.3	0.2	0.3	15	6	IIIIII	1.453
1423.50	0.1	235	7.5	255	0.3	0.2	0.3	6	6	IIIIII	0.924
1423.00	0.1	235	4.2	230	0.3	0.2	0.3	24	6	IIIIII	0.924
1422.50	0.1	235	6.9	226	0.3	0.2	0.3	7	7	IIIIII	1.616
1422.00	0.1	235	29.2	101	0.3	0.2	0.3	7	4	IIIIII	1.180
1421.50	0.1	235	3.7	107	0.3	0.2	0.3	27	9	IIIIII	1.245
1421.00	0.1	235	20.7	104	0.3	0.2	0.3	81	9	IIIIII	1.336
1420.50	0.1	235	18.7	106	0.3	0.2	0.3	73	9	IIIIII	1.728
1420.00	0.1	235	3.4	114	0.5	0.4	0.5	32	15	IIIIII	1.024
1419.50	0.1	235	2.5	115	0.6	0.5	0.5	34	15	IIIIII	0.885
1419.00	0.1	235	3.0	148	0.6	0.5	0.4	56	12	IIIIII	1.085
1418.50	0.1	235	4.5	121	0.4	0.3	0.4	78	11	IIIIII	1.433
1418.00	0.1	235	2.0	54	0.3	0.2	0.3	25	13	IIIIII	1.298
1417.50	0.1	235	5.1	68	0.4	0.2	0.3	37	7	IIIIII	1.322
1417.00	0.1	235	7.6	123	0.3	0.2	0.3	26	7	IIIIII	0.853
1416.50	0.1	235	17.1	35	0.3	0.2	0.3	24	8	IIIIII	0.889
1416.00	0.1	235	13.2	43	0.3	0.2	0.3	32	7	IIIIII	1.231
1415.50	0.1	235	13.5	6	0.6	0.5	0.5	59	6	IIIIII	0.713
1415.00	0.1	235	2.0	96	0.7	0.6	0.6	80	11	IIIIII	1.439
1414.50	0.1	235	4.4	133	0.7	0.6	0.5	77	15	IIIIII	1.439
1414.00	0.1	235	8.2	125	0.6	0.5	0.5	69	13	IIIIII	1.903
1413.50	0.1	235	6.5	130	0.6	0.5	0.5	65	13	IIIIII	1.634
1413.00	0.1	235	7.6	123	0.3	0.2	0.3	86	15	IIIIII	1.628
1412.50	0.1	235	9.3	123	0.3	0.2	0.3	68	7	IIIIII	0.844
1412.00	0.1	235	4.6	196	0.3	0.2	0.3	49	12	IIIIII	1.294
1411.50	0.1	235	2.1	73	0.3	0.2	0.3	35	11	IIIIII	1.307
1411.00	0.1	235	6.6	80	0.3	0.2	0.3	34	11	IIIIII	1.307
1410.50	0.1	235	6.0	274	0.4	0.2	0.3	86	9	II.III	1.397
1410.00	0.1	235	7.0	330	0.4	0.3	0.3	89	7	II.III	1.219
1409.50	0.1	235	5.0	157	0.4	0.3	0.3	53	7	II.III	0.730

HALLIBURTON/TESEL SHIVA V3.00 : Correlation Listing Page : 31

Depth Metres	Hole Dev Azi	Computed Dip Azi	Diameters(Ins) 1-4 2-5 3-6	Quality Ind Avg	Arm Invg Pairs	Pad Status	Planar	Diameters(Ins)		Quality	Arm	Pad	Planar
								1-4	2-5				
1409.00	0.1	235	2.4	93	0.4	0.3	0.3	75	9	IIIIII	1.499		
1408.50	0.1	235	2.9	122	0.7	0.6	0.3	56	15	IIIIII	1.170		
1408.00	0.1	235	7.2	343	0.4	0.3	0.3	86	13	IIIIII	1.494		
1407.50	0.1	235	7.2	349	0.4	0.3	0.3	83	13	IIIIII	1.513		
1407.00	0.1	235	7.1	327	0.4	0.3	0.3	82	8	II.III	1.235		
1406.50	0.1	235	3.5	33	0.5	0.5	0.5	76	7	IIIIII	0.761		
1406.00	0.1	235	1.9	115	0.5	0.5	0.5	81	14	IIIIII	1.585		
1405.50	0.1	235	3.1	256	0.4	0.3	0.4	31	8	IIIIII	1.580		
1405.00	0.0	235	2.3	124	0.4	0.3	0.5	69	12	IIIIII	1.192		
1404.50	0.0	235	3.5	145	0.3	0.2	0.3	80	11	IIIIII	1.428		
1404.00	0.0	235	2.9	292	0.3	0.2	0.3	48	15	IIIIII	1.478		
1403.50	0.0	235	4.2	62	0.4	0.3	0.3	59	14	IIIIII	1.462		
1403.00	0.0	235	5.1	97	0.3	0.3	0.3	52	14	IIIIII	1.400		
1402.50	0.0	235	7.5	104	0.4	0.3	0.3	77	9	IIIIII	1.462		
1402.00	0.0	235	7.6	123	0.3	0.2	0.3	71	12	IIIIII	1.554		
1401.50	0.0	235	5.3	127	0.5	0.5	0.4	66	10	I.IIIII	1.213		
1401.00	0.0	235	5.9	168	0.5	0.5	0.4	58	14	IIIIII	1.293		
1400.50	0.0	235	2.5	142	0.3	0.3	0.3	59	10	IIIIII	1.521		
1400.00	0.0	235	2.1	124	0.4	0.3	0.3	45	7	IIIIII	1.794		
1399.50	0.0	235	5.8	123	0.5	0.5	0.4	27	13	IIIIII	1.594		
1399.00	0.1	235	5.0	123	0.5	0.5	0.4	54	9	II.III	1.182		
1398.50	0.0	235	2.2	221	0.3	0.3	0.2	26	9	IIIIII	0.784		
1398.00	0.1	235	2.9	259	0.5	0.5	0.3	56	9	IIIIII	1.298		
1397.50	0.0	235	5.1	231	0.6	0.7	0.3	39	12	IIIIII	1.076		
1397.00	0.1	235	5.1	231	0.6	0.7	0.3	83	12	IIIIII	1.736		
1396.50	0.0	235	2.4	177	0.8	0.8	0.5	70	13	IIIIII	1.384		
1396.00	0.0	235	3.2	124	0.7	0.7	0.5	71	13	IIIIII	1.384		
1395.50	0.0	235	5.5	375	0.6	0.4	0.3	37	11	IIIIII	1.628		
1395.00	0.0	235	3.6	159	0.6	0.7	0.6	68	9	IIIIII	1.326		
1394.50	0.0	235	28.3	48	0.7	0.8	0.6	58	6	IIIIII	0.977		
1394.00	0.0	235	1.6	147	0.8	0.8	0.5	62	14	IIIIII	1.464		
1393.50	0.0	235	3.0	307	0.7	0.9	0.6	83	15	IIIIII	1.483		
1393.00	0.0	235	4.1	243	0.7	0.8	0.5	83	9	IIIIII	1.483		
1392.50	0.0	235	3.6	112	0.7	0.9	0.4	92	15	IIIIII	0.358		
1392.00	0.0	235	2.0	113	0.7	0.9	0.4	92	15	IIIIII	0.765		
1391.50	0.0	235	2.4	111	0.6	0.8	0.4	92	9	IIIIII	1.483		
1391.00	0.0	235	2.4	144	0.6	0.7	0.4	80	9	IIIIII	0.849		
1390.50	0.0	235	2.3	144	0.6	0.7	0.4	77	15	IIIIII	0.582		
1390.00	0.0	235	1.6	169	0.7	0.8	0.5	60	8	IIIIII	0.997		
1389.50	0.0	235	17.7	93	0.7	0.6	0.5	59	6	IIIIII	1.521		
1389.00	0.0	235	2.0	107	0.5	0.4	0.3	80	12	IIIIII	1.643		
1388.50	0.0	235	5.0	164	0.6	0.7	0.5	75	13	IIIIII	1.232		
1388.00	0.0	235	3.9	105	0.6	0.7	0.5	33	10	IIIIII	1.574		
1387.50	0.0	235	3.8	30	0.6	0.7	0.5	25	18	IIIIII	1.428		
1387.00	0.0	235	3.4	241	0.4	0.6	0.5	43	9	IIIIII	1.148		
1386.50	0.0	235	1.6	131	0.6	0.7	0.6	69	13	IIIIII	1.421		
1386.00	0.0	235	4.2	114	0.6	0.6	0.6	70	7	IIIIII	1.360		
1385.50	0.0	235	3.0	173	0.6	0.7	0.5	82	12	IIIIII	1.363		
1385.00	0.0	235	4.0	287	0.6	0.6	0.5	82	12	IIIIII	1.922		
1384.50	0.1	235	2.5	148	0.6	0.6	0.5	85	14	IIIIII	1.099		
1384.00	0.1	235	2.5	150	0.6	0.6	0.5	85	14	IIIIII	1.018		
1383.50	0.1	235	4.2	200	0.6	0.5	0.6	31	7	II.II	0.753		
1383.00	0.1	235	1.7	157	0.6	0.5	0.6	57	15	IIIIII	1.276		

HALLIBURTON/TESEL SHIVA V3.00 : Correlation Listing Page : 32

Depth Metres	Hole Dev Azi	Computed Dip Azi	Diameters(Ins) 1-4 2-5 3-6	Quality Ind Avg	Arm Invg Pairs	Pad Status	Planar	Diameters(Ins)		Quality	Arm	Pad	Planar
								1-4	2-5				
1382.00	0.1	235	1.5	166	0.6	0.5	0.5	48	14	IIIIII	1.263		
1381.50	0.1	235	4.5	161	0.6	0.5	0.5	33	9	IIIIII	1.353		
1381.00	0.1	235	13.6	180	0.6	0.5	0.5	13	8	I.IIIII	1.425		
1380.50	0.1	235	28.1	18	0.6	0.5	0.5	0	0	.....	0.455		
1379.50	0.1	235	0.0	0.0	0.6	0.5	0.5	0	0	.....	0.455		
1379.00	0.0	235	3.4	149	0.6	0.5	0.5	89	14	IIIIII	1.407		
1378.50	0.1	235	1.5	259	0.6	0.5	0.5	4	7	IIIIII	1.192		
1378.00	0.0	235	1.5	259	0.6	0.5	0.5	31	13	IIIIII	1.499		
1377.50	0.1	235	1.8	11	0.6	0.5	0.5	58	10	IIIIII	1.118		
1377.00	0.1	235	24.8	81	0.6	0.5	0.5	6	8	IIIIII	1.654		
1376.50	0.1	235	15.7	107	0.6	0.5	0.6	26	11	IIIIII	1.283		
1376.00	0.1	235	2.5	103	0.6	0.5	0.6	90	15	IIIIII	0.878		
1375.50	0.1	235	2.5	190	0.6	0.5	0.5	89	15	IIIIII	0.848		
1375.00	0.1	235	2.7	139	0.6	0.5	0.5	21	15	IIIIII	1.257		
1374.50	0.1	235	2.4	73	0.6	0.6	0.5	39	14	IIIIII	0.751		
1374.00	0.1	235	2.6	136	0.6	0.6	0.5	47	14	IIIIII	0.848		
1373.50	0.1	235	1.5	162	0.6	0.6	0.6	19	15	IIIIII	1.078		
1373.00	0.1	235	1.6</										