

Table 1: Sample Details and Mineral Yields

| Sample Number | Depth              | Sample Description (mass) | Age | Apatite Yield | Zircon Yield |
|---------------|--------------------|---------------------------|-----|---------------|--------------|
| 8522-129      | 3173 m<br>(junk)   | dolerite<br>(95 g)        |     | Good          | Insuff.      |
| 8522-130      | 3345 m<br>(core 2) | Vesic. Basalt<br>(1 kg)   |     | None          | None         |

## REFERENCES

- Gleadow, A.J.W. 1981, Fission track dating methods: what are the real alternatives? Nuclear Tracks 5, pp 3-14.
- Gleadow, A.J.W. and Duddy, I.R. 1981, A natural long-term track annealing experiment for apatite. Nuclear Tracks 5, pp 169-174.
- Gleadow, A.J.W., Duddy, I.R. and Lovering, J.F. 1983, Fission track analysis: a new tool for the evaluation of thermal histories and hydrocarbon potential. APEA J. 23, pp 93-102.
- Green, P.F. 1981, A new look at statistics in fission track dating. Nuclear Tracks 5, pp 77-86.
- Green, P.F., Duddy, I.R., Gleadow, A.J.W. and Lovering, J.F. 1985, Apatite Fission Track Analysis as a paleotemperature indicator for hydrocarbon exploration. To appear in SEPM special publication.
- Hurford, A.J. and Green, P.F. 1982, A user's guide to fission track dating calibration. Ear. Plan. Sci Lett. 59, pp 343-354.
- Hurford, A.J. and Green, P.F. 1983, The zeta age calibration of fission track dating. Isotope Geoscience 1, pp 285-317.