

Pipe and Auxiliary Equipment Tally
(Permanent Detailed Record)
Form 19 (6-79)

Attach to Form 20

Field Bass Strait/Tasmania	Well No. Yolla 1	Article	Size 30"	Date 8 June, 1985
Note: For casing and tubing with Hydril, Extremeline, or similar joints, record shoulder to shoulder measurements; for other tubulars, record measurement from outer edge of mill coupling to last engaged thread on field end.				Measurements made with <input type="checkbox"/> Decimal Footage Tape <input type="checkbox"/> Meters Centimeters Tape
Note: Denote Centralizers on or Between Joints With (X)				

No.	Feet or Meters		No.	Feet or Meters		No.	Feet or Meters		No.	Feet or Meters		Tally of Joints Not Run		
											No.	Feet or Meters		
1	43	40	51	shoe	JT	101			151			201		
2	38	35	52			102			152			202	1	
3	41	25	53			103			153			203	2	
4	40	60	54			104			154			204	3	
5	43	35	55			105			155			205	4	
6	40	75	56			106			156			206	5	
7	39	80	57			107			157			207	6	
8	41	91	58	Wellhead		108			158			208	7	
9			59			109			159			209	8	
10			60			110			160			210	9	
11			61			111			161			211	10	
12			62			112			162			212	11	
13			63			113			163			213	12	
14			64			114			164			214	13	
15			65			115			165			215	14	
16			66			116			166			216	15	
17			67			117			167			217	16	
18			68			118			168			218	17	
19			69			119			169			219	18	
20			70			120			170			220	19	
21			71			121			171			221	20	
22			72			122			172			222	21	
23			73			123			173			223	22	
24			74			124			174			224	23	
25			75			125			175			225	24	
26			76			126			176			226	25	
27			77			127			177			227	26	
28			78			128			178			228	27	
29			79			129			179			229	28	
30			80			130			180			230	29	
31			81			131			181					
32			82			132			182			No. Joints Delivered:	8	
33			83			133			183			No. Joints Run:	8	
34			84			134			184					
35			85			135			185			Total Run - Overall:	329.41 FT	
36			86			136			186					
37			87			137			187			Top Pipe Below:		
38			88			138			188			<input checked="" type="checkbox"/> Rotary Drive Bushing		
39			89			139			189			<input type="checkbox"/> Derrick Floor		
40			90			140			190			Depth Landed:	297 FT (ML)	
41			91			141			191			Operational Data		
42			92			142			192			Casing Makeup Torque ft.-lbs.	
43			93			143			193			Hanging Weight @ Setting Depth lbs.	
44			94			144			194			Pick Up Weight- Drag Setting Depth lbs.	
45			95			145			195			Set Down Weight- Drag Setting Depth	
46			96			146			196			Casing Hung in Tension w/ lbs. on hanger	
47			97			147			197					
48			98			148			198					
49			99			149			199					
50			100			150			200					

Item(s) No.	Size	Weight	Grade	Type Joint	Range	Qty.
1	30"	1" Wall	X56	Drill Quip NS-60	Range III	1
2-7	30"	1" Wall	X56	w/D-L 501 DVT Shoe Drill Quip NS-60	Range III	6
8	30"	1" Wall		30" Cameron Guidelineless Wellhead w/EXT	Range III	1

Approved - Company Representative L. Transier / J. G. Rankin