

Field YOLLA	Well No. 1	Article CASING	Size 9-5/8"	Date 2ND SEPTEMBER '85
Note: For casing and tubing with Hydril, Extremeline, or similar joints, record shoulder to shoulder measurements; for other tubulars, record measurement from outer edge of mill coupling to last engaged thread on field end.				
Note: Denote Centralizers on or Between Joints With (X)				
Measurements made with <input checked="" type="checkbox"/> Decimal Footage Tape <input type="checkbox"/> Meters Centimeters Tape				

No.	Feet or Meters		No.	Feet or Meters		No.	Feet or Meters		No.	Feet or Meters		No.	Feet or Meters		Tally of Joints Not Run		
	No.	Feet or Meters	No.	Feet or Meters	No.												
1	Shoe	1 85	51	39	54	101	38	22	151	39	08	201	39	35			
2		38 60	52	39	12	102	39	21	152	39	50	202	39	67	1	39	29
3		39 65	53	38	99	103	38	86	153	38	87	203	39	33	2	37	41
4	F.C.	1 45	54	39	16	104	38	92	154	39	52	204	39	13	3	39	47
5		39 19	55	39	50	105	39	02	155	39	32	205	39	50	4	39	30
6		39 60	56	39	50	106	39	66	156	38	93	206	39	44	5	39	49
7		39 57	57	39	68	107	35	09	157	39	51	207	39	49	6	39	36
8		39 26	58	39	50	108	39	50	158	37	88	208	39	20	7	39	58
9		39 45	59	39	09	109	39	10	159	39	51	209	39	49	8	38	74
10		39 47	60	39	50	110	39	50	160	39	51	210	39	49	9	39	65
11		39 69	61	39	53	111	39	50	161	39	38	211	39	36	10	39	43
12		39 33	62	39	25	112	39	51	162	39	50	212	38	11	11	39	49
13		39 33	63	39	50	113	39	32	163	39	32	213	39	27	12	39	50
14		38 89	64	39	67	114	39	39	164	39	40	214	39	50	13		
15		39 49	65	36	83	115	39	50	165	39	50	215	39	51	14	Running String	
16		39 32	66	38	70	116	39	23	166	39	46	216	39	50	15		
17		39 40	67	39	52	117	38	52	167	39	49	217	39	48	16	37	72
18		36 95	68	38	94	118	DV	3	168	39	50	218	39	48	17	39	39
19		38 38	69	39	68	119	39	65	169	36	76	219	39	25	18	39	49
20		36 62	70	36	44	120	39	50	170	38	37	220	39	64	19	39	41
21		38 25	71	39	05	121	39	51	171	39	50	221	39	51	20	39	50
22		36 80	72	39	64	122	39	64	172	39	54	222	39	49	21	39	24
23		36 88	73	39	51	123	39	53	173	39	51	223	39	49	22	39	13
24		39 17	74	38	01	124	39	50	174	39	50	224	38	64	23	39	49
25		39 42	75	38	63	125	39	22	175	39	50	225	39	45	24		
26		38 80	76	39	31	126	36	74	176	39	40	226	39	32	25		
27		39 35	77	39	40	127	39	43	177	39	40	227	38	65	26		
28		38 90	78	39	53	128	39	39	178	39	47	228	39	13	27		
29		37 40	79	39	50	129	39	67	179	39	22	229	39	60	28		
30		34 75	80	39	32	130	39	22	180	39	50	230	39	44	29		
31		38 29	81	39	35	131	39	03	181	38	89						
32		38 12	82	39	50	132	39	66	182	39	50						
33		38 29	83	37	76	133	39	53	183	39	43						
34		39 19	84	39	32	134	38	04	184	39	49						
35		39 27	85	36	40	135	38	25	185	39	50						
36		38 85	86	38	35	136	39	09	186	39	51						
37		36 23	87	39	50	137	38	80	187	39	03						
38		39 38	88	38	59	138	39	49	188	39	32						
39		39 32	89	39	49	139	39	04	189	39	49						
40		38 85	90	39	17	140	39	49	190	39	50						
41		37 10	91	39	69	141	39	69	191	39	36						
42		39 15	92	39	58	142	39	45	192	39	52						
43		39 53	93	39	50	143	39	49	193	39	35						
44		38 05	94	37	18	144	39	49	194	39	53						
45		39 19	95	39	34	145	39	38	195	39	53						
46		39 31	96	39	29	146	39	62	196	39	09						
47		39 05	97	39	65	147	39	06	197	39	24						
48		39 10	98	39	50	148	39	08	198	39	36						
49		39 50	99	39	65	149	39	25	199	39	50						
50		38 41	100	38	82	150	39	53	200	39	50						

No. Joints Delivered: 293
 No. Joints Run: 273
 Total Run - Overall: 10,978.61'
 10,665.24'
 Top Pipe Below:
 Rotary Drive Bushing
 Derrick Floor
 Depth Landed: 10,957.24
 Operational Data
 Casing Makeup Torque (9900) Triangle ft.-lbs.
 Hanging Weight @ Setting Depth 490,000... lbs.
 Pick Up Weight- Drag Setting Depth 510,000 lbs.
 Set Down Weight- Drag Setting Depth 450,000...
 Casing Hung in Tension w/ 426,000 lbs. on hanger

Item(s) No.	Pipe Run
1, 4, 118	Size 9-5/8" Weight _____ Grade _____ Type Joint Buttress Range _____ Qty. Shoe, F.C., DV
277	Size 9-5/8" Weight _____ Grade _____ Type Joint Buttress Range _____ Qty. Casing Hanger
2-3, 5-117	Size 9-5/8" Weight 47 Grade N-80 Type Joint Buttress Range 3 Qty. 273
119-276	Size 9-5/8" Weight 47 Grade N-80 Type Joint Buttress Range 3 Qty. 8