

YOLLA #1
BASS STRAIT

WELL : 1
PBHL : 0.00

REPORT UNITS : Feet
SURVEY REFERENCE : 901278.4AM

NO:	MEASURED DEPTH	DRIFT ANGLE	DRIFT DIRECTION	VERTICAL DEPTH	VERTICAL SECTION	RECTANGULAR		CLOSURE		DOGLEG DEG/100FT
						COORDINATES	DISTANCE	AZIMUTH		
1	0.00	0.00	0.00	0.00	0.00	0.00 N	0.00 E	0.00	90.00	0.00
2	1309.00	0.00	0.00	1309.00	0.00	0.00 N	0.00 E	0.00	90.00	0.00
3	1383.08	0.75	129.00	1383.08	-0.31	0.31 S	0.38 E	0.48	129.00	1.01
4	1477.20	0.75	125.00	1477.19	-1.05	1.05 S	1.36 E	1.72	127.57	0.06
5	1571.32	0.50	103.00	1571.30	-1.49	1.49 S	2.26 E	2.71	123.37	0.36
6	1665.44	0.50	112.00	1665.42	-1.74	1.74 S	3.05 E	3.51	119.71	0.08
7	1759.56	0.75	120.00	1759.54	-2.20	2.20 S	3.96 E	4.53	119.05	0.28
8	1853.68	0.50	118.00	1853.65	-2.70	2.70 S	4.86 E	5.56	119.08	0.27
9	1947.80	0.50	114.00	1947.77	-3.06	3.06 S	5.59 E	6.38	118.68	0.04
10	2041.92	0.25	72.00	2041.88	-3.16	3.16 S	6.16 E	6.93	117.17	0.38
11	2136.04	0.50	79.00	2136.00	-3.02	3.02 S	6.76 E	7.41	114.08	0.27
12	2230.16	0.50	83.00	2230.12	-2.89	2.89 S	7.57 E	8.11	110.91	0.04
13	2324.28	0.25	84.00	2324.24	-2.82	2.82 S	8.19 E	8.66	109.02	0.27
14	2512.52	0.00	84.00	2512.48	-2.78	2.78 S	8.59 E	9.03	107.92	0.13
15	2606.64	0.00	0.00	2606.59	-2.78	2.78 S	8.59 E	9.03	107.92	0.00
16	2700.76	0.25	108.00	2700.71	-2.84	2.84 S	8.79 E	9.24	107.92	0.27
17	2794.88	0.25	105.00	2794.83	-2.96	2.96 S	9.18 E	9.65	107.86	0.01
18	2889.00	0.00	105.00	2888.95	-3.01	3.01 S	9.38 E	9.85	107.80	0.27
19	2983.12	0.00	0.00	2983.07	-3.01	3.01 S	9.38 E	9.85	107.80	0.00
20	3077.24	0.25	85.00	3077.19	-2.99	2.99 S	9.59 E	10.04	107.35	0.27
21	3265.48	0.25	97.00	3265.43	-3.01	3.01 S	10.40 E	10.83	106.13	0.03
22	3359.60	0.25	90.00	3359.55	-3.03	3.03 S	10.81 E	11.23	105.68	0.03
23	3547.84	0.50	82.00	3547.79	-2.92	2.92 S	12.04 E	12.38	103.64	0.14
24	3736.08	0.50	7.00	3736.02	-1.99	1.99 S	12.95 E	13.10	98.74	0.32
25	3924.32	0.50	350.50	3924.25	-0.36	0.36 S	12.91 E	12.92	91.62	0.08
26	4018.44	0.50	18.00	4018.37	0.43	0.43 N	12.97 E	12.98	88.10	0.25
27	4112.56	0.75	18.00	4112.48	1.41	1.41 N	13.29 E	13.36	83.96	0.27
28	4206.68	1.00	18.00	4206.59	2.77	2.77 N	13.73 E	14.01	78.58	0.27
29	4300.80	0.75	6.00	4300.70	4.17	4.17 N	14.05 E	14.66	73.48	0.33
30	4394.92	1.25	25.50	4394.81	5.71	5.71 N	14.56 E	15.64	68.59	0.64
31	4489.04	1.00	18.00	4488.91	7.41	7.41 N	15.25 E	16.96	64.08	0.31
32	4583.16	0.75	24.00	4583.02	8.76	8.76 N	15.76 E	18.03	60.93	0.28
33	4677.28	0.75	33.00	4677.13	9.84	9.84 N	16.34 E	19.08	58.96	0.13
34	4771.40	0.75	43.00	4771.24	10.81	10.81 N	17.10 E	20.23	57.71	0.14
35	4865.52	0.75	18.00	4865.35	11.84	11.84 N	17.71 E	21.30	56.23	0.34
36	4959.64	0.75	58.00	4959.47	12.75	12.75 N	18.42 E	22.41	55.31	0.55
37	5053.76	0.75	33.00	5053.58	13.60	13.60 N	19.28 E	23.59	54.81	0.34

64

304297