

<p>Schlumberger BRIDGE PLUG at 1930.5 M. YDL1941 RUND4</p> <p>CSU Field Log</p>	
<p>COMPANY: AMOCO AUSTRALIA PETROLEUM CO. WELL: YDL1941</p>	<p>OTHER SERVICES-</p>
<p>FIELD: MILDORAT STATE: TASMANIA NATION: AUSTRALIA LOCATION: BASS STRAIT - OFFSHORE TAS</p>	<p>PROGRAM TAP: TUP LATITUDE: 039 50 18.96 S LONGITUDE: 145 48 21.2 E REG: RGE</p>
<p>DEPTH-BRILLER: 8033.0 M DEPTH-LOGGER: 8033.0 M BTH LOG INTERVAL: 1990.0 M TOP LOG INTERVAL: 1810.0 M CASING-BRILLER: 399 M CASING-LOGGER: 1753 M CASING LOG INTERVAL: 1337.8 M BIT HEIGHT: 20 LB/F 123.0 LB/F 48.5/8 LB/F BIT DEPTH: 26 399 M 17-1/2 128.0 LB/F 128.0/4 DEPTH: 1753 M 1982 M</p>	<p>ELEVATIONS- KPI: 10.0 M KBI: 10.0 M GL: -79.5 M DRUG MEASURED FROM: KB RFB 850910</p>
<p>DATE: 27 SEP 85 RUN NO: 4</p>	<p>PROGRAM TAP: TUP LATITUDE: 039 50 18.96 S LONGITUDE: 145 48 21.2 E REG: RGE</p>

TYPE FLUID IN HOLE: WATER-GEL-POLYMER
DENSITY: 9.8 LB/G
TIME CIRC. STOPPED: 1100/27
TIME LOGGER ON BTM.: 1700/27
MAX. REC. TEMP: 79.0 DEGC
LOGGING UNIT NO: 65
LOGGING UNIT LOC: VEA
RECORDED BY: WINSLOE
WITNESSED BY: C.A. WAGNER


REMARKS:
BRIDGE PLUG SET AT 1930.5 M. (6333.7 FT)
CCL TO CENTRE OF PACKER = 3.0 M.

EQUIPMENT NUMBERS-
CAL B 3934 SHM AA 404

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATIONS, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFUL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS AS SET OUT IN OUR CURRENT PRICE SCHEDULE.

CP 26.4 FILE 0 DATA ACQUIRED 00- 00 00:00


MRE	3.0000				
-17.00					
MLE	3.0000				
-17.00					
MDL	3.0000	GSS	10.000		
-17.00					
CCL	3.0000	GS1	10.000	TENS(LB)	2000.0
-19.00	1.0000	-10.00	10.000	0.0	



MRE	3.0000				
-17.00					
MLE	3.0000				
-17.00					
MDL	3.0000	GSS	10.000		
-17.00					
CCL	3.0000	GS1	10.000	TENS(LB)	2000.0
-19.00	1.0000	-10.00	10.000	0.0	

SENSOR MEASURE POINT TO TOOL ZERO
CCL 0.0 METER TENS 0.0 METER


NAME	VALUE	UNIT	NAME	VALUE	UNIT
BHS CASE			CSIZ	9.62500	IN
BS	12.2500	IN			



MRE	3.0000				
-17.00					
MLE	3.0000				
-17.00					
MDL	3.0000	GSS	10.000		
-17.00					
CCL	3.0000	GS1	10.000	TENS(LB)	2000.0
-19.00	1.0000	-10.00	10.000	0.0	

SENSOR MEASURE POINT TO TOOL ZERO
CCL 0.0 METER TENS 0.0 METER


NAME	VALUE	UNIT	NAME	VALUE	UNIT
BHS CASE			CSIZ	9.62500	IN
BS	12.2500	IN			



MRE	3.0000				
-17.00					
MLE	3.0000				
-17.00					
MDL	3.0000	GSS	10.000		
-17.00					
CCL	3.0000	GS1	10.000	TENS(LB)	2000.0
-19.00	1.0000	-10.00	10.000	0.0	

SENSOR MEASURE POINT TO TOOL ZERO
CCL 0.0 METER TENS 0.0 METER

NAME	VALUE	UNIT	NAME	VALUE	UNIT
BHS CASE			CSIZ	9.62500	IN
BS	12.2500	IN			



MRE	3.0000				
-17.00					
MLE	3.0000				
-17.00					
MDL	3.0000	GSS	10.000		
-17.00					
CCL	3.0000	GS1	10.000	TENS(LB)	2000.0
-19.00	1.0000	-10.00	10.000	0.0	

SENSOR MEASURE POINT TO TOOL ZERO
CCL 0.0 METER TENS 0.0 METER

NAME	VALUE	UNIT	NAME	VALUE	UNIT
BHS CASE			CSIZ	9.62500	IN
BS	12.2500	IN			

