

AMOCO
AUST.

Tilana No.1

329074

Data Printed at time 11:30
Data Recorded at time 06:39

Date Oct 9 '85
Date Sep 10 '85

6

F#	TIME	DEPTH m	ROP m/hr	TORQUE		RPM AVG	WOB AVG	PUMP PRES	RTRNS DEPTH	MW lb/gal		FLOW/MIN		TEMP (C) IN OUT	PVT	THIS BIT			COST		EST TW	DXC	NK	NKB	ECD	EST FM PR		
				AVG	MAX					IN	OUT	IN	OUT			REVS	m	hrs	INST	RUN								
250	0639	479.76	54.4	1.66	1.66	90	8.6	2500	467.63	8.84	8.78	830	0	12.5	16.4	249	8825	61.6	1.7	120	213	.85	.68	.66	.92	9.10	8.70	D
251	0640	480.11	28.0	1.66	1.66	90	8.7	2490	468.18	8.83	8.80	831	0	12.5	16.6	247	8893	61.9	1.7	205	213	.86	.82	.80	.92	9.09	8.70	D
252	0641	480.40	24.4	1.68	1.68	91	8.5	2500	468.63	8.81	8.93	831	0	12.5	16.8	246	8957	62.1	1.8	177	213	.86	.84	.82	.92	9.08	8.70	D
253	0642	480.98	27.5	1.52	1.52	90	9.3	2490	469.26	8.81	8.88	831	0	12.5	16.9	245	9054	62.8	1.8	239	213	.87	.83	.81	.92	9.07	8.70	D
254	0642	481.31	24.2	1.47	1.47	91	8.2	2500	469.84	8.84	8.80	832	0	12.5	16.9	244	9126	63.1	1.8	221	212	.88	.84	.82	.92	9.07	8.70	D
255	0643	481.60	28.4	1.52	1.52	90	9.5	2500	470.14	8.83	8.92	832	0	12.5	16.8	245	9165	63.4	1.8	167	212	.88	.83	.81	.92	9.07	8.70	D
256	0643	481.89	56.9	1.70	1.70	91	8.9	2500	470.27	8.83	8.92	833	0	12.5	16.8	244	9193	63.7	1.8	104	212	.88	.68	.66	.92	9.07	8.70	D
257	0644	482.20	16.3	1.51	1.51	91	8.8	2490	470.89	8.83	8.96	833	0	12.5	16.8	244	9288	64.0	1.8	251	211	.89	.93	.91	.92	9.06	8.70	D
258	0645	482.51	17.3	1.48	1.48	90	8.4	2480	471.50	8.83	9.06	832	0	12.5	16.7	242	9380	64.3	1.8	284	212	.90	.91	.89	.92	9.06	8.70	D
259	0646	482.83	37.6	1.42	1.42	92	7.6	2480	471.80	8.84	9.07	832	0	12.5	16.7	244	9423	64.6	1.8	228	212	.90	.74	.72	.92	9.06	8.70	D
260	0647	483.15	22.0	1.51	1.51	92	8.1	2480	472.29	8.84	9.07	833	0	12.5	16.7	244	9500	64.9	1.9	215	212	.91	.86	.84	.92	9.06	8.70	D
261	0647	483.41	24.3	1.52	1.52	90	10.2	2480	472.62	8.83	9.14	833	0	12.5	16.7	243	9546	65.2	1.9	158	211	.91	.88	.86	.92	9.05	8.70	D
262	0648	483.74	29.6	1.53	1.53	92	8.0	2490	473.09	8.83	9.14	834	0	12.5	16.7	242	9605	65.5	1.9	214	211	.92	.80	.78	.92	9.05	8.70	D
263	0648	484.12	49.6	1.45	1.45	90	6.8	2480	473.40	8.81	9.17	834	0	12.5	16.7	241	9646	65.8	1.9	103	211	.92	.67	.65	.92	9.05	8.70	D
266	0655	485.33	48.0	.91	1.26	92	8.6	2420	474.43	8.82	9.08	768	0	12.5	16.6	261	9772	67.0	1.9	634	209	.93	.71	.70	.92	9.04	8.70	D
267	0655	485.91	32.9	1.25	1.33	97	7.6	2420	474.43	8.83	9.15	809	0	12.5	16.4	258	9814	67.6	1.9	100	208	.94	.75	.72	.92	9.05	8.70	D
268	0656	486.24	39.1	1.93	2.14	96	6.9	2420	474.43	8.83	9.15	817	0	12.5	16.4	257	9831	67.9	1.9	35	207	.94	.69	.65	.92	9.05	8.70	D
269	0656	486.85	41.2	1.89	1.89	94	6.2	2420	474.43	8.83	9.14	828	0	12.5	16.2	255	9903	68.6	1.9	184	206	.94	.70	.68	.92	9.08	8.70	D
270	0657	487.08	16.3	1.39	1.39	89	7.5	2410	474.43	8.82	9.08	830	0	12.5	16.1	253	9975	68.9	1.9	249	206	.95	.90	.88	.92	9.08	8.70	D
271	0658	487.41	23.3	1.54	1.54	87	8.7	2420	474.43	8.82	9.00	830	0	12.5	16.1	250	10046	69.2	2.0	301	206	.95	.85	.83	.92	9.08	8.70	D
272	0658	487.70	46.1	1.46	1.46	87	8.0	2530	474.43	8.82	9.00	830	0	12.5	16.1	250	10069	69.5	2.0	124	206	.95	.70	.68	.92	9.09	8.70	D
273	0659	487.99	23.0	1.51	1.51	89	10.1	2550	474.57	8.82	8.93	845	0	12.5	16.1	248	10134	69.8	2.0	184	205	.96	.88	.86	.92	9.10	8.70	D
274	0700	488.34	26.8	1.65	1.65	93	8.8	2570	475.14	8.82	8.91	854	0	12.5	16.3	247	10206	70.1	2.0	274	206	.97	.83	.81	.92	9.09	8.70	D
275	0701	488.61	15.3	1.43	1.43	92	9.1	2600	476.85	8.82	8.84	855	0	12.5	16.8	247	10291	70.4	2.0	273	206	.97	.95	.93	.92	9.08	8.70	D
276	0701	488.93	36.9	1.54	1.54	93	7.7	2610	477.11	8.82	8.84	858	0	12.5	16.8	245	10339	70.7	2.0	229	206	.98	.75	.73	.92	9.07	8.70	D
277	0702	489.22	12.9	1.37	1.37	94	8.2	2610	477.79	8.81	8.79	864	0	12.5	16.6	244	10462	71.0	2.0	362	206	.99	.97	.95	.92	9.06	8.70	D
278	0703	489.66	97.2	1.41	1.41	94	8.1	2610	477.89	8.80	8.90	864	0	12.5	16.2	243	10482	71.3	2.0	97	206	.99	.57	.55	.92	9.06	8.70	D
279	0705	490.13	12.5	1.57	1.57	94	8.5	2620	479.37	8.80	8.94	864	0	12.5	16.3	242	10685	71.9	2.1	258	206	1.01	.99	.96	.92	9.05	8.70	D
280	0706	490.48	26.9	1.33	1.33	94	8.1	2630	479.83	8.83	9.07	865	0	12.5	16.4	240	10752	72.2	2.1	223	206	1.01	.82	.80	.92	9.05	8.70	D
281	0706	490.74	16.7	1.56	1.56	93	7.7	2540	480.31	8.80	9.05	864	0	12.5	16.4	241	10837	72.5	2.1	254	206	1.02	.91	.89	.92	9.05	8.70	D
282	0708	491.34	26.3	1.50	1.50	92	8.7	2410	480.80	8.81	9.27	835	0	12.5	16.5	240	10939	73.1	2.1	99	206	1.03	.84	.82	.92	9.04	8.70	D
283	0708	491.68	28.3	1.45	1.45	91	9.4	2410	481.21	8.82	9.23	828	0	12.5	16.5	240	11002	73.4	2.1	190	206	1.03	.84	.81	.92	9.05	8.70	D
284	0709	492.00	18.5	1.44	1.44	92	7.4	2410	481.68	8.82	9.23	827	0	12.5	16.5	241	11090	73.8	2.1	261	206	1.04	.88	.86	.92	9.04	8.70	D
285	0710	492.26	15.7	1.34	1.34	92	8.0	2410	481.98	8.82	9.23	828	0	12.5	16.5	241	11160	74.1	2.2	221	206	1.04	.93	.90	.92	9.04	8.70	D
286	0711	492.56	25.8	1.57	1.57	92	7.8	2400	482.26	8.81	9.17	827	0	12.5	16.5	241	11225	74.4	2.2	187	206	1.05	.82	.80	.92	9.04	8.70	D
287	0712	492.86	11.6	1.60	1.60	93	7.4	2410	482.72	8.81	9.14	828	0	12.5	16.5	241	11329	74.7	2.2	461	207	1.05	.97	.95	.92	9.04	8.70	D
288	0713	493.17	20.6	1.32	1.32	91	7.6	2420	483.15	8.81	9.14	828	0	12.5	16.5	241	11410	75.0	2.2	405	207	1.06	.86	.84	.92	9.04	8.70	D
289	0733	493.53	18.6	1.43	1.78	101	7.9	2400	488.55	8.82	9.04	828	0	12.4	15.8	261	12150	75.2	2.4	450	221	1.10	.86	.83	.92	8.94	8.70	D
292	0734	495.49	41.8	.91	.91	101	9.8	2390	488.79	8.82	9.15	819	0	12.4	15.7	258	12196	77.3	2.4	11	216	1.10	.75	.72	.92	8.97	8.70	D
293	0734	495.93	50.8	1.06	1.06	98	7.0	2390	489.13	8.82	9.15	824	0	12.4	15.7	256	12247	77.7	2.4	101	215	1.11	.69	.67	.92	8.98	8.70	D
294	0735	496.22	32.5	.99	.99	99	5.4	2390	489.34	8.83	9.09	826	0	12.4	15.8	254	12284	78.0	2.4	119	215	1.11	.74	.72	.92	8.98	8.70	D
295	0735	496.63	38.7	1.94	1.94	98	6.9	2390	489.35	8.83	9.09	827	0	12.4	15.8	253	12346	78.3	2.4	124	214	1.11	.74	.72	.92	8.98	8.70	D
296	0736	497.13	70.4	1.74	1.74	93	9.4	2390	489.38	8.82	9.20	828	0	12.4	15.8	251	12383	78.9	2.5	78	213	1.12	.66	.63	.92	8.99	8.70	D
297	0736	497.43	33.0	1.50	1.50	91	7.8	2400	489.59	8.82	9.20	828	0	12.4	15.8	250	12433	79.2	2.5	132	213	1.12	.78	.75	.92	8.99	8.70	D
298	0737	497.74	75.2	1.63	1.63	90	10.2	2390	489.65	8.80	9.16	827	0	12.4	16.0	250	12454	79.5	2.5	92	212	1.12	.65	.62	.93	8.99	8.70	D
299	0737	498.07	57.0	1.51	1.51	92	7.5	2400	489.77	8.80	9.16	827	0	12.4	16.0	249	12483	79.8	2.5	85	212	1.12	.67	.64	.92	9.00	8.70	D
300	0737	498.36	61.4	1.43	1.43	92	7.5	2390	489.87	8.80	9.16	827	0	12.4	16.0	248	12502	80.1	2.5	95	211	1.13	.65	.62	.93	9.00	8.70	D
301	0738	498.83	58.0	1.39	1.39	91	8.0	2390	490.02	8.82	9.17	826	0															