

F#	TIME	DEPTH m	ROP m/hr	TORQUE		RPM AVG	WOB AVG	PUMP PRES	RTRNS DEPTH	MW lb/gal		FLOW/MIN		TEMP (C)		PVT	THIS BIT			COST		EST TW	DXC	NK	NXB	ECD	EST	
				AVG	MAX					IN	OUT	IN	OUT	IN	OUT		REVS	m	hrs	INST	RUN						FM	PR
834	1553	742.19	24.9	2.35	2.35	97	20.5	2510	733.07	8.54	8.70	839	0	12.6	16.5	190	36576	324	6.8	251	123	2.74	1.09	1.00	1.01	8.74	8.70	D
835	1553	742.51	61.9	2.31	2.31	96	22.6	2510	733.60	8.54	8.70	839	0	12.6	16.5	185	36604	324	6.8	84	123	2.74	.87	.79	1.01	8.74	8.70	D
836	1554	742.87	40.6	2.03	2.03	97	22.0	2510	734.38	8.54	8.70	838	0	12.6	16.5	187	36654	325	6.8	136	123	2.74	.98	.89	1.01	8.73	8.70	D
837	1555	743.16	26.3	2.13	2.42	96	23.0	2520	735.30	8.54	8.70	838	0	12.6	16.5	186	36712	325	6.9	192	123	2.75	1.10	1.01	1.01	8.73	8.70	D
838	1555	743.45	41.1	1.86	1.86	98	22.0	2520	735.56	8.54	8.69	839	0	12.6	16.4	182	36753	325	6.9	199	123	2.75	.98	.89	1.01	8.72	8.70	D
839	1555	743.72	30.3	1.88	1.88	98	22.0	2520	735.88	8.54	8.69	839	0	12.6	16.4	184	36802	326	6.9	170	123	2.75	1.06	.97	1.01	8.72	8.70	D
840	1556	744.10	43.6	2.06	2.06	98	21.7	2520	736.15	8.51	8.70	840	0	12.6	16.6	183	36850	326	6.9	128	123	2.76	.96	.87	1.01	8.72	8.70	D
841	1557	744.68	29.1	1.94	1.94	98	20.8	2520	736.23	8.51	8.70	840	0	12.6	16.6	180	36945	326	6.9	214	123	2.76	1.06	.97	1.01	8.73	8.70	D
842	1557	744.97	60.3	1.94	1.94	98	20.9	2520	736.25	8.51	8.70	840	0	12.6	16.6	177	36972	327	6.9	121	123	2.76	.87	.78	1.01	8.73	8.70	D
843	1558	745.24	33.1	1.78	1.78	98	19.7	2520	736.25	8.53	8.77	840	0	12.5	16.9	177	37017	327	6.9	134	123	2.77	1.01	.92	1.01	8.74	8.70	D
844	1558	745.59	26.3	1.92	1.92	98	20.9	2520	736.25	8.53	8.77	840	0	12.5	16.9	177	37096	327	6.9	233	123	2.77	1.08	.99	1.01	8.74	8.70	D
845	1559	745.88	30.1	1.96	1.96	99	20.0	2520	736.25	8.55	8.85	840	0	12.6	17.0	177	37142	328	6.9	131	123	2.78	1.04	.95	1.01	8.74	8.70	D
846	1600	746.47	34.4	1.92	1.92	99	19.6	2520	736.25	8.55	8.85	840	0	12.6	17.0	174	37228	328	6.9	190	123	2.78	1.00	.91	1.01	8.75	8.70	D
847	1600	746.82	38.6	1.78	1.78	98	18.7	2530	736.25	8.54	8.88	840	0	12.5	17.1	171	37277	329	7.0	190	123	2.78	.95	.87	1.01	8.75	8.70	D
848	1600	747.08	64.8	1.81	1.81	99	18.2	2530	736.25	8.54	8.88	840	0	12.5	17.1	173	37298	329	7.0	65	123	2.79	.82	.73	1.01	8.76	8.70	D
849	1601	747.38	52.0	1.83	1.83	98	18.3	2520	736.25	8.54	8.88	840	0	12.5	17.1	172	37330	329	7.0	88	123	2.79	.87	.79	1.01	8.76	8.70	D
850	1601	747.73	42.9	1.82	1.82	99	19.3	2530	736.25	8.54	8.88	840	0	12.5	17.1	170	37374	329	7.0	132	123	2.79	.94	.85	1.01	8.76	8.70	D
851	1602	747.99	43.7	1.98	1.98	99	19.0	2520	736.25	8.54	8.88	840	0	12.5	17.1	171	37402	330	7.0	78	123	2.79	.93	.84	1.01	8.77	8.70	D
852	1602	748.30	55.3	1.98	1.98	98	21.6	2530	736.25	8.54	8.88	840	0	12.5	17.1	167	37435	330	7.0	137	123	2.80	.89	.80	1.01	8.77	8.70	D
853	1602	748.60	35.2	2.06	2.06	98	21.8	2530	736.25	8.54	8.98	840	0	12.5	17.1	171	37483	330	7.0	135	123	2.80	1.01	.92	1.01	8.77	8.70	D
854	1603	748.93	72.2	1.88	1.88	100	20.7	2520	736.25	8.54	8.98	840	0	12.5	17.1	167	37509	331	7.0	84	123	2.80	.82	.73	1.01	8.78	8.70	D
855	1603	749.22	36.5	1.89	1.89	98	21.0	2530	736.25	8.54	8.98	839	0	12.5	17.1	169	37552	331	7.0	121	123	2.80	.99	.90	1.01	8.78	8.70	D
856	1603	749.51	63.2	1.94	1.94	99	22.9	2500	736.25	8.54	8.98	839	0	12.5	17.1	165	37577	331	7.0	78	123	2.80	.87	.78	1.01	8.78	8.70	D
857	1610	749.88	46.3	1.16	1.16	98	23.0	2510	737.55	8.55	9.00	831	0	12.5	17.1	241	37593	332	7.0	94	122	2.81	.96	.87	1.01	8.75	8.70	DX
858	1612	751.64	27.7	1.65	1.65	102	21.5	2570	737.68	8.55	8.79	839	0	12.3	17.0	244	37707	333	7.0	175	122	2.81	.97	.89	1.01	8.76	8.70	D
859	1612	751.98	60.3	1.79	1.79	104	17.7	2600	737.68	8.55	8.79	831	0	12.3	17.0	245	37745	334	7.0	97	122	2.82	.84	.76	1.01	8.78	8.70	D
860	1613	752.25	24.7	1.69	1.69	102	19.4	2600	737.68	8.55	8.79	822	0	12.3	17.0	241	37797	334	7.0	149	122	2.82	1.08	.99	1.01	8.79	8.70	D
861	1613	752.55	46.8	1.72	1.72	103	17.8	2570	737.81	8.55	8.59	837	0	12.2	16.5	241	37836	334	7.0	100	122	2.82	.90	.82	1.01	8.80	8.70	D
862	1613	752.86	59.5	1.83	1.83	102	19.4	2560	738.02	8.55	8.59	840	0	12.2	16.5	240	37863	335	7.0	93	122	2.82	.86	.77	1.01	8.80	8.70	D
863	1614	753.27	63.9	1.88	1.88	103	21.1	2560	738.30	8.55	8.59	842	0	12.2	16.5	240	37903	335	7.1	109	122	2.83	.86	.77	1.01	8.80	8.70	D
864	1614	753.80	56.8	1.98	1.98	102	23.5	2550	738.72	8.55	8.59	843	0	12.2	16.5	237	37947	336	7.1	101	122	2.83	.91	.82	1.01	8.81	8.70	D
865	1614	754.08	56.1	1.95	1.95	102	25.0	2560	738.93	8.55	8.59	844	0	12.2	16.5	238	37976	336	7.1	87	122	2.83	.93	.84	1.01	8.81	8.70	D
866	1615	754.38	52.5	1.97	1.97	103	25.8	2560	739.24	8.56	8.64	844	0	12.2	16.2	236	38010	336	7.1	84	122	2.83	.96	.87	1.01	8.81	8.70	D
867	1615	754.71	62.0	2.01	2.01	103	25.6	2560	739.48	8.56	8.64	844	0	12.2	16.2	234	38039	336	7.1	82	122	2.83	.91	.82	1.01	8.81	8.70	D
868	1615	755.03	70.2	2.09	2.09	101	25.8	2560	739.72	8.56	8.64	844	0	12.2	16.2	236	38065	337	7.1	104	122	2.84	.88	.78	1.01	8.81	8.70	D
869	1615	755.31	49.5	2.00	2.00	102	26.2	2550	740.04	8.56	8.64	845	0	12.2	16.2	234	38097	337	7.1	87	122	2.84	.98	.88	1.01	8.81	8.70	D
870	1616	755.60	61.7	2.05	2.05	102	25.4	2560	740.28	8.56	8.64	844	0	12.2	16.2	233	38119	337	7.1	92	122	2.84	.91	.82	1.01	8.81	8.70	D
871	1616	755.94	44.4	1.96	1.96	103	25.7	2560	740.61	8.56	8.69	844	0	12.3	16.3	233	38164	338	7.1	106	122	2.85	1.01	.91	1.01	8.81	8.70	D
872	1617	756.55	51.2	2.02	2.02	101	26.7	2570	741.07	8.56	8.69	845	0	12.3	16.3	232	38224	338	7.1	90	122	2.85	.97	.88	1.01	8.81	8.70	D
873	1617	756.87	52.7	2.01	2.01	102	26.1	2570	741.32	8.56	8.63	844	0	12.3	17.4	231	38258	339	7.1	123	122	2.85	.96	.86	1.01	8.81	8.70	D
874	1617	757.13	48.8	1.98	1.98	102	26.0	2570	741.56	8.56	8.63	844	0	12.3	17.4	230	38288	339	7.1	79	122	2.85	.98	.88	1.01	8.81	8.70	D
875	1618	757.43	47.9	1.97	1.97	102	26.4	2570	741.81	8.56	8.63	844	0	12.3	17.4	229	38326	339	7.1	115	122	2.86	.99	.89	1.01	8.81	8.70	D
876	1618	757.75	76.9	1.93	2.14	102	25.6	2570	741.99	8.56	8.63	845	0	12.3	17.4	229	38351	339	7.1	86	122	2.86	.86	.76	1.01	8.81	8.70	D
877	1618	757.75	76.9	1.93	2.14	102	25.6	2570	741.99	8.56	8.63	845	0	12.3	17.4	229	38351	339	7.1	86	122	2.86	.86	.76	1.01	8.81	8.70	D
878	1619	758.36	44.4	1.97	1.97	102	25.1	2570	742.53	8.54	8.45	845	0	12.3	18.3	227	38424	340	7.1	119	121	2.86	1.00	.90	1.01	8.81	8.70	D
879	1619	758.66	43.9	2.03	2.30	101	23.8	2550	742.77	8.54	8.45	845	0	12.3	18.3	225	38463	340	7.1	107	121	2.87	.98	.89	1.01	8.81	8.70	D
880	1625	760.81	47.6	1.62	1.62	95	22.5	2480	744.02	8.54	8.73	828	0	12														