

F#	TIME	DEPTH m	ROP m/hr	TORQUE		RPM		JOB	PUMP	RTNS		MW lb/gal		FLOW/MIN		TEMP (C)		PVT	-----THIS BIT-----			EST	DXC	NK	NKB	ECD	EST
				AVG	MAX	AVG	AVG			PRES	DEPTH	IN	OUT	IN	OUT	IN	OUT		REVS	m	hrs						
996	0538	3635.3	2.37	4.36	5.17	79	45.3	3040	3678.2	9.32	9.77	538	615	53.2	64.6	552	322321	230	62.5	2136	1463	2.56	1.33	1.74	6.01	9.85	8.70
997	0549	3636.6	2.67	4.04	5.58	32	42.5	2910	3678.8	9.83	9.74	575	570	62.7	64.4	563	322521	230	62.7	2033	1464	2.56	1.75	1.67	6.02	9.85	8.70
998	0554	3636.9	3.37	4.61	7.47	33	45.3	2940	3679.4	9.79	9.76	690	590	35.8	64.2	557	323039	230	62.7	1357	1464	2.57	1.74	1.66	6.02	9.88	8.70
999	0602	3637.2	3.63	4.54	7.71	32	42.7	3050	3680.0	9.81	9.79	590	633	63.3	63.9	561	323524	231	62.8	1372	1464	2.57	1.67	1.59	6.02	9.88	8.70
1000	0606	3637.5	4.44	4.51	5.24	81	45.5	3350	3680.4	9.75	9.81	589	602	63.2	63.9	557	323833	231	62.9	1070	1463	2.57	1.64	1.56	6.02	9.88	8.70
1001	0611	3637.8	5.53	4.57	7.78	32	44.1	3050	3680.7	9.73	9.80	591	629	63.2	64.1	558	324107	231	62.9	952	1463	2.57	1.57	1.48	6.02	9.89	8.70
1002	0614	3638.1	4.87	4.45	5.17	36	43.9	3350	3681.0	9.76	9.79	591	614	63.1	64.5	555	324440	232	63.0	995	1462	2.58	1.62	1.53	6.02	9.89	8.70
1003	0618	3638.4	4.39	4.35	4.85	81	45.9	3340	3681.4	9.77	9.77	591	572	63.0	64.5	555	324761	232	63.1	1244	1462	2.58	1.65	1.56	6.02	9.90	8.70
1004	0622	3638.7	5.58	4.18	4.75	30	44.3	3050	3681.6	9.77	9.77	590	536	63.0	64.5	556	325034	232	63.1	1041	1461	2.58	1.57	1.48	6.02	9.90	8.70
1005	0626	3639.0	4.15	4.32	4.83	81	47.8	3340	3681.9	9.80	9.74	591	584	63.1	64.7	559	325333	233	63.2	1267	1461	2.58	1.69	1.60	6.02	9.90	8.70
1006	0630	3639.3	4.87	4.32	4.88	81	47.2	3050	3682.1	9.80	9.74	592	582	63.1	64.7	559	325631	233	63.3	1003	1460	2.59	1.63	1.55	6.03	9.91	8.70
1007	0634	3639.6	4.54	4.42	4.83	30	43.7	3040	3682.4	9.80	9.74	591	606	63.1	64.7	558	326014	233	63.3	1036	1459	2.59	1.67	1.58	6.03	9.91	8.70
1008	0638	3639.9	3.94	4.60	5.61	81	49.1	3050	3682.7	9.77	9.75	592	581	63.0	65.1	559	326377	233	63.4	1247	1459	2.59	1.71	1.63	6.03	9.91	8.70
1009	0642	3640.2	4.54	4.13	5.07	81	47.2	3050	3682.9	9.76	9.75	591	555	63.2	65.5	560	326703	234	63.5	1095	1459	2.59	1.65	1.56	6.03	9.92	8.70
1010	0647	3640.5	4.23	4.30	7.69	90	46.7	2990	3683.1	9.76	9.76	591	554	63.3	65.4	561	327036	234	63.5	1117	1458	2.59	1.69	1.60	6.03	9.92	8.70
1011	0651	3640.8	4.16	4.29	4.70	84	47.3	3310	3683.2	9.76	9.75	584	580	63.3	65.4	560	327450	234	63.6	1043	1458	2.60	1.69	1.60	6.03	9.93	8.70
1012	0656	3691.1	3.51	3.99	4.57	84	47.3	3310	3683.3	9.77	9.73	586	576	63.1	65.6	561	327891	235	63.7	1070	1458	2.60	1.73	1.65	6.03	9.93	8.70
1013	0703	3691.4	2.65	3.82	4.29	84	47.6	3300	3683.9	9.76	9.76	586	593	63.2	65.6	561	328463	235	63.8	2445	1458	2.60	1.82	1.73	6.03	9.94	8.70
1014	0711	3691.7	2.37	3.94	4.45	84	47.3	3310	3684.5	9.77	9.77	586	646	61.3	66.0	563	329117	235	63.9	2095	1459	2.61	1.85	1.76	6.03	9.94	8.70
1015	0716	3692.0	3.46	3.84	4.48	84	48.1	2310	3684.7	9.76	9.79	554	627	62.6	65.6	563	329563	236	64.0	1440	1459	2.61	1.75	1.66	6.03	9.93	8.70
1016	0722	3692.3	2.89	3.89	4.50	83	47.7	3310	3685.0	9.79	9.78	586	636	62.5	65.8	561	330039	236	64.1	2262	1460	2.62	1.79	1.70	6.04	9.93	8.70
1017	0727	3692.7	3.59	4.44	5.55	89	45.9	3040	3685.3	9.78	9.79	591	634	62.9	65.9	562	330542	236	64.2	1352	1459	2.62	1.74	1.65	6.04	9.93	8.70
1018	0731	3693.0	4.55	4.64	5.81	81	46.9	3030	3685.4	9.76	9.79	589	664	62.9	65.7	560	330867	237	64.3	986	1459	2.62	1.64	1.56	6.04	9.93	8.70
1019	0751	3694.2	2.50	4.60	7.80	90	46.9	3340	3686.2	9.46	9.77	592	637	63.3	67.0	461	331079	238	64.3	1473	1452	2.62	1.74	1.66	6.04	9.93	8.70
NB#19 SMITH F2 12.25" with 3x14 jets. Start depth 3694.3m.																											
4	2336	3694.5	1.64	3.80	4.20	83	27.7	2900	3694.3	10.0	10.2	556	740	36.1	39.0	385	53	.24	.0	1971	1E+05	.00	1.63	1.64	6.05	9.93	8.70
5	2344	3694.8	1.95	3.70	4.67	82	29.5	3320	3694.3	10.0	9.95	568	760	35.0	49.7	388	668	.55	.1	5073	.01	1.61	1.61	6.05	10.15	8.70	
6	2351	3695.1	3.61	3.78	4.28	80	30.7	3020	3694.3	9.93	9.75	570	745	37.4	50.1	336	1068	.85	.2	1375	29032	.02	1.47	1.47	6.05	10.16	8.70
7	2353	3695.4	9.40	3.75	4.00	79	39.7	3020	3694.3	9.93	9.75	571	765	37.4	50.1	395	1213	1.16	.2	693	21513	.02	1.33	1.33	6.05	10.16	8.70
8	2357	3695.7	4.43	3.82	4.65	82	37.0	3030	3694.3	9.83	9.77	574	752	38.8	50.4	382	1535	1.47	.3	903	17213	.02	1.50	1.50	6.05	10.16	8.70
Date Oct 24 '85																											
9	0002	3696.0	3.69	3.73	4.36	86	37.7	3020	3694.3	9.81	9.80	573	792	40.1	51.1	386	1962	1.77	.4	1223	14487	.03	1.57	1.58	6.05	10.16	8.70
10	0007	3696.3	3.32	3.99	7.58	83	38.9	3050	3694.3	9.81	9.88	577	827	41.5	52.7	387	2419	2.08	.5	1491	12574	.04	1.61	1.61	6.05	10.15	8.70
11	0012	3696.6	4.15	3.88	4.66	74	41.4	3340	3694.3	9.83	9.87	580	736	43.8	54.8	385	2758	2.37	.6	1184	11187	.04	1.55	1.55	6.05	10.14	8.70
12	0013	3696.9	3.11	3.99	4.73	72	42.0	3050	3694.3	9.84	9.84	579	636	44.9	54.4	333	3200	2.67	.7	3410	10098	.05	1.63	1.63	6.06	10.14	8.70
13	0023	3697.2	3.16	3.56	4.75	81	41.0	3050	3694.3	9.81	9.81	579	705	46.0	54.2	330	3648	2.99	.8	1663	9174	.05	1.64	1.65	6.05	10.13	8.70
14	0028	3697.5	3.66	3.87	4.63	81	40.0	3040	3694.3	9.83	9.88	579	694	47.7	54.8	379	4069	3.28	.8	1684	3597	.06	1.59	1.60	6.06	10.12	8.70
15	0034	3697.8	3.42	3.71	4.73	81	39.9	3010	3694.3	9.79	9.88	579	704	48.4	55.2	374	4499	3.59	.9	1524	7888	.07	1.61	1.61	6.06	10.11	8.70
16	0039	3698.1	3.22	3.58	4.66	81	40.8	2940	3694.3	9.82	9.91	581	782	49.0	55.7	372	4958	3.89	1.0	1436	7404	.07	1.64	1.64	6.06	10.11	8.70
19	0107	3699.1	1.54	3.91	4.70	87	40.5	3040	3694.3	9.84	9.69	577	546	52.7	57.5	373	7307	4.82	1.5	2902	6447	.11	1.86	1.86	6.06	10.06	8.70
20	0115	3699.4	2.37	3.96	4.80	86	41.7	3020	3694.3	9.82	9.47	577	623	53.4	58.4	369	7956	5.10	1.6	2435	6218	.12	1.76	1.76	6.06	10.05	8.70
21	0125	3699.7	1.77	3.80	4.72	79	41.4	3020	3694.3	9.83	9.38	578	926	54.0	58.2	382	8762	5.43	1.8	3401	5999	.13	1.81	1.82	6.06	10.03	8.70
22	0137	3700.0	1.50	3.63	4.66	79	39.8	3060	3694.5	9.92	9.20	580	780	55.0	58.4	378	9731	5.71	2.0	3802	5883	.14	1.84	1.84	6.07	10.01	8.70
23	0145	3700.3	2.34	3.73	4.60	78	39.6	3040	3694.8	9.83	9.51	581	618	55.6	58.1	379	10342	6.01	2.1	2204	5723	.15	1.72	1.72	6.06	10.00	8.70
24	0156	3700.6	1.61	3.78	4.73	78	39.0	3340	3695.7	9.80	9.53	585	599	55.5	58.6	377	11224	6.35	2.3	2351	5545	.17	1.81	1.81	6.07	9.99	8.70
25	0235	3700.9	3.40	3.42	4.62	87	38.4	2730	3697.4	9.90	9.85	581	514	56.1	58.7	380	12904	6.65	2.6	2646	5568	.19	1.63	1.63	6.07	9.98	8.70
26	0251	3701.2	1.61	3.65	4.83	82	33.9	2750	3696.5	9.92	9.78	596	576	56.8	57.5	378	13832	6.95	2.8	3154	5436	.20	1.82	1.82	6.07	9.99	8.70
27	0308	3701.5	1.97	3.57	5.04	84	40.7	3050	3697.2	9.83	9.91	598	634	57.0	59.8	378	15361	7.24	3.1	2774	5423	.23	1.90	1.79			