

CP 28.2 FILE 21 30-OCT-85 22:34

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

PARAMETERS

NAME	VALUE	UNIT	NAME	VALUE	UNIT
BS	8.00000	IN	BHS	OPEN	
FLD	1.00000	G/C3	HPT	119.786	DEGC
TZRV	453.000	OHMS	TCRV	761.450	OHMS
HPSN	974		RPU	PSIG	
RFTT	119.800	DEGC	FDEP	3183.00	M
SGSN	968		CDAT	5 06 85	

SENSOR MEASURE POINT TO TOOL ZERO

TENS 7.90 METER GR 6.38 METER

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

CP 28.2 FILE 4 30-OCT-85 23:03



CP 28.2 FILE 4 30-OCT-85 23:09

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

PARAMETERS

NAME	VALUE	UNIT	NAME	VALUE	UNIT
BS	8.00000	IN	BHS	OPEN	
FLD	1.00000	G/C3	HPT	119.786	DEGC
TZRV	453.000	OHMS	TCRV	761.450	OHMS
HPSN	974		RPU	PSIG	
RFTT	119.800	DEGC	FDEP	3182.51	M
SGSN	968		CDAT	5 06 85	

SENSOR MEASURE POINT TO TOOL ZERO

TENS 7.90 METER GR 6.38 METER

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

CP 28.2 FILE 5 30-OCT-85 23:10



CP 28.2 FILE 5 30-OCT-85 23:14

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

PARAMETERS

NAME	VALUE	UNIT	NAME	VALUE	UNIT
BS	8.00000	IN	BHS	OPEN	
FLD	1.00000	G/C3	HPT	119.786	DEGC
TZRV	453.000	OHMS	TCRV	761.450	OHMS
HPSN	974		RPU	PSIG	
RFTT	119.800	DEGC	FDEP	3215.00	M
SGSN	968		CDAT	5 06 85	

SENSOR MEASURE POINT TO TOOL ZERO

TENS 7.90 METER GR 6.38 METER

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

CP 28.2 FILE 6 30-OCT-85 23:18



CP 28.2 FILE 6 30-OCT-85 23:25

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

PARAMETERS

NAME	VALUE	UNIT	NAME	VALUE	UNIT
BS	8.00000	IN	BHS	OPEN	
FLD	1.00000	G/C3	HPT	119.786	DEGC
TZRV	453.000	OHMS	TCRV	761.450	OHMS
HPSN	974		RPU	PSIG	
RFTT	119.800	DEGC	FDEP	3214.48	M
SGSN	968		CDAT	5 06 85	

SENSOR MEASURE POINT TO TOOL ZERO

TENS 7.90 METER GR 6.38 METER

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

CP 28.2 FILE 7 30-OCT-85 23:27



CP 28.2 FILE 7 30-OCT-85 23:31

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

PARAMETERS

NAME	VALUE	UNIT	NAME	VALUE	UNIT
BS	8.00000	IN	BHS	OPEN	
FLD	1.00000	G/C3	HPT	119.786	DEGC
TZRV	453.000	OHMS	TCRV	761.450	OHMS
HPSN	974		RPU	PSIG	
RFTT	119.800	DEGC	FDEP	3226.49	M
SGSN	968		CDAT	5 06 85	

SENSOR MEASURE POINT TO TOOL ZERO

TENS 7.90 METER GR 6.38 METER

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

CP 28.2 FILE 8 30-OCT-85 23:33



CP 28.2 FILE 8 30-OCT-85 23:39

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

HPGP(PSIA) 0.0 10000.	HPGP(PSIA) 0.0 200.00	HPT (DEGC) 50.000 150.00
GR (GAPI) 0.0 150.00	HPGP(PSIA) -10.00 10.000	HPGP(PSIA) 0.0 1.0000

CP 28.2 FILE 9 30-OCT-85 23:45



CP 28.2 FILE 9 30-OCT-85 23:39

	HPGP(PSIA) 0.0 200.00	HPT (DEGC) 50.000 150.00
GR (GAPI) 0.0 150.00	HPGP(PSIA) -10.00 10.000	HPGP(PSIA) 0.0 1.0000

SENSOR MEASURE POINT TO TOOL ZERO

TENS 0.0 METER GR 6.38 METER

PARAMETERS

NAME	VALUE	UNIT	NAME	VALUE	UNIT
SGSN	968		CDAT	5 06 85	
RFTT	119.800	DEGC	FDEP	3226.49	M
HPSN	974		RPU	PSIG	
TZRV	453.000	OHMS	TCRV	761.450	OHMS
FLD	1.00000	G/C3	HPT	119.786	DEGC
BS	8.00000	IN	BHS	OPEN	

PARAMETERS

NAME	VALUE	UNIT	NAME	VALUE	UNIT
BS	8.00000	IN	BHS	OPEN	
FLD	1.00000	G/C3	HPT	119.786	DEGC
TZRV	453.000	OHMS	TCRV	761.450	OHMS
HPSN	974		RPU	PSIG	
RFTT	119.800	DEGC	FDEP	3226.49	M
SGSN	968		CDAT	5 06 85	

SENSOR MEASURE POINT TO TOOL ZERO

TENS 7.90 METER GR 6.38 METER

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

CP 28.2 FILE 10 30-OCT-85 23:45



CP 28.2 FILE 10 30-OCT-85 23:51

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

PARAMETERS

NAME	VALUE	UNIT	NAME	VALUE	UNIT
BS	8.00000	IN	BHS	OPEN	
FLD	1.00000	G/C3	HPT	119.786	DEGC
TZRV	453.000	OHMS	TCRV	761.450	OHMS
HPSN	974		RPU	PSIG	
RFTT	119.800	DEGC	FDEP	3226.40	M
SGSN	968		CDAT	5 06 85	

SENSOR MEASURE POINT TO TOOL ZERO

TENS 7.90 METER GR 6.38 METER

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

CP 28.2 FILE 11 30-OCT-85 23:52



CP 28.2 FILE 11 30-OCT-85 23:57

0.0 HPGP(PSIA) 10000.	-10.00 HPGP(PSIA) 10.000	0.0 HPGP(PSIA) 1.0000
-320.0 MSPE(RPS) 80.000	0.0 HPGP(PSIA) 200.00	50.000 HPT (DEGC) 150.00

```
  CONS SUMM :
 CONS  STAT PUNI TUNI VALU

 TSEL                 FIEL
 PINQ  ALLO           ■
 AUMS  ALLO           ■
 EML                  32767
 EMC                  ALL
 ADF   DISA           1
 TODI        S    S   15.0000 S
 TOPE                 ATTE
 TGRO                 BOTH
 TENV                 CHEC
 DAY                  30
 MONT                 10
 YEAR                 85
 PF                   LONG
 MMDU                 METE
 ORDU                 METE
 KPDU                 METE
 LQC   DISA           ■
 XM02
 XM01
 XM00
 AOM                  .ALARM.OFF.
 ALAR                 .ALARM.
 WTSM                 .TOOL.STICKING.
 LC24
 LC23
 LC22
 LC21
 LC20
 LC19
 LC18
 LC17
 LC16
 LC15
 LC14
 LC13
 LC12
 LC11
 LC10
 LC09
 LC08
 LC07
 LC06
 LC05
 LC04
 LC03
 LC02
 LC01
 PLOT                 HORN
 CVOL                 PRET
 TPT         S    S   20.0000 S
 TOFT        S    S   0.0 S
 PMOD                 SING
 CDAT                 5 06 85
 SGSN                 968
 TPRE        PSIG PSIG 0.0 PSIG
 ATEM        DEGF DEGF 63.0300 DEGF
 APRE        PSIA PSIA 14.7000 PSIA
 FDEP        M    M   3226.40 M
 RFTT  ALLO  DEGF DEGF 247.640 DEGF
 AOFF                 BOTH
 RLM                  LOG
 SGSO                 10K
 RPU                  PSIG
 J3HP                 0.
 J2HP                 3.070773E-23
 J1HP                 1.049432E-21
 J0HP                 6.047396E-18
 I3HP                 -1.816916E-18
 I2HP                 7.941267E-16
 I1HP                 -1.775450E-13
 I0HP                 1.897884E-10
 H3HP                 7.665808E-12
 H2HP                 -6.277075E-10
 H1HP                 -1.537252E-07
 H0HP                 9.342416E-03
 G3HP                 -5.448740E-06
 G2HP                 6.392061E-04
 G1HP                 -5.960189E-02
 G0HP                 -5.419202E03
 HPSN                 974
 TCRV        OHMS OHMS 761.450 OHMS
 TZRV        OHMS OHMS 453.000 OHMS
 HPT   DISA  DEGF DEGF 247.615 DEGF
 FLD         G/C3 G/C3 1.00000 G/C3
 CCTU                 DEGF
 FPHI                 PHIX
 FEXP                 2.00000
 FNUM                 1.00000
 SD          M    M   2496.92 M
 CSIZ        IN   IN  0.0 IN
 BHS                  OPEN
 RW          OHMM OHMM 1.00000 OHMM
 BS          IN   IN  8.00000 IN
 WSD   ALLO           ■
 NCOP                 0
 MBSI                 300
 DO2         M    M   0.0 M
 DO          M    M   0.0 M
 SPLI  DISA           0
 PM                   SING
 DIRE                 AUTO
 CMDT                 IDW
 MARK  DISA           ■
 TREF        LB   LB  1000.00 LB
 E           LB-1 LB-1 7.43000E-7  LB-1
 POS         M    M   0.0 M
 CGM                  NORM
 PP                   NORM
 SPEE        F/HR F/HR 6000 F/HR
 PANN                 ALL
 ODES                 NEIT
 LD                   FILM
 CSD                  FILM
 LSN                  0
 OMD                  UP
 UCON  ALLO           ■
 CDS                  ALL
 EDS                  PROP
 DIFF        M    M   .304800 M
```

CP 28.2 FILE 0 31-OCT-85 10:06

RFT PRESSURE TEST SUMMARY.

FILE NO.	SEAT NO.	DEPTH METERS	RFT HYDRO PSIG	RFT FO.PR PSIG	HP HYDRO PSIA	HP FORM.PR PSIA	REMARKS
4	1	2884.	4911	4245	4967	4291.	GOOD TEST.
5	2	2884.	4901		4947	.	SEAL FAILURE
6	33	2966.5	5080		5103	.	SEAL FAILURE.
7	4	2966.2	5064		5090	.	SEAL FAILURE.
9	5	2966.2	5064		5090	.	SEAL FAILURE
11	6	3020.5	5179		5209	.	SEAL FAILURE
12	7	3019.4	5160		5190	.	SEAL FAILURE
14	8	3045.5	5222		5252	.	SEAL FAILURE
15	9	3045.4	5181		5210	.	SEAL FAILURE
16	10	3044.	5168		5197	.	SEAL FAILURE.
18	11	3040.6	5174		5204	.	SEAL FAILURE.
20	12	3063.				.	
21	13	3072.	5246	4837	5276	4866.	SAMPLE TAKEN.
4	14	3183.	5412		5437	.	SEAL FAILURE.
5	15	3182.5	5410		5438	.	SEAL FAILURE
6	16	3215.	5484		5518	.	SEAL FAILURE
7	17	3214.5	5477		5507	.	SEAL FAILURE.
8	18	3226.5	5500		5529	.	SEAL FAILURE.
10	19	3226.5	5491		5523	.	SEAL FAILURE.
11	20	3226.4	5483		5513	.	SEAL FAILURE.

RFT SAMPLE RECOVERY DATA

	UPPER CHAMBER	LOWER CHAMBER
DEPTH (METER)		3072
FILE NUMBER.		21
SAMPLE CHAMBER VOLUME (CC.)		27240
VOLUME OIL (CC.)		
VOLUME GAS (CU.FT.)		
VOLUME WATER (CC.)		4900
VOLUME SAND (CC.)		
VOLUME MUD (CC.)		
HYDROSTATIC PRESSURE BEFORE PRETEST (PSI)		5276
PRETEST BUILDUP PRESSURE (PSI.)		
AVERAGE SAMPLING PRESSURE (PSI.)		65
SAMPLE BUILDUP PRESSURE (PSI.)		
HYDROSTATIC PRESSURE AFTER (PSI.)		
TIME OF SETTING (HH:MM:SS)		19 46 00
TIME SAMPLE CHAMBER OPEN (HH:MM:SS)		20 15 00
TIME SAMPLE SEALED (HH:MM:SS)		22 00 00
TIME TOOL RETRACTED (HH:MM:SS)		22 34 00
SAMPLING TIME (MIN:SEC)		105 00
FLOW RESTRICTOR (Y/N)		
CHOKE SIZE (THOU)		30
PROBE TYPE		
WATER CUSHION (Y/N)		Y