

- 7840-7850 Heavily contaminated with cavings - shale, but noticeable trace of argillaceous splinters, strands and fragments and dark grey-light grey and black quartzite.
- 7850-7860 40% Quartzite; dark grey and light grey, mottled, sometimes banded, dense, very fine grained, very hard.  
60% Cavings; buff and light grey, calcareous shale.  
Trace of sandstone, grey white to light grey, fine to medium grained, angular to sub rounded, poor sorting with scattered grains quartz sand, lithic (argillaceous dark grey quartzite granules), dense, white, siliceous cement, very hard, no porosity or permeability.
- 7860-7870 90% Quartzite; as above.  
10% cavings; shale, as above.
- 7870-7880 100% Quartzite; dark grey to light grey, mottled, very fine grained, dense, hard.
- 7880-7890 30% Quartzite;  
70% Shale; dark grey to black, dense.
- 7890-7900 Cavings; dark brown, silty, shale; light grey, calcareous.  
50% Quartzite; as above.  
50% Shale; as above.  
Cavings.
- 7910-7920 20% Quartzite; black to dark grey to light grey, mottled, dense, sparsely pyritic, very hard, very fine grained as above.  
60% Shale; black, contact met., (carbonaceous ?), as above.  
20% Sandstone; dark grey to black, silty, very fine grained, consisting of quartz grains set in a secondary silica cement, as above.